

GALES-KINGSCLIFF

PTY LTD
ABN: 75 093 540 080

Annual Review

for the

Cudgen Lakes Sand Quarry

1 July 2021 to 30 June 2022

Compiled by:



R.W. CORKERY & CO. PTY. LIMITED

September 2022

GALES-KINGSCLIFF

PTY LTD
ABN: 75 093 540 080

Annual Review

for the

Cudgen Lakes Sand Quarry

1 July 2021 to 30 June 2022

Compiled for:

Gales-Kingscliff Pty Ltd
ABN: 75 093 540 080
20 Ginahgulla Road
BELLEVUE HILL NSW 2023

Telephone: (02) 9327 2481
Facsimile: (02) 9387 8230
Email: sdsegal@gmail.com

Compiled by:

R.W. Corkery & Co. Pty. Limited
Geological & Environmental Consultants
ABN: 31 002 033 712

Telephone: (02) 9985 8511
Email: admin@rwcorkery.com

Brooklyn Office:

Level 1, 12 Dangar Road
PO Box 239
BROOKLYN NSW 2083

Orange Office:

62 Hill Street
ORANGE NSW 2800

Brisbane Office:

Level 54, 111 Eagle Street
BRISBANE QLD 4000


Ref No. 617/43

September 2022



R. W. CORKERY & CO. PTY. LIMITED

TITLE BLOCK

Name of Operation	Cudgen Lakes Sand Quarry
Name of Operator	Kingscliff Sands Pty Limited
Development consent / project approval #	Project Approval MP05_0103B
Name of holder of development consent / project approval	Gales-Kingscliff Pty Ltd
Mining Lease #	Not Applicable
Name of holder of mining lease	Not Applicable
Water licence #	WAL 40902
Name of holder of water licence	Gales-Kingscliff Pty Ltd
MOP/RMP start date	Not Applicable
MOP/RMP end date	Not Applicable
Annual Review start date	01/07/21
Annual Review end date	30/06/22
<p>I, Stephen Segal, certify that, to the best of my knowledge, this audit report is a true and accurate record of the compliance status of the Cudgen Lakes Sand Quarry for the period 1 July 2021 to 30 June 2022 and that I am authorised to make this statement of behalf of Gales-Kingscliff Pty Ltd.</p> <p><i>Note.</i></p> <p>a) <i>The Annual Review is an 'environmental audit' for the purposes of section 122B(2) of the Environmental Planning and Assessment Act 1979. Section 122E provides that a person must not include false or misleading information (or provide information for inclusion in) an audit report produced to the Minister in connection with an environmental audit if the person knows that the information is false or misleading in a material respect. The maximum penalty is, in the case of a corporation, \$1 million and for an individual, \$250,000.</i></p> <p>b) <i>The Crimes Act 1900 contains other offences relating to false and misleading information: Section 192G (Intention to defraud by false or misleading statement – maximum penalty 5 years imprisonment); Section 307A, 307B and 307C (false or misleading application/information/documents – maximum penalty 2 years imprisonment or \$22,000, or both).</i></p>	
Name of authorised reporting officer	Stephen Segal
Title of authorised reporting officer	Managing Director
Signature of authorised reporting officer	
Date	30 September 2022

This Copyright is included for the protection of this document

<p>COPYRIGHT</p> <p>© R.W. Corkery & Co. Pty Limited 2022 and © Gales-Kingscliff Pty Ltd 2022</p> <p>All intellectual property and copyright reserved.</p> <p>Apart from any fair dealing for the purpose of private study, research, criticism or review, as permitted under the Copyright Act, 1968, no part of this report may be reproduced, transmitted, stored in a retrieval system or adapted in any form or by any means (electronic, mechanical, photocopying, recording or otherwise) without written permission. Enquiries should be addressed to R.W. Corkery & Co. Pty Limited.</p>
--

CONTENTS

	Page
TITLE BLOCK	ii
1. STATEMENT OF COMPLIANCE	1
2. INTRODUCTION	3
2.1 OVERVIEW OF OPERATIONS	3
2.2 SCOPE AND FORMAT	3
2.3 KEY PERSONNEL CONTACT DETAILS	7
3. APPROVALS	8
4. OPERATIONS SUMMARY	9
4.1 EXTRACTION OPERATIONS	9
4.2 PROCESSING AND ROAD TRANSPORTATION.....	9
4.3 OTHER OPERATIONS DURING THE REPORTING PERIOD	11
4.4 NEXT REPORTING PERIOD	11
5. ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW	14
6. ENVIRONMENTAL PERFORMANCE	15
6.1 SUMMARY OF ENVIRONMENTAL PERFORMANCE	15
6.2 METEOROLOGICAL MONITORING.....	16
6.3 NOISE	16
6.4 AIR QUALITY.....	20
6.5 BIODIVERSITY	21
6.6 HERITAGE.....	21
6.7 ACID SULFATE SOILS.....	22
6.8 OTHER ENVIRONMENTAL MANAGEMENT ASPECTS	22
7. WATER MANAGEMENT	23
7.1 WATER TAKE.....	23
7.2 SURFACE WATER.....	23
7.3 GROUNDWATER	33
8. REHABILITATION	47
8.1 REHABILITATION PERFORMANCE DURING THE REPORTING PERIOD	47
8.2 ACTIONS FOR THE NEXT REPORTING PERIOD	47
9. COMMUNITY	49
9.1 COMMUNITY COMPLAINTS	49
9.2 COMMUNITY LIAISON.....	49
10. INDEPENDENT AUDIT	50
11. INCIDENTS AND NON-COMPLIANCES DURING THE REPORTING PERIOD	53
12. ACTIVITIES TO BE COMPLETED IN THE NEXT REPORTING PERIOD	54



CONTENTS

	Page
APPENDICES	
Appendix 1 Compliance Review	A1-1
Appendix 2 Noise Monitoring Results	A2-1
Appendix 3 Air Quality Monitoring Results	A3-1
Appendix 4 Surface Water Monitoring Results	A4-1
Appendix 5 Groundwater Monitoring Results	A5-1
FIGURES	
Figure 2.1 Locality Plan	4
Figure 2.2 Quarry Site Layout and Indicative Fill Sites	5
Figure 2.3 Surrounding Land Ownership, Residences and Registered Groundwater Bores	6
Figure 4.1 Activities During the 2021/2022 Reporting Period	10
Figure 4.2 Planned Activities 2022/2023	13
Figure 6.1a Wind Roses – Coolangatta (July to December 2021)	17
Figure 6.1b Wind Roses – Coolangatta (January to June 2022)	18
Figure 7.1 Monitoring Locations	24
Figure 7.2a Surface Water Quality Parameters – Electrical Conductivity	25
Figure 7.2b Surface Water Quality Parameters – pH	25
Figure 7.2c Surface Water Quality Parameters – Potentially Toxic Cyanobacteria	26
Figure 7.3 Groundwater Levels – 2021/2022 Reporting Period	34
Figure 7.4a Groundwater Quality Parameters – pH	35
Figure 7.4b Groundwater Quality Parameters – Electric Conductivity (Shallow Bores)	35
Figure 7.4c Groundwater Quality Parameters – Electric Conductivity (Deep Bores)	36
Figure 7.5a Long Term Groundwater Quality Parameters – pH	36
Figure 7.5b Long Term Groundwater Quality Parameters – Electrical Conductivity (Shallow Bores)	37
Figure 7.5c Long Term Groundwater Quality Parameters – Electrical Conductivity (Deep Bores)	37
Figure 8.1 Status of Rehabilitation	48
TABLES	
Table 1.1 Statement of Compliance	1
Table 1.2 Non-compliances	1
Table 3.1 Cudgen Lakes Sand Quarry – Consents, Leases and Licences	8
Table 4.1 Production Summary	9
Table 6.1 Environmental performance	15
Table 6.2 Monthly Rainfall Records	16
Table 6.3 Summary of Attended Noise Monitoring Results	19
Table 6.4 Summary of Deposited Dust Monitoring Results – 2021/2022	20
Table 7.1 Surface Water Monitoring Data Summary	27
Table 7.2 Groundwater Monitoring Data Summary	38
Table 8.1 Rehabilitation Summary	47
Table 10.1 2019 Independent Audit – Action Response Plan Status	51

1. STATEMENT OF COMPLIANCE

The compliance status of relevant approvals was reviewed for the reporting period and is summarised in **Table 1.1**. It was determined that, during the reporting period, there were a total of two non-compliances, both relating to EPL12385. The non-compliances recorded during the reporting period have been ranked according to the risk matrix included in **Table 1.2**.

Table 1.1
Statement of Compliance

Were all conditions of the relevant approval(s) complied with?	Yes / No
Project Approval MP05_0103B	Yes
Environment Protection Licence 12385	No

Table 1.2
Non-compliances

Relevant Approval	Condition	Condition Description (summary)	Compliance Status	Comment	Where Addressed in Annual Review
EPL 12385	M2.1 / M2.2	Undertake monitoring in accordance with the locations, analytes, and frequency specified.	Non-compliant	Monitoring of TSS and Oil and Grease within groundwater monitoring bores not undertaken (consistent with updated and approved Soil and Water Management Plan). A variation to EPL12385 is to be undertaken to ensure consistency. Monitoring was also unable to be undertaken at EPL Point 5 (MB10) due to the bore being damaged. A replacement bore is to be established / alternative site nominated.	Sections 7.3 and 11.1
EPL 12385	R1.5	Submit the Annual Return within 60 days after the end of the reporting period.	Non-compliant	The completed annual return for the period 18 November 2020 to 30 June 2021 was submitted on 2 February 2022, beyond the required date. The late submission was reported as part of the Annual Return and was due to an administrative error arising from the change in the reporting period.	Section 11.1

Compliance Status Key		
Risk level	Colour code	Description
<i>High</i>	<i>Non-compliant</i>	<i>Non-compliance with potential for significant environmental consequences, regardless of the likelihood of occurrence.</i>
<i>Medium</i>	<i>Non-compliant</i>	<i>Non-compliance with:</i> <ul style="list-style-type: none"> • <i>potential for serious environmental consequences, but is unlikely to occur; or</i> • <i>potential for moderate environmental consequences, but is likely to occur.</i>
<i>Low</i>	<i>Non-compliant</i>	<i>Non-compliance with:</i> <ul style="list-style-type: none"> • <i>potential for moderate environmental consequences, but is unlikely to occur; or</i> • <i>potential for low environmental consequences, but is likely to occur.</i>
<i>Administrative non-compliance</i>	<i>Non-compliant</i>	<i>Only to be applied where the non-compliance does not result in any risk of environmental harm (e.g. submitting a report to government later than required under approval conditions).</i>

2. INTRODUCTION

2.1 OVERVIEW OF OPERATIONS

The Cudgen Lakes Sand Quarry (the Quarry) is located at Cudgen approximately 1km south of the Tweed River and 8km south of the New South Wales/Queensland Border (see **Figure 2.1**). Project Approval MP05_0103B was granted 16 June 2009 and has since been modified as follows.

- a. Modification 1 (MOD 1) – 19 February 2016, including the addition of an initial processing area with operations planned to remain south of the existing alignment of Altona Road for a period of at least 5 years from commencement.
- b. Modification 2 (MOD 2) – 22 January 2019, including utilisation of the ‘Initial’ Processing Area as the long-term Processing Area, consolidation of the Northern and Southern Extraction Areas into a single lake and increase of the final lake batters to 1:3 (V:H).

The approved layout of the operations is shown in **Figure 2.2** whilst surrounding land ownership, residences and registered groundwater bores are shown in **Figure 2.3**.

Operations at the Quarry were physically commenced on 13 September 2016, site establishment activities commenced on 26 June 2017 and the first extraction campaign commenced 30 October 2017 and ceased on 8 February 2018. During April 2020 extraction operations recommenced and processing operations and road transportation of Quarry products commenced for the first time. Details on the activities undertaken during the reporting period are provided in Section 4.

The approval for the realignment of Altona Road (DA05/1450) was physically commenced in 2011 through the placement of sub-base material in the eastern section of the road realignment.


A further approval (DA 20/0965) was also determined by Tweed Shire Council on 12 May 2021 for the application of fill material to Lot 21 DP1082482 (the northern Quarry lot) to raise the level of land. The purpose of the fill in the short term will be to raise the level of the land to achieve improved pasture for existing grazing practices occurring on the land. In the medium to longer term the majority of the fill will be utilised to create future sports fields external to the lake area. With further filling to raise the land to the Q100 design flood level, and subject to development approval, some parts of the fill area may be used for alternative urban land use activities, as contemplated by the Councils Kingscliff Development Control Plan.


2.2 SCOPE AND FORMAT

This is the twelfth (12th) Annual Review submitted for the Quarry, following one Annual Environmental Management Report, and is applicable for the period 01 July 2021 to 30 June 2022 (“the reporting period”). The information presented within this Annual Review is based on information compiled by R.W. Corkery & Co. Pty. Limited and provided by Gales-Kingscliff Pty Limited (“the Company”), Kingscliff Sands Pty Limited, and HMC Environmental Consulting.









The report generally follows the format and content requirements identified in the *Annual Review Guideline* dated October 2015 and the approval and licencing requirements, as applicable for the reporting period.

2.3 KEY PERSONNEL CONTACT DETAILS

The key personnel contact names, position and phone numbers during the reporting period are as follows.

Name	Company	Position	24 Hour Contact
Brad Holloway	Kingscliff Sands	Operations Manager	0449 965 772
Stephen Segal	Gales-Kingscliff	Managing Director	0414 322 455



3. APPROVALS

The Quarry operates in accordance with the approvals listed in **Table 3.1**.

Table 3.1
Cudgen Lakes Sand Quarry – Consents, Leases and Licences

Consent/Lease/Licence	Issue Date	Expiry Date	Details / Comments
Project Approval MP05_0103B ¹	16/06/2009 MOD1 – 19/02/2016 MOD2 – 22/01/2019	31/12/2047	Issued by the (then) Department of Planning.
Environment Protection Licence 12385*	18/11/2005 (licence version dated 11 June 2021)	Not Applicable	Issued by NSW Environment Protection Authority (EPA). Renewed annually.
Water Access Licence 40902	09/11/2016	Not Applicable	Issued by Water NSW. Includes 700ML water allocation. Nominated works 30CA321269.
Water Supply Works and Use Approval 30CA321269	01/07/2016	28/02/2031	Issued by Water NSW at commencement of <i>Water Sharing Plan for the North Coast Coastal Sands Groundwater Sources 2016</i> .
DA 05/1450	18/08/2006	Not Applicable	Issued by Tweed Shire Council for the realignment of Altona Road.
DA 20/0965	12/05/2021	Not Applicable	Issued by Tweed Shire Council for filling of land within Lot 21 DP1082482.
¹ A compliance review is included in Appendix 1 reflecting the conditions relevant as at the end of this reporting period.			
² Activities associated with DA 20/0965 are not directly related to the Quarry and will be managed separately to activities undertaken under Project Approval MP05_0103B.			

There were no additional modifications or variations to any approvals or licences.

It is noted that initial discussions with the Natural Resources Access Regulator (NRAR) in 2019 indicate that the Water Supply Works and Use Approval may have been issued in error. This is supported by the fact that, as the Quarry is a State Significant Development, Section 4.41 of the *Environmental Planning and Assessment Act 1979* states that a water use approval or water management work approval under the *Water Management Act 2000* is not required. Notwithstanding, the Water Access Licence and associated water allocation remain valid and are required for the ongoing operations. Confirmation from NRAR on this matter has previously been sought and is awaited.

4. OPERATIONS SUMMARY

4.1 EXTRACTION OPERATIONS

During the reporting period extraction activities focused upon sand recovery through dredging. Dredging was undertaken on a campaign basis, operating for a total of 69 days during the reporting period.

A total of approximately¹ 24,447m³ of sand was extracted during the reporting period. **Table 4.1** provides the production summary.

Table 4.1
Production Summary

Material	Approved limit (specify source)	Previous reporting period (actual)	This reporting period (actual)	Next reporting period (forecast)
Waste Rock / Overburden ¹	NA	0	0	0
ROM ¹	NA	0	0	0
Coarse Reject ^{2#}	NA	445m ³	489m ³	2,667m ³
Fine Reject ^{2^}	NA	668m ³	733m ³	4,000m ³
Saleable Product ³ (transported by road)	300,000t [MP05_0103B Condition 2(9)]	28,794t	29,170t	200,000t
Total Extraction	650,000m ³ [MP05_0103B Condition 2(8)]	22,250m ³	24,447m ³	133,333m ³
Imported VENM	45,000t [MP05_0103B Condition 2(10)]	3,000t	0	0


1. The Quarry does not generate waste rock / overburden or 'Run of Mine' material.
2. Whilst some coarse materials and fines will be generated through sand washing, there are no approval limits applicable to these materials. It is also noted that the coarse reject comprises shells which are considered a raw material / product.
3. 300,000t is equivalent to approximately 200,000m³ of in-situ sand.
Estimate based upon average of 2% of raw material comprising shells (stockpiled as a raw material).
^ Estimate based upon average of 3% silt content washed and returned to the Silt Retention Pond.

4.2 PROCESSING AND ROAD TRANSPORTATION

During the reporting period Gales-Kingscliff maintained the use of the previously installed CDE sand wash plant, EvoWash, and radial stacker. All dredged sand, i.e. a total of approximately 24,447m³ of sand was processed through the wash plant during the reporting period.

During the reporting period a total of 29,170t of products were transported from the Quarry by road. The highest daily number of truck loads occurred on 8 June 2022 with 48 laden-trucks dispatched, however, truck transport was highly variable, with an average of five truck loads per day being dispatched during the reporting period. Product sales and therefore transportation during the reporting period were reduced as a result of border closures associated with the COVID-19 pandemic and accessibility issues due to local and regional flooding.

¹ Bulk density testing indicates a loose density of 1.36t/m³ and 'tight' (in-situ) density of 1.5t/m³.



4.3 OTHER OPERATIONS DURING THE REPORTING PERIOD

The status of the Quarry at the end of the reporting period is presented in **Figure 4.1** and a summary of other Quarry related activities during the reporting period provided as follows.

- The fixed wash plant was maintained, including regular checks of machinery and services, and maintenance of the electrical switch board.
- Landscaping was completed around the western side of the processing area.
- Continued maintenance of surface water control and drainage structures, including maintenance of the channel providing water from the dredge pond to the wash plant.
- Continued environmental monitoring, including noise, air quality, and water monitoring. Results of this monitoring are summarised in Sections 6 and 7.
- Flooding at the Quarry Site resulted in damage to the screener, which has since been replaced, and the main water pump, which was reconditioned and returned to the Quarry Site.
- The updated Soil and Water Management Plan was approved 20 July 2021.

Other non-Quarry related activities that occurred within the Quarry Site included the following.

- Continued grazing of cattle, and installation of stock yard fencing including a new stock-proof fence along the western boundary of the Quarry Site
- Installation of the loading ramp and access from Altona Road.
- Clean out and maintenance of agricultural drains across the Quarry Site to maintain drainage and ground conditions for grazing and access for monitoring and inspections.
- Creation of a raised the property access to the north of Altona Road as part of Council issued DA 20/0965 (see Section 2.1).
- Cleaning of the drain along the northern side of the Kingscliff Waste Water Treatment Plant (WWTP) undertaken by Council, providing improved drainage in the northern portion of the Quarry Site.
- Cleaning of the drain on a property south-west of the Quarry Site undertaken by the landholder, providing improved drainage in the southern portion of the Quarry Site.

4.4 NEXT REPORTING PERIOD

Activities planned to be undertaken during the next reporting period are summarised as follows and displayed on **Figure 4.2**.

Extraction, Processing and Transportation

Extraction will continue during the next reporting period by both dredge and excavator/front-end loader for the production of saleable products within the processing area, including sand and soil products. These products would be transported via road. The volume of products will be dependent upon customer demand but has nominally been estimated at 200,000t (approximately 133,300m³). Based on the predicted volumes, extraction would extend beyond the current bunded area and into the southern portion of the extraction area and as such the bunding will be extended to the south (see **Figure 4.2**). A formed internal access track will also be established along the southern boundary of the processing area to assist with transport of land-based extraction material into the processing area.

Further dredging for hydraulic transfer of sand to fill sites is not considered likely during the next reporting period and is dependent upon finalisation of approvals and development plans for those fill sites.

Monitoring

Noise, air quality, and water monitoring will continue to be undertaken as applicable and in accordance with the conditional requirements of Project Approval MP05_0103B and the approved management plans. Acid sulfate soil testing will also be undertaken as required for products which are not washed through the wash plant.

Other Activities

A further updated RMP is expected to be submitted second half of 2022. Within 6 months of approval of the RMP a review of the rehabilitation bond will also be completed and submitted.

It has become apparent that the existing processing area is too small to allow adequate separation between sand and soil operations, with the risk of soil contaminating the sand necessitating cessation of soil processing (with soil to be sold as a 'raw' product). A number of Quarry clients have highlighted the importance of maintaining a larger product stockpile to give increased security of supply in the event of a dredge or wash plant breakdown. A modification application is currently being prepared to increase the size of the processing area which will provide for production and stockpiling of a greater volume and range of products.

Plans for the relocation of Altona Road will continue to be pursued with Council.




Figure 4.2
 PLANNED ACTIVITIES 2022/2023

5. ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW

The 2020/2021 Annual Review was submitted to the (then) DPIE, Tweed Shire Council, Water NSW, NRAR, and EPA on 30 September 2021. The 2020/2021 Annual Review was receipted by DPE on 30 September 2021 and accepted 20 October 2021. No specific follow up or actions were provided beyond publishing the Annual Review on the Company website.

6. ENVIRONMENTAL PERFORMANCE

6.1 SUMMARY OF ENVIRONMENTAL PERFORMANCE

A summary of environmental performance for the principal environmental aspects is provided in **Table 6.1**. Further detail regarding specific environmental aspects is also provided in the following subsections. Environmental performance relating to water is discussed in Section 7.

Table 6.1
Environmental performance

Aspect	Approval criteria / EIS prediction	Performance during the reporting period	Trend/key management implications	Implemented/proposed management actions
Noise	47dB(A) day & evening. 44dB(A) shoulder.	No complaints were received. Calculated noise contributions from the Quarry were below the project-specific noise criteria during operational periods.	No trends identifiable. Currently no management implications.	No other specific management measures were required during the reporting period.
Blasting	Blasting is not an approved activity.	No blasting undertaken.	Nil.	Nil.
Air Quality	PM ₁₀ 24hr = 50ug/m ³ PM ₁₀ Annual = 30ug/m ³ TSP Annual = 90ug/m ³ Dep Dust Annual = 4g/m ² /month	No complaints were received. No elevated dust as a result of Quarry activities. Deposited dust remained within criteria.	No trends identifiable. Currently no management implications.	No other specific management measures currently proposed.
Biodiversity	Establish rehabilitation bond. No significant impacts predicted.	No native vegetation was disturbed.	No trends applicable. Currently no management implications.	The rehabilitation bond for \$163,375 was lodged and accepted by DPE 12/04/17. A review of the rehabilitation bond will be undertaken with 6 months of approval of the updated Rehabilitation Management Plan in accordance with <i>Condition 3(35)</i> .
Heritage	Prepare Aboriginal Cultural Heritage Management Plan. No items of heritage have been located.	No heritage items were identified or disturbed.	No trends applicable. Currently no management implications.	No further specific management measures currently proposed.
Acid Sulfate Soils	Manage acid sulfate soils in accordance with an Acid Sulfate Soil Management Plan.	Processed product confirmed to have net acid neutralising capacity or not exceed threshold for classification as acid sulfate soil.	No acid generation potential has been identified in topsoil (upper 250mm of soil). Topsoil is not considered an acid sulfate soil risk. Revised management measures outlined in updated management plan approved 20 July 2021.	Implementation of updated Acid Sulfate Soil Management Plan.

6.2 METEOROLOGICAL MONITORING

Meteorological monitoring is undertaken utilising an on-site automatic rain gauge (installed 1 October 2017) and the Bureau of Meteorology's Tweed Heads Gold Club Station No. 58056. A summary of the rainfall data during the reporting period is presented in **Table 6.2** whilst monthly wind roses are presented in **Figures 6.1a** and **6.1b**.

Table 6.2
Monthly Rainfall Records

Period	Average Monthly Rainfall (mm)												Total
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	
2017	142.8	55.6	444	28.6	100.2	211.8	15.6	6.2	1.0	212.4	142	77.2	1,437.4
2018	60.8	239	147	51.6	42.6	40.2	19.2	0.0	12.2	86.8	49.2	97.8	846.2
2019	10.4	71.2	227.8	66.0	55.4	145.4	22.2	6.8	9.6	42.8	12.8	72.0	742.4
2020	283.0	702.2	195.6	34.0	62.6	77.2	214.2	20.0	42.8	137.2	18.2	558.0	2,345.0
2021	159.2	210.6	781.2	238.6	107.8	56.2	127.8	24.9	38.4	182.4	212.5	266.0	2,405.6
2022	235.3	483.0	540.0	104.0	340.5	13.0	-	-	-	-	-	-	-

Bold italics = values relevant to this reporting period.

Total rainfall during the 2021/2022 reporting year was 2,567.8mm, 870.9mm above the long-term average rainfall of 1,696.9mm recorded at the Tweed Heads Gold Club Station No. 58056.

6.3 NOISE

Environmental Management

Noise management was undertaken in accordance with the approved Noise Management Plan as relevant. The principal noise management measures during the reporting period included use of broadband reversing alarms, proper maintenance of equipment and adherence to hours of operation.

Environmental Performance


During the reporting period noise monitoring was undertaken 5 August and 1 October 2021 and 8 April 2022. It is noted that the 2022 Q1 noise monitoring was delayed due to significant rainfall (see **Table 6.2**), with Q2 monitoring undertaken in August 2022 (delayed beyond the current reporting period). An overview of the monitoring results for the reporting period is provided in **Table 6.3** and a copy of the monitoring reports are provided as **Appendix 2**. In summary, total noise levels at all monitoring locations exceeded the project-specific criteria (47 dB(A) LA_{eq(15 min)}) during all monitoring events. However, noise from the Cudgen Lakes Sand Quarry could not be isolated and, in most cases, was not distinguishable or measurable due to the continuous nature of the surrounding noise sources (e.g. traffic noise from Pacific Highway and Tweed Coast Road). As a result, Quarry specific noise levels could not be measured through direct monitoring at the specified monitoring locations.

In order to assess compliance and in accordance with the approved NMP, near-field measurements of noise generated by equipment operating at the Quarry were undertaken. The contribution of each item was then calculated using attenuation associated with the distance of equipment from monitoring locations and then combined to provide a total calculated noise contribution from the Quarry.

Y:\Jobs 531 to 1000\617\Reports\61743_AR 2022\CAD\617 Wind Roses.dwg_21-22-08.09.2022-1:02 PM


July 2021

(Calms: 3.23%)




August 2021

(Calms: 1.88%)




September 2021

(Calms: 1.11%)




October 2021

(Calms: 2.69%)




November 2021

(Calms: 1.53%)



December 2021

(Calms: 1.34%)



WIND SPEED
(m/s)



Source: Bureau of Meteorology, Coolangatta Weather Station 040717


Figure 6.1A
WIND ROSES - COOLANGATTA



Y:\Jobs 531 to 1000\617\Reports\61743_AR 2022\CAD\617 Wind Roses.dwg_21-22-08.09.2022-1:02 PM


January 2022

(Calms: 1.48%)




February 2022

(Calms: 0.15%)




March 2022

(Calms: 0.67%)




April 2022

(Calms: 1.53%)




May 2022

(Calms: 1.88%)



June 2022

(Calms: 3.61%)



WIND SPEED
(m/s)



Figure 6.1B

WIND ROSES - COOLANGATTA

Source: Bureau of Meteorology, Coolangatta Weather Station 040717



The calculated contributions were all below the project-specific noise criteria, with the highest contribution calculated as 47dB(A) at the Pacific Views Estate monitoring location during all monitoring occasions including the additional attenuation for the location not being in line of sight of Quarry activities.

Table 6.3
Summary of Attended Noise Monitoring Results

Location ¹	Criteria	Attended Monitoring	Calculated Contribution ²	Comments
	dB(A) LA _{eq} (15 min)			
G 216 Tweed Coast Rd	47	50 (Aug 2021)	42	For all monitoring events, noise from other sources such as traffic noise from Tweed Coast Road dominated background. Noise from operations not measurable / distinguishable above background.
		49 (Oct 2021)	42	
		47 (April 2022)	42	
O 607 Cudgen Rd	47	49 (Aug 2021)	45	For all monitoring events, noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations was occasionally audible but not measurable above background.
		51 (Oct 2021)	45	
		50 (April 2022)	45	
Pacific Views Estate Via Collier St	47	51 (Aug 2021)	45 (47)	For all monitoring events, noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable / distinguishable above background.
		50 (Oct 2021)	45 (47)	
		51 (April 2022)	45 (47)	
DD 34A Crescent St	47	49 (Aug 2021)	43 (33)	For all monitoring events, noise from other sources such as traffic noise from Tweed Coast Road dominated background. Noise from operations not audible or measurable / distinguishable above background.
		51 (Oct 2021)	43 (33)	
		52 (April 2022)	43 (33)	
F 64 John Robb Way	47	48 (Aug 2021)	42 (32)	For all monitoring events, noise from other sources such as traffic noise from Tweed Coast Road dominated background. Noise from operations not audible / distinguishable above background.
		50 (Oct 2021)	42 (32)	
		49 (April 2022)	42 (32)	
Note 1: See Figure 6.2 .				
Note 2: Based on measurements of noise at 20m from operational equipment plus distance attenuation for receivers. Values in brackets () include additional attenuation for the location not being in line of site of Quarry activities.				
Source: Craig Hill Acoustics.				

No Quarry-related noise complaints or enquiries were received during the reporting period.

Reportable Incidents and Further Improvements

No exceedances of noise criteria were recorded and currently no further improvements are planned. It is noted that, in accordance with the approved Noise Management Plan, the August 2022 round of quarterly monitoring will represent the final quarterly monitoring. Monitoring will subsequently revert to annually.

6.4 AIR QUALITY

Environmental Management

During the reporting period loading and transportation of products occurred regularly, however, extraction and processing activities occurred on an infrequent basis.

The principal dust management measure was ongoing visual monitoring and, if required, use of sprinklers to dampen the road surfaces within the processing area. Sand is principally extracted through dredging and is wet processed. Where soil and sand was extracted / recovered from stockpiles by excavator, the material was moist and only transported a short distance. As such, no additional dust suppression was required.

Environmental Performance

The results of deposited dust monitoring at three locations (see **Figure 7.1**) during the reporting period are presented in **Table 6.4** whilst the results of all deposited dust monitoring undertaken to date are provided in **Appendix 3**.

Table 6.4
Summary of Deposited Dust Monitoring Results – 2021/2022

Samples On	Samples Off	Month	Deposited Dust (g/m ² /month)					
			DG1		DG2		DG3	
			Insoluble Matter	Rolling Annual Average	Insoluble Matter	Rolling Annual Average	Insoluble Matter	Rolling Annual Average
7/07/2021	6/08/2021	Jul-21	0.28	2.30	0.29	0.89	0.58	0.53
6/08/2021	6/09/2021	Aug-21	0.60	2.12	0.59	0.72	0.76	0.56
6/09/2021	8/10/2021	Sep-21	0.06	1.22	0.55	0.59	0.45	0.59
8/10/2021	9/11/2021	Oct-21	0.90	0.99	11.41	1.40	NT	0.61
9/11/2021	8/12/2021	Nov-21	2.44	1.19	1.98	1.50	NT	0.64
8/12/2021	7/01/2022	Dec-21	0.45	1.23	1.06	1.59	1.62	0.78
7/01/2022	9/02/2022	Jan-22	0.50	1.19	0.32	1.55	0.35	0.82
9/02/2022	10/03/2022	Feb-22	0.87	1.14	17.37*	1.63	3.16	0.94
10/03/2022	27/04/2022	Mar-22	NS	1.14	NS	1.71	NS	0.96
27/04/2022	27/04/2022	Apr-22	NS	1.18	NS	1.90	NS	1.00
27/04/2022	23/05/2022	May-22	NS	0.97	NS	2.12	NS	1.15
23/05/2022	29/06/2022	Jun-22	NS	0.76	NS	2.31	NS	1.15
Monthly Minimum			0.06	-	0.29	-	0.35	-
Monthly Maximum			2.44	-	11.41	-	3.16	-
Average 2021/2022			0.76	-	2.31	-	1.15	-

ID – Insufficient data to calculate NT – Not Tested (sample broken in transit)
NS – No sample collected due to inaccessibility from flooding and resultant sample invalidation / overflow.
* Sample contaminated and not included in statistical summary

It is noted that 4 months of data during the reporting period could not be collected due to substantial and extensive flooding causing the sites to be inaccessible and samples to be invalidated. Access was checked monthly and when access could be gained - bottles had been overexposed and overflowed from the significant rain events (see **Table 6.2**). Clean sample bottles were reinstated on 29 June 2022.

Throughout the reporting period the rolling average monthly deposited dust levels remained below the criteria of $4\text{g}/\text{m}^2/\text{month}$. This is consistent with the low intensity of activities and the significant rainfall throughout the reporting period.

The highest single monthly result of $17.37\text{g}/\text{m}^2$ was recorded at location DG2 during the February 2022 monitoring period. However, DG1 was noted to contain fine organic matter and was significantly cloudy and is considered to be contaminated. Notably, rainfall during February 2022 was 483mm and elevated levels were not recorded at either DG1 or DG3. A review of wind conditions (see **Figure 6.1B**) during February 2022 also confirms that the wind was significantly dominant from the north and south, indicating that contributions from the Quarry activities will have been minimal.

An elevated result ($11.41\text{g}/\text{m}^2$) was also recorded at DG2 in October 2021. Similarly, during October there was high rainfall (182.4mm) and winds were significantly dominant from the north and south, indicating that contributions from the Quarry activities will have been minimal.

No air quality complaints were received during the reporting period.

Reportable Incidents and Further Improvements

No reportable air quality incidents occurred during the reporting period and no further improvements relating to air quality management are currently planned. In accordance with the AQMP, air quality monitoring will continue during the next reporting period whilst operational activities continue.

6.5 BIODIVERSITY

The rehabilitation bond for \$163,375 was previously lodged and accepted by the (then) DPE on 12 April 2017. No disturbance of native vegetation was required during the reporting period and no specific biodiversity management measures or monitoring was deemed necessary. No incidents occurred during the reporting period and no further improvements are currently planned. However, it is noted that, in accordance with *Condition 3(35)* of MP05_0103B the rehabilitation bond will be reviewed during the next reporting period, within 6 months of the approval of the Rehabilitation Management Plan (see Section 4.4).

6.6 HERITAGE

Environmental Management

The Quarry Manager and Operations Manager for Kingscliff Sands Pty Limited were previously inducted by the Tweed Local Aboriginal Land Council on 16 March 2020 in accordance with the approved Aboriginal Cultural Heritage Management Plan. No further management measures were required during the reporting period.

Environmental Performance, Reportable Incidents, and Further Improvements

No Aboriginal heritage sites were identified during the reporting period no reportable incidents occurred. No further improvements are currently planned or deemed necessary.



6.7 ACID SULFATE SOILS

Environmental Management

During the reporting period no land-based extraction of sand was undertaken / raw sand products were produced. As such, no acid sulfate soil testing was required. It is noted that, based upon the updated Soil and Water Management Plan (SWMP) approved 20 July 2021, testing of soil material (the upper 250mm of profile) is no longer required.

Environmental Performance, Reportable Incidents, and Further Improvements

No reportable acid sulfate soil incidents occurred during the reporting period. Currently no further improvements to acid sulfate soil management are planned. The results of ongoing testing will continue to be reviewed and, where appropriate, updates to the SWMP sought to rationalise testing.

6.8 OTHER ENVIRONMENTAL MANAGEMENT ASPECTS

In accordance with MP05_0103B *Condition 3(40)*, a summary of waste management is also provided. As discussed in Section 4.1, it is estimated that less than 2% of the washed material was oversize and consisted almost entirely of shells. The shells have been stockpiled and are considered a raw material and is being assessed for incorporation into products. It is also estimated that on, on average, less than 3% of washed material was fines material. All fines were returned to the Silt Retention Pond to settle at depths of at least 4m below water.

In relation to non-production wastes, Council domestic general waste and recycling services are now available to the site. Non-production wastes volumes are minimal and include lunch, domestic style and consumable wastes which were managed through the 240L bins provided by Council. The site portaloos continued to be serviced on an as required basis by Kingscliff Hire, a licenced service provider.

7. WATER MANAGEMENT

7.1 WATER TAKE

Applicable water licencing held for the Quarry operations include Water Supply Works and Use Approval 30CA321269 and Water Access Licence (WAL) 40902, which has a water share component of 700ML. The Quarry Site is located within the *Water Sharing Plan for the North Coast Coastal Sands Groundwater Sources 2016*, which commenced on 1 July 2016.

Water take during the reporting period totalled 19.79ML and is estimated to be comprised of the following components.

- Removal of 24,447m³ sand from below the water table (conservatively assume 100% of material extracted was below the water table) = 17.11ML.
- A 10% water loss through incorporation into products = 2.44ML.
- Water utilised for dust suppression = 0.23ML.

As no sand was hydraulically transferred to fill sites, no tailwater losses occurred during the reporting period.

7.2 SURFACE WATER

Environmental Management

The principal surface water management measure is bunding which has been installed around the extraction pond to prevent both external water from running into the extraction area and to prevent water from discharging from within the extraction area (excluding during flood events). Stripped topsoil and disturbed areas not required for ongoing operations have previously been temporarily rehabilitated through the re-establishment of pasture grass.

Additionally, a Silt Return Pond and return channel between the processing area and pond with a pipe over 3m below the water surface has been created to provide for the effective return of fines.

No further surface water controls were required during the reporting period.


Environmental Performance

Water monitoring during the reporting period was undertaken within the extraction pond and surrounding groundwater bores during both non-operational periods and operational periods. Operational periods consisted of intermittent dredge operation and processing of extracted material over a total of 69 days during the reporting period, with a maximum continuous operating period of 6 days.

In reviewing and interpreting the monitoring results it should be noted that the extraction pond effectively represents a 'window' into the groundwater table and is therefore interconnected with the surrounding groundwater aquifer. Results of monitoring within the surrounding groundwater monitoring bores is provided in Section 7.3.

Monitoring was undertaken at three locations within the extraction pond including two edge locations (DP2 and DP3) as well as one in the approximate centre of the pond (DP1) (see **Figure 7.1**). Monitoring at 1m or 2m depth intervals to the bottom of the extraction pond also occurs at monitoring location DP1. Due to a major flood event, high rainfall, and poor drainage all sites were deemed inaccessible to undertake sampling during May 2022 and June 2022.





REFERENCE

- Quarry Site Boundary
- Cadastral Boundary
- - - Pipeline Corridor
- Extraction Site Boundary
- Noise Monitoring Location (locations approximate)
- DG1** Deposited Dust Gauge Location
- Groundwater Monitoring Location
- Surface Water Monitoring Location (Locations Approximate)
- EPL 1** Environment Protection Licence Monitoring Location




Figure 7.1
MONITORING LOCATIONS



A summary of the surface water monitoring results is provided in **Table 7.1** and key analytes and historical trends are displayed graphically in **Figure 7.2**. A full copy of the raw data is presented in **Appendix 4**. As no discharges occurred during the reporting period, no monitoring was undertaken at the EPL monitoring locations positioned at the extraction pond spillways (see **Figure 7.1**).




Figure 7.2a
Surface Water Quality Parameters – Electrical Conductivity





Figure 7.2b
Surface Water Quality Parameters – pH



Physical Parameters and Major Cations and Anions

To date, extraction has reached a maximum depth of approximately -12m AHD and, as expected, the EC levels within the extraction pond rapidly increased as the deeper water was encountered. Since cessation of the first dredging campaign in February 2018, the EC within the extraction pond has fluctuated. During the reporting period, measured EC values ranged from 1,904µS/cm to 3,180µS/cm. The ECs at all monitoring locations generally declined during the reporting period with a substantial decrease recorded during April 2022 following several months of extreme rainfall and flooding (see **Table 6.2**) resulting in surface dilution (see **Figure 7.2a**).

Declining cations and anions were similarly recorded during the reporting period, consistent with the EC values with a substantial decrease in major cation and anion concentrations during the April 2022 monitoring event due to extreme rainfall and flooding causing dilution. Notwithstanding this short-term decrease due to rainfall, as extraction depth increases, EC values (and major cations and anions) within the extraction pond are expected to increase for a period of time as deeper groundwater is encountered and prior to further lateral expansion mixing this with the additional fresh upper layers.

Consistent with the majority of surrounding groundwater monitoring bores, the pH within the extraction pond has largely remained slightly alkaline, however, the April 2022 monitoring detected that pH had decreased to neutral to slightly acidic levels, consistent with the pH of rainfall. As for EC and the major cations and anions, this is the result of extreme rainfall and flooding in the months prior to the April 2022 sampling event.

Table 7.1 (Cont'd)
Surface Water Monitoring Data Summary

Parameters	Physical Parameters									Major Cations & Anions						Metals			Nutrients / Bacteria / Algae												
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	<1000/100	<230/100	<50000	<10	
DP1-7																															
Reporting Period (2021/2022)	Average	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Maximum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Minimum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results (2015-2022)	Average	19.0	7.68	4311	3.58	-21.8	5.2	10.29	5	630	111	95	21	1174.	248	225	0.015	0.002	0.08	0.015	0.006	1.10	0.01	0.02	1.09	2.13	0.03	69	104	16400	8
	Maximum	22.2	8.40	6713	8.90	117.0	7	52.41	5	736	145	112	24	1360	342	326	0.050	0.005	0.17	0.02	0.017	2.70	0.04	0.11	2.7	20	0.13	230	270	16400	8
	80th Percentile	21.3	8.2	5320	7.19	105.8	5	17.74	5	727	130	111	24	1300	304	276	0.020	0.002	0.136	0.02	0.011	1.16	0.02	0.04	1.1	1.178	0.046	164	190	ID	ID
	Median	18.4	7.57	3971	2.70	55.0	5	3.1	5	630	127	96	22	1250	240	221	0.010	0.002	0.05	0.02	0.005	1.00	0.01	0.01	1	0.22	0.01	40	85	16400	8
	20th Percentile	17.1	7.35	3471	1.12	-172.5	5	2.46	5	543	86	80	18.4	1030	194	177	0.010	0.001	0.05	0.01	0.001	0.80	0.01	0.01	0.8	0.082	0.01	20	12	ID	ID
	Minimum	16.7	6.4	3025	0.31	-273.6	5	2.2	5	486	80	72	17	1020	190	173	0.010	0.001	0.05	0.01	0.001	0.70	0.01	0.01	0.7	0.03	0.01	10	10	16400	8
DP1-8																															
Reporting Period (2021/2022)	Average	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Maximum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Minimum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results (2015-2022)	Average	21.5	7.66	4220	3.96	-40.8	5	17.9	5	602	108	90	21	1141	235	230	0.020	0.002	0.08	0.02	0.007	1.26	0.01	0.02	1.25	0.37	0.02	55	139	8429	11
	Maximum	26.1	8.39	5042	8.80	116.0	8	153.0	5	759	134	111	25	1330	333	294	0.050	0.005	0.13	0.04	0.015	2.40	0.02	0.04	2.40	1.30	0.06	120	280	34800	34
	80th Percentile	25.3	8.07	4981	7.05	87.6	6	10.5	IS	670	131	101	23	1286	302	269	0.036	0.004	0.12	0.03	0.010	2.06	0.01	0.04	2.06	1.09	0.04	112	272	23240	23
	Median	21.1	7.62	4520	4.33	16.7	5	4.9	5	633	117	94	22	1180	221	240	0.015	0.002	0.06	0.01	0.010	1.05	0.01	0.01	1.05	0.15	0.01	45	130	540	7
	20th Percentile	17.7	7.30	3629	0.83	-204.7	5	3.2	IS	518	84	79	18	1026	176	181	0.010	0.001	0.05	0.01	0.001	0.72	0.01	0.01	0.72	0.02	0.01	10	18	5	2
	Minimum	16.7	6.40	2434	0.64	-246.3	5	1.4	5	402	71	58	15	774	170	139	0.010	0.001	0.05	0.01	0.001	0.70	0.01	0.01	0.60	0.01	0.01	10	10	5	1

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM= No Longer Monitored

During the reporting period turbidity ranged from 2.1NTU to 45.0NTU with an average of 16.6NTU. These levels were generally well below levels typically recorded during operational periods and did not exceed maximum values recorded during the 2017 dredging campaign. These value ranges are consistent with the non-operational status during much of the reporting period. Consistent with the updated SWMP approved 20 July 2021, total suspended solids (TSS) sampling was discontinued during the reporting period.

The average dissolved oxygen levels at surface monitoring locations DP1, DP2 and DP3 during the reporting period were 6.51mg/L, 6.81mg/L and 6.83mg/L respectively. Consistent with expectations for the pond which experienced only intermittent mixing for relatively brief periods as a result of the action of dredging during the reporting period.

No visible oil and grease was detected during the reporting period.

Metals

The monitored metals filterable iron, aluminium, and arsenic all consistently remained well below the quality objectives with no discernible trends.

Nutrients and Bacteria

Elevated nutrient levels have been recorded in pre-extraction baseline monitoring and in surrounding groundwater bores. This is reflective of past and current agricultural activities within and surrounding the Quarry both on the floodplain and the Cudgen Plateau. Total nitrogen and phosphorous remained consistently elevated throughout the reporting period.

Faecal coliform and Enterococci sampling was discontinued during the reporting period, consistent with the updated SWMP approved 20 July 2021.

Blue-Green Algae

Potentially toxic cyanobacteria levels recorded in the extraction pond remained below the relevant water quality objective during the reporting period.

The maximum cell count recorded for potentially toxic cyanobacteria during the reporting period was 20,400cells/mL, significantly below the maximum cell count of 50,000cells/mL. Given the results recorded within the Cudgen Lakes Sand Quarry to date and the ongoing presence of blue-green algae in the adjacent Hanson Tweed Sand Quarry, algal blooms are expected to regularly occur within the extraction pond, particularly during non-operational periods in summer.

Reportable Incidents

No reportable incidents related to surface water were recorded during the reporting period.

Further Improvements

Further review and update of the SWMP is planned during the next reporting period to further rationalise water monitoring. No further improvements are currently planned.

7.3 GROUNDWATER

Environmental Management

As outlined in Section 7.2, the extraction pond is effectively a ‘window’ into the groundwater table and is the principal location for potential interactions with the local groundwater environment. The key management measures for groundwater are therefore:

- ensuring that extraction rates do not cause drawdown beyond those predicted;
- monitoring of water quality to ensure that drawdown is not resulting in a reduction in pH (which would indicate oxidation of acid sulfate soils); and
- storage of all hydrocarbons in accordance with the relevant Australian Standards.

As only intermittent dredging occurred during the reporting period for relatively brief periods, no specific measures were required to manage drawdown during the reporting period. Monitoring also did not indicate the need for any management measures relating to water quality. Limited volumes of hydrocarbons were stored within the Quarry Site during the reporting period and were appropriately stored within a service van.

Environmental Performance

The groundwater resources within the local area are located within two aquifers, namely the Quaternary sands beneath the Tweed River floodplain and the Tertiary basalts of the Cudgen Plateau. It is expected that freshwater from the Tertiary basalts flows northwards into the Quaternary sands resulting in a wedge of freshwater that thins northwards towards the Tweed River. Beneath this, water quality is largely influenced by the degree of mixing between the freshwater from the Cudgen Plateau, as well as rainfall recharge directly to the Quaternary sands, and the deep saline waters originally derived from estuarine and marine infiltration.

Groundwater levels and water quality were monitored in ten dedicated monitoring bores, and at two regional private bores, throughout the reporting period (see **Figure 7.1**). In addition to manual sampling, the monitoring network includes seven continuous groundwater level loggers. It is noted that monitoring bore MB10 was damaged could not be sampled during the reporting period. A replacement bore or utilisation of a suitable existing nearby bore is being investigated. It is also noted that the groundwater level logger at MB11 was removed for repair in February 2022, however, due to flooding could not be replaced until April 2022.

Groundwater Levels

During the reporting period, extraction occurred intermittently for relatively short periods with no appreciable effects on water level and minimal volumes of water take (see Section 7.1). Therefore, groundwater levels recorded are generally a reflection of natural fluctuations and, to a lesser extent, surrounding activities. **Figure 7.3** presents the groundwater levels recorded during the reporting period.




Figure 7.3
Groundwater Levels – 2021/2022 Reporting Period

The lowest water level recorded during the reporting period was 0.04m AHD at MB11 on 25 September 2021 and the highest water level was 2.46m AHD at CSP1 on 1 March 2022. It is noted that a water level of 2.46m AHD is above ground level and represents localised flooding following significant rainfall events and flooding in February 2022 (see **Figure 7.3**).

As expected, groundwater levels throughout the period generally display an attenuated response to rainfall events. However, rapid rises in groundwater levels were observed almost immediately following the substantive rainfall event and flooding on 28 February 2022. Groundwater levels following this rainfall event gradually declined to levels consistent with the first quarter of the reporting period until subsequent substantive rainfall events in March and May 2022 once again resulted in temporarily elevated groundwater levels.

Groundwater Quality

A summary of groundwater monitoring results is provided in **Table 7.2** and key analytes are displayed graphically in **Figure 7.4**. The full range of historical data is presented in **Figure 7.5** to assist with interpreting long-term trends. A full copy of the monitoring data is presented in **Appendix 5**.




Figure 7.4a
 Groundwater Quality Parameters – pH




Figure 7.4b
 Groundwater Quality Parameters – Electric Conductivity (Shallow Bores)




Figure 7.4c
 Groundwater Quality Parameters – Electric Conductivity (Deep Bores)




Figure 7.5a
 Long Term Groundwater Quality Parameters – pH




Figure 7.5b
 Long Term Groundwater Quality Parameters – Electrical Conductivity (Shallow Bores)




Figure 7.5c
 Long Term Groundwater Quality Parameters – Electrical Conductivity (Deep Bores)

Table 7.2
Groundwater Monitoring Data Summary

Parameters	Physical									Major Cations & Anions							Metals			Nutrients							
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
MB1																											
Pre-Extraction	Average	20.80	6.98	1080	0.96	-233.01	32.00	18.20	5.00	39.23	130.54	20.77	4.83	64.11	220.05	185.86	0.05	0.00	9.18	0.29	0.01	0.65	0.01	0.01	0.65	0.34	0.01
	Maximum	21.80	7.76	1854	7.66	23.00	32.00	35.00	5.00	58.00	193.00	36.00	5.00	124.00	492.00	292.00	0.14	0.00	22.00	0.46	0.01	0.70	0.01	0.01	0.70	0.39	0.01
	Minimum	19.80	6.43	576	0.05	-1398	32.00	1.40	5.00	31.00	77.00	13.00	4.00	35.00	10.00	110.00	0.01	0.00	0.24	0.11	0.01	0.60	0.01	0.01	0.60	0.28	0.01
Reporting Period (2021/2022)	Average	22.64	6.93	463	1.59	-24.10	NLM	68.75	NLM	20.00	78.00	6.25	5.00	24.75	2.50	229.75	0.01	0.00	7.02	0.72	NLM	3.95	0.01	0.16	3.80	2.54	0.16
	Maximum	23.79	7.16	642	2.55	-11.50	NLM	83.00	NLM	23.00	107.00	8.00	9.00	29.00	7.00	308.00	0.01	0.00	12.30	1.28	NLM	6.60	0.01	0.31	6.60	4.99	0.31
	Minimum	21.66	6.46	74	1.15	-36.30	NLM	63.00	NLM	12.00	6.00	3.00	3.00	20.00	1.00	24.00	0.01	0.00	0.05	0.16	NLM	1.30	0.01	0.01	1.00	0.08	0.01
All Results (2002-2022)	Average	22.51	6.99	896	1.00	-116.31	30.45	88.22	5.00	32.24	108.48	12.93	4.04	44.79	84.52	277.64	0.02	0.00	8.35	0.21	0.02	1.07	0.01	0.03	1.13	0.65	0.03
	Maximum	26.00	7.78	1854	7.66	23.00	86.00	2547	5.00	58.00	193.00	36.00	9.00	124.00	492.00	596.00	0.14	0.01	22.00	1.28	0.11	6.60	0.01	0.31	6.60	4.99	0.31
	80th Percentile	24.40	7.16	1098	1.40	-28.18	34.40	42.68	5.00	38.00	120.20	16.60	5.00	56.20	188.00	334.40	0.02	0.00	12.60	0.23	0.02	1.40	0.01	0.02	1.40	0.81	0.02
	Median (50th Percentile)	22.10	7.00	852	0.60	-93.20	29.00	5.70	5.00	31.00	105.00	11.00	4.00	38.00	8.50	298.00	0.01	0.00	9.50	0.17	0.01	0.70	0.01	0.01	0.80	0.44	0.01
	20th Percentile	20.84	6.79	642	0.24	-139.00	21.80	0.64	5.00	26.00	90.80	10.00	3.00	26.60	3.00	180.60	0.01	0.00	0.85	0.12	0.01	0.58	0.01	0.01	0.60	0.31	0.01
	Minimum	18.90	6.43	74	0.05	-1398	5.00	-8.60	5.00	12.00	6.00	3.00	3.00	20.00	1.00	24.00	0.01	0.00	0.05	0.04	0.00	0.01	0.01	0.01	0.09	0.01	0.01
MB2																											
Pre-Extraction	Average	21.25	6.07	3833	0.74	5.13	9.00	10.85	5.00	16.46	0.76	0.69	14.92	25.85	15.40	16.16	2.03	0.01	6.60	0.08	0.05	0.70	0.01	0.01	0.70	0.24	0.01
	Maximum	21.70	7.72	2394	5.09	216.00	9.00	14.40	5.00	23.00	1.80	2.00	20.00	45.00	27.00	60.00	6.37	0.01	9.50	0.08	0.07	0.80	0.01	0.01	0.80	0.29	0.01
	Minimum	20.80	4.62	88	0.16	-130.00	9.00	7.30	5.00	12.00	0.20	0.20	4.00	10.00	0.90	7.00	0.43	0.01	3.12	0.07	0.03	0.60	0.01	0.01	0.60	0.19	0.01
Reporting Period (2021/2022)	Average	23.26	5.45	96	1.77	63.20	NLM	21.18	NLM	17.50	2.00	4.75	6.00	28.25	5.50	12.50	0.17	0.01	2.90	0.10	NLM	1.30	0.01	0.16	1.15	0.35	0.16
	Maximum	25.05	5.73	174	3.05	92.40	NLM	45.70	NLM	22.00	2.00	15.00	7.00	32.00	10.00	17.00	0.34	0.01	6.01	0.12	NLM	1.50	0.01	0.28	1.50	0.61	0.28
	Minimum	20.85	5.18	65	0.53	38.40	NLM	10.00	NLM	15.00	2.00	1.00	5.00	20.00	2.00	10.00	0.10	0.01	0.20	0.07	NLM	1.10	0.01	0.03	0.80	0.09	0.03
All Results (2002-2022)	Average	22.85	5.81	420	0.93	7.67	14.65	165.1	5.00	46.53	5.65	3.57	10.31	71.64	45.53	11.75	0.87	0.04	13.55	0.08	0.02	0.91	0.01	0.02	1.04	0.33	0.02
	Maximum	26.10	7.72	2394	5.09	216.00	62.00	4009.2	5.00	119.00	25.00	15.00	26.00	189.00	159.00	60.00	6.37	0.12	37.40	0.26	0.22	2.00	0.01	0.28	2.00	0.77	0.28
	80th Percentile	24.50	6.40	712	1.28	64.44	26.60	50.7	5.00	81.00	10.00	7.00	14.20	135.20	92.00	16.80	1.40	0.06	22.84	0.10	0.03	1.30	0.01	0.01	1.50	0.42	0.01
	Median (50th Percentile)	22.82	5.63	433	0.74	6.30	8.00	10.2	5.00	55.50	6.00	4.50	8.00	94.50	58.50	11.00	0.17	0.03	18.80	0.06	0.01	0.85	0.01	0.01	0.90	0.30	0.01
	20th Percentile	21.00	5.28	121	0.38	-35.56	5.00	3.9	5.00	16.80	2.00	1.00	4.00	25.00	8.00	3.00	0.12	0.01	4.30	0.05	0.01	0.60	0.01	0.01	0.70	0.20	0.01
	Minimum	20.20	4.62	65	0.17	-115.00	2.00	0	5.00	12.00	0.90	0.90	3.00	8.00	0.90	1.00	0.04	0.00	0.05	0.02	0.00	0.01	0.01	0.01	0.08	0.09	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
MB10																											
Pre-Extraction	Average	21.80	7.53	32513	2.15	-72.81	5.00	9.49	5.00	4552.80	150.70	617.20	201.78	8229.80	1282.00	609.75	0.09	0.00	0.62	3.02	2.89	157.00	3.80	0.69	153.00	147.00	4.49
	Maximum	23.70	8.75	74900	4.11	107.00	5.00	13.00	5.00	7500.00	233.00	1150.00	292.00	14750.00	2490.00	852.00	0.34	0.00	1.96	3.32	3.22	162.00	4.39	1.20	157.00	158.00	5.59
	Minimum	19.90	7.07	1605	0.38	-187.00	5.00	5.97	5.00	94.00	30.00	17.00	24.00	194.00	77.00	247.00	0.01	0.00	0.01	2.71	2.56	152.00	3.20	0.18	149.00	136.00	3.38
Reporting Period (2021/2022)	Average	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Maximum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Minimum	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results (2002-2022)	Average	22.80	7.47	28124	1.76	-83.12	10.13	18.36	5.00	4624.65	181.50	701.48	167.85	8162.03	1244.25	844.59	0.05	0.00	0.64	1.35	1.30	50.93	0.45	0.16	47.81	43.55	0.60
	Maximum	26.30	8.75	74900	5.40	149.00	43.00	268.00	5.00	7610.00	293.00	1170.00	292.00	14750.00	2490.00	1170.00	0.34	0.01	15.50	3.35	3.86	186.00	4.39	1.20	184.00	174.00	5.59
	80th Percentile	24.48	7.71	37644	2.73	46.96	11.60	24.00	5.00	7104.00	234.60	1100.00	241.00	12280.00	1797.80	1124.00	0.05	0.01	0.27	2.71	2.08	104.92	0.75	0.29	68.82	44.52	0.99
	Median (50th Percentile)	23.15	7.45	33600	1.81	-94.65	5.00	4.55	5.00	6515.00	208.50	999.00	213.00	11800.00	1675.00	955.00	0.05	0.01	0.09	1.03	1.01	30.20	0.02	0.02	30.20	27.20	0.05
	20th Percentile	20.89	7.20	2136	0.48	-205.00	5.00	0.86	5.00	105.00	140.80	18.20	26.00	200.00	77.20	510.00	0.01	0.00	0.05	0.90	0.90	3.28	0.01	0.01	16.36	13.79	0.01
	Minimum	19.50	6.50	73	0.00	-273.00	5.00	-11.10	5.00	27.00	30.00	16.00	6.00	39.00	64.00	247.00	0.01	0.00	0.01	0.01	0.00	0.34	0.01	0.01	0.50	0.13	0.01
MB11																											
Pre-Extraction	Average	19.95	7.28	1446	1.02	-107.33	5.00	27.20	5.00	103.33	209.00	58.00	12.67	146.00	415.67	333.00	0.75	0.00	4.18	0.53	0.14	3.70	0.01	0.01	3.70	1.64	0.01
	Maximum	20.80	7.60	1743	2.11	-74.00	5.00	43.10	5.00	220.00	289.00	72.00	19.00	311.00	520.00	432.00	3.13	0.00	11.00	0.64	0.27	4.60	0.01	0.01	4.60	1.80	0.01
	Minimum	19.10	6.81	1056	0.37	-144.00	5.00	11.30	5.00	34.00	168.00	45.00	9.00	47.00	328.00	235.00	0.01	0.00	0.87	0.42	0.01	2.80	0.01	0.01	2.80	1.48	0.01
Reporting Period (2021/2022)	Average	22.62	7.54	991	2.42	-59.98	NLM	53.53	NLM	28.00	147.75	36.75	8.75	34.00	206.75	308.50	0.01	0.00	0.37	0.28	NLM	1.95	0.01	0.80	1.15	0.35	0.80
	Maximum	24.66	7.72	1213	3.70	-23.30	NLM	74.00	NLM	32.00	190.00	44.00	10.00	41.00	256.00	357.00	0.02	0.01	0.80	0.32	NLM	2.40	0.01	1.30	1.20	0.67	1.30
	Minimum	19.42	7.21	586	1.82	-77.40	NLM	4.10	NLM	17.00	83.00	18.00	6.00	20.00	94.00	204.00	0.01	0.00	0.14	0.24	NLM	1.50	0.01	0.29	1.10	0.02	0.30
Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored																											

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
MB11 (Cont'd)																											
All Results (2002-2022)	Average	22.59	7.26	1291	1.34	-138.97	23.70	32.72	5.00	46.09	167.67	45.16	10.26	62.86	274.63	339.29	0.12	0.00	1.08	0.41	0.35	2.54	0.03	0.11	2.65	1.84	0.12
	Maximum	27.10	7.75	1935	7.07	297.10	140.00	452.50	5.00	220.00	289.00	72.00	19.00	311.00	520.00	500.00	3.13	0.06	11.00	1.37	1.75	11.80	0.33	1.30	11.70	9.71	1.30
	80th Percentile	24.70	7.53	1521	2.02	-47.02	33.20	40.60	5.00	44.20	192.00	52.00	11.00	58.80	337.20	370.20	0.03	0.00	1.15	0.64	0.56	3.42	0.02	0.15	3.60	2.75	0.19
	Median (50th Percentile)	22.00	7.32	1253	1.00	-132.00	11.00	8.10	5.00	36.00	173.00	45.00	10.00	48.00	284.00	346.50	0.01	0.00	0.31	0.32	0.26	1.80	0.01	0.01	1.80	1.27	0.01
	20th Percentile	20.40	7.12	1125	0.35	-263.40	5.00	0.98	5.00	32.00	163.40	42.00	9.00	41.80	204.60	320.00	0.01	0.00	0.09	0.22	0.10	1.40	0.01	0.01	1.26	0.64	0.01
	Minimum	19.10	5.30	158	0.10	-354.00	5.00	-5.50	5.00	17.00	2.00	1.00	2.00	17.00	11.00	3.00	0.01	0.00	0.06	0.10	0.01	0.01	0.01	0.01	0.01	0.20	0.02
MB12																											
Pre-Extraction	Average	21.30	7.08	1713	0.72	-74.97	15.00	13.60	5.00	49.17	328.67	53.83	11.67	100.50	608.83	267.40	0.20	0.00	6.99	0.11	0.02	0.60	0.01	0.01	0.60	0.34	0.01
	Maximum	21.90	7.46	2080	1.65	-54.00	15.00	20.10	5.00	66.00	433.00	59.00	13.00	147.00	720.00	329.00	0.74	0.00	20.40	0.11	0.02	0.60	0.01	0.01	0.60	0.34	0.01
	Minimum	20.70	6.74	1433	0.09	-98.00	15.00	7.10	5.00	39.00	219.00	46.00	10.00	54.00	410.00	223.00	0.01	0.00	1.31	0.11	0.01	0.60	0.01	0.01	0.60	0.33	0.01
Reporting Period (2021/2022)	Average	22.4	7.36	1469	2.34	-49.5	NLM	22.5	NLM	57	234	43	10	161	398	287	0.01	0.003	1.93	0.19	NLM	1.2	0.01	0.35	0.9	0.35	0.85
	Maximum	24.4	7.63	1858	3.70	-23.3	NLM	67.0	NLM	87	317	46	12	318	650	357	0.01	0.007	6.69	0.32	NLM	1.5	0.01	0.40	1.2	0.67	1.20
	Minimum	19.4	7.19	1094	1.68	-70.0	NLM	4.1	NLM	31	165	40	9	35	255	193	0.01	0.001	0.05	0.06	NLM	0.9	0.01	0.29	0.5	0.03	0.50
All Results (2002-2022)	Average	22.1	7.05	1790	2.08	-38.9	29	36.6	5	60	316	44	11	102	648	297	0.05	0.001	5.45	0.07	0.007	0.6	0.01	0.14	0.5	0.26	0.52
	Maximum	26.5	7.63	2667	6.78	172.0	155	197.6	5	98	433	59	13	318	814	378	0.74	0.007	20.40	0.32	0.026	1.5	0.02	0.44	1.2	0.67	1.20
	80th Percentile	24.4	7.25	1980	3.58	24.0	38	67.0	5	83	362	50	12	124	761	326	0.03	0.001	13.12	0.12	0.010	0.8	0.01	0.32	0.6	0.38	0.64
	Median (50th Percentile)	21.4	7.08	1810	1.67	-66.3	25	21.0	5	55	323	42	11	87	674	306	0.01	0.001	1.61	0.03	0.009	0.6	0.01	0.06	0.6	0.32	0.55
	20th Percentile	20.3	6.82	1587	0.64	-94.6	5	7.1	5	39	264	39	10	64	582	259	0.01	0.001	0.05	0.01	0.001	0.3	0.01	0.01	0.3	0.04	0.26
	Minimum	19.4	6.40	1094	0.09	-177.9	5	1.1	5	29	165	35	9	35	255	193	0.01	0.001	0.05	0.01	0.001	0.0	0.01	0.01	0.1	0.01	0.10

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
MB13																											
Pre-Extraction	Average	22.35	6.84	29572	0.86	-112.10	26.00	3.75	5.00	6500.00	960.00	1227.17	192.67	10701.67	2490.00	385.80	0.23	0.00	8.44	0.42	0.02	1.85	0.01	0.16	1.70	1.37	0.16
	Maximum	24.00	7.18	38200	2.97	-34.00	26.00	5.90	5.00	6940.00	2350.00	2040.00	240.00	15198.00	4000.00	534.00	0.75	0.01	19.00	0.56	0.02	2.90	0.01	0.30	2.90	2.59	0.30
	Minimum	20.70	6.36	2826	0.05	-250.00	26.00	1.60	5.00	5700.00	533.00	888.00	127.00	247.00	2110.00	194.00	0.01	0.00	0.05	0.27	0.01	0.80	0.01	0.02	0.50	0.14	0.02
Reporting Period (2021/2022)	Average	22.24	6.89	33217	1.48	-22.75	NLM	91.25	NLM	6035.00	541.75	927.50	169.00	10975.00	1907.50	504.25	0.04	0.00	4.86	0.42	NLM	5.00	0.02	0.42	4.55	3.99	0.43
	Maximum	23.66	7.04	36440	2.17	-3.60	NLM	101.00	NLM	6770.00	617.00	1040.00	204.00	11400.00	2060.00	544.00	0.05	0.01	6.67	0.42	NLM	5.80	0.03	0.45	5.30	4.75	0.45
	Minimum	20.10	6.81	30010	1.10	-34.60	NLM	78.00	NLM	5070.00	452.00	768.00	139.00	10400.00	1720.00	452.00	0.01	0.00	3.46	0.41	NLM	4.20	0.01	0.38	3.80	3.23	0.41
All Results (2002-2022)	Average	22.22	6.79	32162	1.29	-85.45	14.50	37.83	5.00	6201.43	646.25	1010.43	174.14	11146.79	2125.71	496.70	0.08	0.00	36.47	0.41	0.22	3.83	0.05	0.09	4.20	3.56	0.13
	Maximum	25.42	7.33	46890	4.45	72.00	33.00	112.75	5.00	7080.00	2350.00	2040.00	240.00	15198.00	4000.00	597.00	0.75	0.01	855.00	1.20	0.85	11.50	0.35	0.45	11.50	9.21	0.68
	80th Percentile	24.30	7.03	35784	2.17	-30.56	22.00	92.50	5.00	6780.00	610.60	1052.00	191.20	12020.00	2262.00	558.20	0.05	0.01	10.52	0.65	0.50	5.74	0.03	0.20	5.46	4.78	0.34
	Median (50th Percentile)	21.90	6.82	32870	1.07	-58.20	13.50	23.95	5.00	6075.00	577.00	954.50	170.00	11400.00	2055.00	503.00	0.05	0.01	3.46	0.30	0.05	3.80	0.01	0.01	3.80	3.43	0.01
	20th Percentile	20.40	6.61	30537	0.47	-187.20	5.40	3.80	5.00	5804.00	527.80	891.20	154.60	10980.00	1878.00	467.20	0.01	0.00	0.24	0.16	0.01	1.16	0.01	0.01	2.70	2.34	0.01
	Minimum	19.10	6.00	2826	0.05	-267.00	5.00	0.40	5.00	5070.00	430.00	768.00	127.00	247.00	1540.00	194.00	0.01	0.00	0.05	0.06	0.00	0.01	0.01	0.01	0.50	0.14	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
MB14																											
Reporting Period (2021/2022)	Average	22.42	6.80	329.33	1.65	-1.07	NLM	40.00	NLM	30.33	35.67	13.00	4.00	37.67	24.67	109.33	0.03	0.01	5.42	0.23	NLM	1.10	0.05	0.05	1.10	0.23	0.04
	Maximum	23.40	7.34	632.00	2.70	29.00	NLM	45.00	NLM	47.00	57.00	19.00	5.00	61.00	30.00	170.00	0.04	0.02	10.50	0.23	NLM	1.10	0.05	0.05	1.10	0.23	0.04
	Minimum	20.52	6.50	137.00	0.71	-31.10	NLM	32.00	NLM	20.00	22.00	6.00	2.00	23.00	20.00	71.00	0.01	0.00	0.24	0.23	NLM	1.10	0.05	0.05	1.10	0.23	0.04
All Results (2002-2022)	Average	22.46	7.33	727.18	1.68	-65.15	24.54	39.62	5.00	66.12	60.97	18.03	5.18	101.62	47.76	180.09	0.01	0.00	2.58	0.17	0.04	0.42	0.01	0.02	0.42	0.17	0.02
	Maximum	28.30	8.17	2296.00	10.30	210.70	195.00	217.40	5.00	182.00	154.00	39.00	8.00	491.00	181.00	284.00	0.05	0.02	22.90	0.43	0.47	3.20	0.10	0.15	3.20	3.29	0.16
	80th Percentile	23.50	7.70	909.00	2.30	29.00	30.00	45.20	5.00	98.00	63.00	22.00	6.00	149.00	54.00	197.00	0.01	0.00	5.07	0.26	0.05	0.40	0.01	0.01	0.40	0.10	0.01
	Median (50th Percentile)	22.10	7.51	615.00	1.10	-97.50	14.50	21.60	5.00	59.00	56.50	17.00	5.00	66.00	39.50	186.00	0.01	0.00	0.94	0.13	0.01	0.30	0.01	0.01	0.30	0.06	0.01
	20th Percentile	21.30	6.97	505.00	0.60	-131.90	6.00	9.18	5.00	30.00	48.00	14.00	5.00	38.00	29.00	161.00	0.01	0.00	0.21	0.10	0.01	0.20	0.01	0.01	0.20	0.03	0.01
	Minimum	20.52	6.37	137.00	-0.30	-244.00	5.00	0.55	5.00	20.00	22.00	6.00	2.00	17.00	20.00	71.00	0.01	0.00	0.05	0.08	0.00	0.01	0.01	0.01	0.10	0.01	0.01
MB15																											
Pre-Extraction	Average	21.10	7.54	590.00	0.33	-119.80	14.00	36.45	5.00	101.00	32.50	12.00	7.00	78.50	42.50	212.50	0.28	0.00	0.74	0.28	0.22	0.45	0.01	0.01	0.45	0.19	0.01
	Maximum	21.60	7.63	625.00	0.65	-87.00	14.00	62.00	5.00	116.00	40.00	14.00	8.00	83.00	48.00	217.00	0.52	0.00	1.35	0.33	0.22	0.60	0.01	0.01	0.60	0.26	0.01
	Minimum	20.60	7.45	555.00	0.01	-152.60	14.00	10.90	5.00	86.00	25.00	10.00	6.00	74.00	37.00	208.00	0.03	0.00	0.13	0.22	0.21	0.30	0.01	0.01	0.30	0.12	0.01
Reporting Period (2021/2022)	Average	22.06	7.67	648.00	2.41	-66.78	NLM	16.93	NLM	63.25	59.50	16.50	8.75	88.25	25.00	203.50	0.01	0.00	0.05	0.33	NLM	1.10	0.02	0.38	0.70	0.20	0.39
	Maximum	23.40	7.91	684.00	4.16	-45.80	NLM	32.00	NLM	99.00	74.00	23.00	10.00	102.00	33.00	224.00	0.02	0.00	0.06	0.37	NLM	1.30	0.02	0.46	1.00	0.37	0.46
	Minimum	20.74	7.57	598.00	0.85	-78.10	NLM	3.70	NLM	47.00	32.00	11.00	7.00	75.00	14.00	176.00	0.01	0.00	0.05	0.28	NLM	0.90	0.01	0.30	0.40	0.02	0.32
All Results (2002-2022)	Average	22.44	7.46	754.32	1.27	-97.14	9.58	12.37	5.00	79.97	50.50	15.97	9.55	89.00	49.03	200.16	0.03	0.00	0.22	0.21	0.15	0.69	0.01	0.05	0.71	0.29	0.05
	Maximum	25.10	8.38	1170.00	6.45	203.70	24.00	69.94	5.00	144.00	83.00	23.00	14.00	121.00	138.00	228.00	0.52	0.01	1.35	0.37	0.22	4.80	0.10	0.46	4.80	0.66	0.46
	80th Percentile	24.52	7.80	865.60	2.02	-42.90	15.20	21.04	5.00	97.40	60.80	17.00	11.00	98.00	67.20	213.60	0.01	0.00	0.32	0.27	0.17	0.80	0.01	0.02	0.80	0.43	0.03
	Median (50th Percentile)	22.60	7.54	703.50	0.82	-135.50	7.00	5.60	5.00	74.50	49.50	16.00	9.00	87.50	43.00	199.50	0.01	0.00	0.12	0.20	0.14	0.45	0.01	0.01	0.50	0.27	0.01
	20th Percentile	20.79	7.39	658.80	0.51	-164.60	5.00	1.06	5.00	63.80	40.80	15.00	8.00	81.40	30.80	188.80	0.01	0.00	0.05	0.16	0.11	0.30	0.01	0.01	0.30	0.17	0.01
	Minimum	19.40	3.18	555.00	0.01	-224.40	5.00	-7.10	5.00	44.00	25.00	10.00	6.00	60.00	4.00	176.00	0.01	0.00	0.05	0.12	0.08	0.01	0.01	0.01	0.20	0.02	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
CSP1																											
Pre-Extraction	Average	20.90	7.13	607.66	0.40	-118.49	5.00	4.55	5.00	24.94	89.24	8.29	8.58	53.19	31.71	196.33	0.08	0.00	4.12	0.26	0.08	1.30	0.01	1.56	1.30	0.44	0.01
	Maximum	21.30	8.09	1007.00	2.61	27.70	5.00	7.40	5.00	83.00	148.00	19.00	28.00	123.00	182.00	271.00	0.26	0.00	9.82	0.28	0.10	2.00	0.01	3.10	2.00	0.60	0.01
	Minimum	20.50	6.34	300.00	0.04	-160.10	5.00	1.70	5.00	9.00	50.00	5.00	5.00	8.00	4.50	135.00	0.01	0.00	0.59	0.24	0.06	0.60	0.01	0.01	0.60	0.28	0.01
Reporting Period (2021/2022)	Average	20.14	6.89	563.80	1.44	-101.76	ND	262.22	ND	24.33	106.00	8.33	3.33	38.67	21.33	262.00	0.01	0.00	1.53	0.88	NLM	1.69	0.03	0.05	2.35	1.07	0.06
	Maximum	20.90	7.05	635.00	2.44	-48.00	ND	1053.78	ND	27.00	122.00	9.00	4.00	44.00	51.00	302.00	0.01	0.00	2.96	1.20	NLM	3.30	0.05	0.05	3.30	2.13	0.08
	Minimum	18.90	6.60	356.00	0.70	-122.60	ND	6.00	ND	22.00	98.00	8.00	3.00	30.00	5.00	214.00	0.01	0.00	0.11	0.56	NLM	0.08	0.01	0.05	1.40	0.01	0.03
All Results (2002-2022)	Average	21.30	7.24	790.51	0.79	-98.94	24.33	118.70	5.00	22.38	131.56	15.21	5.92	47.78	112.88	243.15	0.10	0.00	2.51	0.66	0.05	1.53	0.02	0.02	1.75	0.69	0.03
	Maximum	24.25	8.00	1438.00	2.70	-4.50	35.00	1053.78	5.00	36.00	321.00	33.00	16.00	177.00	329.00	327.00	0.41	0.00	6.30	1.20	0.17	3.30	0.05	0.05	3.30	2.13	0.08
	80th Percentile	22.80	7.45	1033.20	1.61	-48.00	ID	128.00	ID	30.00	213.00	23.00	10.40	53.00	304.20	302.00	0.14	ID	4.71	0.97	0.17	2.66	0.03	0.05	2.66	1.54	0.06
	Median (50th Percentile)	20.80	7.25	795.00	0.35	-109.30	26.00	27.30	5.00	22.50	98.00	12.00	4.00	36.50	45.50	235.00	0.09	0.00	2.24	0.57	0.01	1.45	0.01	0.01	1.45	0.50	0.01
	20th Percentile	20.04	6.94	569.80	0.17	-132.00	ID	9.30	ID	15.80	72.80	8.00	2.60	28.40	5.00	195.00	0.01	ID	0.66	0.48	0.01	0.53	0.01	0.01	1.28	0.15	0.01
	Minimum	18.90	6.60	320.00	0.06	-193.00	12.00	-1.10	5.00	12.00	67.00	6.00	1.00	20.00	0.90	172.00	0.01	0.00	0.11	0.46	0.01	0.08	0.01	0.01	1.20	0.01	0.01
CSP3																											
Pre-Extraction	Average	20.90	7.13	607.66	0.40	-118.49	5.00	4.55	5.00	24.94	89.24	8.29	8.58	53.19	31.71	196.33	0.08	0.00	4.12	0.26	0.08	1.30	0.01	1.56	1.30	0.44	0.01
	Maximum	21.30	8.09	1007.00	2.61	27.70	5.00	7.40	5.00	83.00	148.00	19.00	28.00	123.00	182.00	271.00	0.26	0.00	9.82	0.28	0.10	2.00	0.01	3.10	2.00	0.60	0.01
	Minimum	20.50	6.34	300.00	0.04	-160.10	5.00	1.70	5.00	9.00	50.00	5.00	5.00	8.00	4.50	135.00	0.01	0.00	0.59	0.24	0.06	0.60	0.01	0.01	0.60	0.28	0.01
Reporting Period (2021/2022)	Average	22.43	7.35	965.25	1.77	-49.05	NLM	54.80	NLM	24.50	174.75	23.75	14.75	28.75	62.50	489.50	0.01	0.00	0.07	0.46	NLM	2.51	0.01	0.02	3.35	2.81	0.02
	Maximum	23.68	7.47	1021.00	3.63	-32.40	NLM	80.00	NLM	34.00	198.00	25.00	16.00	49.00	123.00	555.00	0.01	0.01	0.12	0.68	NLM	5.00	0.01	0.02	5.00	5.44	0.02
	Minimum	20.33	7.22	870.00	0.62	-69.70	NLM	6.20	NLM	20.00	156.00	23.00	14.00	22.00	9.00	410.00	0.01	0.00	0.05	0.24	NLM	0.01	0.01	0.01	1.70	0.18	0.01
All Results (2002-2022)	Average	21.87	7.18	797.67	0.90	-105.55	6.29	13.34	5.00	27.16	136.97	16.59	12.45	46.41	114.52	302.03	0.04	0.00	1.89	0.40	0.29	1.93	0.01	0.20	2.08	1.55	0.03
	Maximum	24.30	8.09	1643.00	7.17	144.70	20.00	80.00	5.00	83.00	211.00	27.00	28.00	123.00	294.00	555.00	0.26	0.01	9.82	0.96	0.81	5.00	0.02	3.10	5.00	5.44	0.37
	80th Percentile	23.40	7.47	1050.60	1.51	-32.40	6.00	16.60	5.00	27.00	189.60	25.00	15.20	76.20	229.60	384.40	0.05	0.00	3.19	0.66	0.53	3.92	0.01	0.02	3.92	3.07	0.02
	Median (50th Percentile)	21.98	7.22	693.00	0.34	-133.00	5.00	2.30	5.00	22.00	137.00	19.00	14.00	32.00	109.00	272.00	0.01	0.00	0.17	0.28	0.16	1.60	0.01	0.01	1.70	0.60	0.01
	20th Percentile	20.50	6.90	563.20	0.16	-191.20	5.00	0.67	5.00	17.60	90.40	7.00	5.00	22.60	8.60	188.80	0.01	0.00	0.05	0.21	0.10	0.18	0.01	0.01	0.54	0.21	0.01
	Minimum	19.20	6.34	300.00	0.04	-290.00	5.00	-3.30	5.00	5.00	50.00	5.00	5.00	8.00	4.50	135.00	0.01	0.00	0.05	0.11	0.06	0.01	0.01	0.01	0.02	0.01	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Table 7.2 (Cont'd)
Groundwater Monitoring Data Summary

Parameters	Physical								Major Cations & Anions							Metals			Nutrients								
	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objectives	-	6.5-8.5	<3000	>6	-	-	5-20	10.00	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
GW062045																											
Pre-Extraction	Average	22.55	5.46	128.50	1.31	146.00	0.00	2.10	5.00	15.50	2.50	4.50	1.00	22.50	4.50	8.00	0.11	0.00	0.05	0.03	0.01	5.65	0.01	5.22	0.45	0.04	5.22
	Maximum	23.50	5.52	140.00	1.34	150.00	0.00	2.40	5.00	16.00	3.00	5.00	1.00	23.00	5.00	10.00	0.21	0.00	0.05	0.03	0.01	5.90	0.01	5.41	0.50	0.06	5.41
	Minimum	21.60	5.40	117.00	1.27	142.00	0.00	1.80	5.00	15.00	2.00	4.00	1.00	22.00	4.00	6.00	0.01	0.00	0.05	0.02	0.01	5.40	0.01	5.02	0.40	0.01	5.02
Reporting Period (2021/2022)	Average	22.93	5.93	47.25	6.04	36.75	NLM	6.98	NLM	12.50	3.00	2.50	1.50	15.75	5.00	12.50	0.19	0.01	1.83	0.03	NLM	3.84	0.01	3.62	2.50	0.04	3.62
	Maximum	24.94	6.63	85.00	6.79	63.10	NLM	13.30	NLM	16.00	4.00	4.00	2.00	22.00	6.00	22.00	0.36	0.01	3.81	0.04	NLM	4.40	0.01	3.96	4.40	0.07	3.96
	Minimum	20.60	5.17	10.00	5.29	14.70	NLM	2.10	NLM	10.00	2.00	1.00	1.00	9.00	4.00	5.00	0.02	0.00	0.05	0.01	NLM	3.27	0.01	3.27	0.60	0.01	3.27
All Results (2002-2022)	Average	22.30	5.99	145.33	5.89	82.46	5.18	9.92	5.00	13.36	2.55	3.86	1.14	19.64	4.73	9.64	0.08	0.00	0.57	0.04	0.04	4.45	0.01	4.19	0.73	0.04	4.15
	Maximum	25.50	7.80	328.00	8.43	251.80	6.00	44.00	5.00	19.00	5.00	5.00	2.00	24.00	6.00	34.00	0.56	0.02	4.40	0.27	0.32	6.00	0.07	5.60	4.40	0.19	5.60
	80th Percentile	23.38	6.49	191.00	7.97	153.64	5.60	18.82	5.00	16.00	3.00	5.00	1.00	22.40	5.00	11.40	0.11	0.00	0.07	0.05	0.01	5.48	0.01	5.36	0.70	0.06	5.36
	Median (50th Percentile)	22.70	6.00	135.00	6.14	106.75	5.00	2.72	5.00	15.00	2.00	4.00	1.00	20.00	5.00	8.00	0.02	0.00	0.05	0.02	0.01	4.65	0.01	4.46	0.50	0.01	4.46
	20th Percentile	21.02	5.33	87.28	4.28	9.10	5.00	1.52	5.00	10.00	2.00	4.00	1.00	18.00	4.00	5.60	0.01	0.00	0.05	0.01	0.00	4.05	0.01	3.58	0.40	0.01	3.58
	Minimum	17.60	5.04	10.00	1.27	-165.90	5.00	0.00	5.00	1.00	2.00	1.00	1.00	9.00	3.00	4.00	0.01	0.00	0.05	0.01	0.00	0.70	0.01	0.87	0.20	0.01	0.02
GW300856																											
Pre-Extraction	Average	21.80	6.06	94.50	3.34	36.00		16.65	5.00	8.00	4.00	2.00	2.00	17.00	5.00	8.50	2.00	0.02	5.78	0.36	0.29	0.95	0.01	0.01	0.95	0.18	0.01
	Maximum	22.90	6.48	100.00	4.36	41.00	0.00	17.30	5.00	8.00	4.00	2.00	2.00	17.00	6.00	10.00	3.27	0.02	6.19	0.41	0.32	1.10	0.01	0.01	1.10	0.20	0.01
	Minimum	20.70	5.64	89.00	2.31	31.00	0.00	16.00	5.00	8.00	4.00	2.00	2.00	17.00	4.00	7.00	0.72	0.02	5.36	0.31	0.25	0.80	0.01	0.01	0.80	0.16	0.01
Reporting Period (2021/2022)	Average	22.51	5.28	49.67	5.60	81.70	NLM	16.33	NLM	15.00	1.50	4.50	1.00	21.50	5.50	6.50	0.02	0.00	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	NLM
	Maximum	23.18	5.63	80.00	6.82	88.40	NLM	19.00	NLM	16.00	2.00	5.00	1.00	23.00	6.00	10.00	0.02	0.00	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	
	Minimum	21.20	5.03	3.00	4.52	73.80	NLM	13.00	NLM	14.00	1.00	4.00	1.00	20.00	5.00	3.00	0.01	0.00	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	
All Results (2002-2022)	Average	22.12	6.31	114.88	5.52	26.15	6.17	36.25	5.00	9.68	3.77	2.18	1.50	17.09	6.18	7.82	0.51	0.01	3.51	0.27	0.10	0.75	0.01	0.02	0.82	0.16	0.07
	Maximum	25.91	7.89	281.00	7.86	253.20	15.00	391.64	5.00	16.00	5.00	5.00	2.00	23.00	12.00	15.00	3.27	0.02	6.19	0.41	0.32	1.40	0.02	0.10	1.10	0.28	0.95
	80th Percentile	24.60	6.99	163.60	7.08	84.00	7.00	25.79	5.00	12.80	4.00	2.00	2.00	20.40	7.00	10.40	0.57	0.02	4.78	0.32	0.23	1.08	0.01	0.02	1.00	0.20	0.02
	Median (50th Percentile)	22.67	6.31	108.50	5.26	4.40	5.00	17.30	5.00	9.00	4.00	2.00	1.50	17.50	6.00	7.50	0.36	0.01	3.99	0.29	0.04	0.80	0.01	0.01	0.80	0.17	0.01
	20th Percentile	21.12	5.64	79.60	4.05	-35.08	5.00	8.98	5.00	8.00	3.60	2.00	1.00	13.60	5.00	4.60	0.31	0.01	2.85	0.23	0.01	0.44	0.01	0.01	0.70	0.12	0.01
	Minimum	5.80	5.03	1.70	2.31	-99.00	5.00	0.13	5.00	1.00	1.00	1.00	1.00	10.00	4.00	3.00	0.01	0.00	0.05	0.01	0.01	0.01	0.01	0.01	0.40	0.06	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data NLM - No Longer Monitored

Physical Parameters and Major Cations and Anions

Groundwater monitoring data to date supports the expected hydrogeological environment, with water within the Quaternary sand aquifer essentially fresh in the upper 5m to 10m and becoming saline at depth with increasing salinity within the water profile towards the Tweed River.

During the reporting period the EC for all shallow groundwater bore sites remained within the water quality objective of 3,000uS/cm. All shallow groundwater bores recorded an average EC which was lower than the long-term EC, consistent with the decreased EC levels within the extraction pond attributed to elevated rainfall throughout the reporting period. However, deep groundwater bore MB13 recorded a relative steady elevated EC throughout the reporting period with average EC levels generally consistent with long-term averages. Deep groundwater bore MB10 could not be tested due to damage to the bore.

At all groundwater monitoring locations, all major cations and anions sampled during the reporting period were generally below the relevant objective with the exception of bicarbonate. Bicarbonate levels above the relevant objective value were recorded at CSP3, with the bicarbonate value recorded at CSP3 in January 2022 (555mg/L) representing the highest bicarbonate value recorded at this location since monitoring commenced.

During the reporting period pH generally remained near neutral to slightly acidic, with acidic pH values recorded at bores MB2, GW062045 and GW300856 remaining consistent with pre-extraction values.

No visible oil and grease was reported during the reporting period.

Metals

Metal values recorded at all bores during the reporting period remained within the relevant objective values. This is consistent with the near neutral to slightly acidic pH recorded at these locations.

Nutrients

As for the extraction pond, nutrient levels remained slightly elevated throughout the reporting period, consistent with previous reporting periods. Values for total phosphorous recorded during the reporting period at locations MB1, MB15 and CSP1 represented the highest total phosphorous values recorded at these locations since monitoring commenced. Values for total nitrogen recorded during the reporting period at locations MB1, CSP1 and CSP3 represented the highest total nitrogen values recorded at these locations since monitoring commenced. Values for nitrogen oxides (NO_x) recorded during the reporting period at locations MB1, MB2, MB11, MB12, MB15 and CSP1 represented the highest NO_x values recorded at these locations since monitoring commenced. These elevated levels were typically recorded during the 25 January 2022 sampling round and did not coincide with high rainfall events or prolonged dredging campaigns.

Elevated nutrient levels have consistently been recorded in pre-extraction baseline monitoring and in surrounding groundwater bores. This is reflective of past and current agricultural activities within and surrounding the Quarry both on the floodplain and the Cudgen Plateau. Given that the approved Quarry activities themselves do not influence nutrient levels within the surrounding groundwater bores, groundwater quality objectives are not specified in the

approved *Soil and Water Management Plan* for the Quarry and ongoing monitoring of nutrients within groundwater is undertaken only to improve the understanding of potential impacts from surrounding activities on water quality within the dredge pond.

Elevated ammonia levels which have previously been recorded at bore MB10 were not identified during the reporting period as sampling at this location did not occur (broken bore). Given that MB10 is located immediately adjacent the Kingscliff Wastewater Treatment Plant, previously elevated ammonia levels could be originating from the treatment plant.

In summary, analysis of the groundwater quality parameters shows that the intermittent dredging operations have had little direct impact on groundwater quality.

Reportable Incidents

There were no reportable groundwater incidents during the reporting period with all levels remaining within objective limits, historic or expected levels.

Further Improvements

Further review and update of the SWMP is planned during the second half of 2022 to further rationalise water monitoring. A replacement bore will also be resolved for MB10, with the potential use of other existing bores at the adjacent Kingscliff WWTP being investigated.

8. REHABILITATION

8.1 REHABILITATION PERFORMANCE DURING THE REPORTING PERIOD

Figure 8.1 shows the status of disturbance and rehabilitation at the end of the reporting period whilst Table 8.1 provides a summary of the disturbance and rehabilitation areas.

Table 8.1
Rehabilitation Summary

Quarry Area Type	Previous Reporting Period (Actual)	This Reporting Period (Actual)	Next Reporting Period (Forecast)
	Year 12 (ha)	Year 13 (ha)	Year 14 (ha)
Total Quarry footprint ¹	13.5	14.1	15.5
Total active disturbance ¹	13.5	14.1	15.5
Land being prepared for rehabilitation	0	0	0
Land under active rehabilitation	0	0	0
Completed rehabilitation	0	0	0

Notes: 1. Includes areas of temporary rehabilitation.

The total active disturbance area increased slightly during the reporting period with extraction activities expanding to the southwest of the existing dredge pond. The current active disturbance area of 14.1ha includes an approximately 6ha pond area, 0.5ha silt return pond area, ~1.0ha processing area, and the majority of the remaining areas considered to have been previously temporarily rehabilitated with re-established pasture.


A small area (approximately 0.5ha) of disturbance is also present in relation to the previous physical commencement of DA 05/1450 for the realignment of Altona Road. An approximately 0.2ha of disturbance is also present in relation to DA 20/0965. As these works are managed under separate approval and not directly related to Quarry operations, these areas are not included in Table 8.1.

Maintenance activities mainly consisted of slashing along fence lines and spot spraying of grass around the plants within the vegetative screens and landscaping. Additional landscaping was also completed along the north and northwestern side of the processing area. Fence repairs were also undertaken as required including replacement of the fence on the western boundary.

8.2 ACTIONS FOR THE NEXT REPORTING PERIOD

Rehabilitation activities during the next reporting period are expected to be confined to temporary rehabilitation of the extended bunding. Pending the construction of an extended processing area (development application to be lodged), planting of tubestock may also occur on visual barriers constructed for the extended area.

No other specific rehabilitation actions or trials are planned during the next reporting period and no areas will become available for final rehabilitation.



9. COMMUNITY

9.1 COMMUNITY COMPLAINTS

No complaints were received during the current reporting period.

9.2 COMMUNITY LIAISON

The principal form of formal community consultation relating to the Quarry during the reporting period was via the Community Consultative Committee (CCC). During the reporting period, the CCC consisted of following representatives.

- The CCC Chairperson - Mr John Griffin who was approved as the chairperson by (then) DPE on 8 July 2016. Mr Griffin retired from the role on 29 March 2022. Mr Michael Ulph was subsequently appointed by DPE to the role of chairperson in May 2022.
- Community members – Ms Felicia Cecil and Mr Barry Green who were approved by (then) DPE on 14 November 2016.
- Company representatives – Dr Stephen Segal and Lisa Segal Peled of Gales-Kingscliff and Mr Matt and Mr Brad Holloway and Nick Gould of Kingscliff Sands Pty Limited/JBM Developments.
- Tweed Shire Council representatives – Ms Colleen Forbes, Team Leader Development Assessment, Mr Ray Clark, Traffic Engineer, and Mr David Bell, Program Leader Environmental Protection.

During the reporting period, a meeting was convened on 1 July 2022. During the meeting issues regarding the Altona Road realignment, final landform and uses, and the revision of the Flood Strategy between Gales and Council were discussed. Specific issues raised during the meeting were minimal and focused on the effect of the Altona Road realignment on flooding in the area, these issues were addressed during the meeting.

The report / minutes provided an overview of activities during the current reporting period.

Continued CCC meetings will be undertaken at times set by the CCC. Minutes from these meetings/reports will also continue to be placed on the Company website and reported through the respective Annual Review.

10. INDEPENDENT AUDIT

No independent audit was required during this reporting period. The last an independent audit was undertaken by AQUAS¹ on 18 November 2019, in accordance with *Condition 5(14)* of MP05_0103B. As a result of the audit, five recommendations were provided and four opportunities for improvement were identified. The independent audit report was finalised and submitted to the Department on 2 March 2020² together with a response plan for the recommendations.

A review of the status of the response plan as at the end of this reporting period is provided in **Table 10.1**.

The next Independent Environmental Audit is due and will be undertaken in late 2022.

² An extension was provided by DPIE on 7 February 2020 for submission of the audit report and response by 2 March 2020.

Table 10.1
2019 Independent Audit – Action Response Plan Status

No.	Audit Recommendation	Action / Response	Proposed Timing	Status Update
NC-01	It is recommended to address all the non-compliances to be compliant to this condition.	Implement actions as outlined within this response.	As specified below.	Actions required to address non-compliance have been completed. Status: Complete
NC-02	It is recommended to ensure that documents required by DPIE are submitted within the required timeframe. A regular compliance tracking review (e.g. quarterly) is recommended to ensure compliances with the Conditions of Approval are met.	A quarterly compliance meeting will be held and will focus upon and record regular and upcoming compliance actions/matters as contained within PA 05_0103, EPL 12385 and WAL 40902.	Quarterly.	A compliance planner has been prepared and meetings have commenced. Status: Complete
NC-03	It is recommended that the requirements of the approved AQMP and SWMP are implemented until the approval of the modified plans under the Modification 2 has been acquired.	This matter has previously been reported to DPIE. Approval of the updated management plans is pending a response from NRAR.	28 February 2020 28 May 2020 (subject to NRAR response)	The updated AQMP was approved 22 June 2020 and deposited dust monitoring continued throughout the reporting period (see Section 6.4) and will continue in accordance with the approved AQMP. Operational monitoring has been undertaken in accordance with the 2017 SWMP and will now continue in accordance with the updated SWMP approved 20 July 2021 following receipt of NRAR response received January 2021 and resubmission of updated plan in May 2021. Status: Complete
NC-04	It is recommended that the requirements of the approved SWMP be implemented until the approval of the modified plans under the Modification 2 has been acquired.	Further formal follow up of NRAR will be undertaken.		
NC-05	It is recommended that the requirements of the approved AQMP are implemented until the approval of the modified plans under the Modification 2 has been acquired.	Should no response be received prior to end March 2020, final management plans will be submitted to DPIE with a request for approval in lieu of NRAR comments.		
OFI-01	Opportunity for Improvement to ensure that the compliance with the Conditions of Approval are included in the induction package / presentation that will be given to all employees/workers on site prior to commencing to their work.	All operators will be required to include as part of their induction process a clear requirement that all employees and contractors undertaking works on site must comply with the requirements of PA 05_0103, EPL 12385 and WAL 40902 as relevant and directed by the Quarry Manager. Copies of each approval will also be accessible to all employees / contractors.	At recommencement of operations and during operations.	Kingscliff Sands Pty Limited have inducted all employees/contractors with all works under the direct supervision of the Operations Manager. The Operations Manager maintains copies of all approvals on site which are accessible to all employees/contractors. Status: Complete

Table 10.1 (Cont'd)
2019 Independent Audit – Action Response Plan Status

Page 2 of 2

No.	Audit Recommendation	Action / Response	Proposed Timing	Status Update
OFI-02	Opportunity for improvement to develop drawings showing erosion and sedimentation controls to be implemented at the site and progressive update and maintenance during operations be implemented.	Applicable standard erosion and sediment control drawings will be included as part of the final update of the SWMP.	Second half 2022	These drawings will be included in a further planned update to the SWMP as no further changes were made as a result of NRAR comments. Further updates would have triggered further agency consultation. In discussion with DPIE a further update to the SWMP is planned.
OFI-03	An opportunity for improvement to develop the traffic control plan to ensure that all heavy vehicle access to and from the site is via the Tweed Coast Road/Crescent Street/Altona Road route and heavy vehicles must not travel via Crescent Street through Cudgen Village, except for local deliveries to Cudgen Village.	A Transport Management Plan will be prepared prior to the dispatch of trucks from the Quarry and which addresses these matters and the requirements of PA 05_0103 Schedule 3 Condition 31.	Prior to dispatch of trucks from the Quarry.	An updated Transport Management Plan was prepared in consultation with Council and RMS/TfNSW and subsequently approved by DPIE 21 May 2020. Commencement of road transportation was delayed until 22 May 2020 (i.e. following receipt of approval for the Transport Management Plan).
OFI-04	Opportunity for Improvement to ensure that the Traffic Management Plan will be reviewed and updated accordingly to cover the requirements of Conditions of Approval under Modification 2 prior resuming operations.			Status: Complete

11. INCIDENTS AND NON-COMPLIANCES DURING THE REPORTING PERIOD

During the reporting period there were no official cautions, warning letters, penalty notices or prosecution proceedings.

As part of the compliance review undertaken for the Annual Review, a total of two non-compliances with EPL12385 have been recorded (see Section 1 and **Appendix 1**). All non-compliances are considered administrative non-compliances with no environmental or community impacts. Both non-compliance have been reported to EPA through the Annual Return process.

Monitoring Parameters and Frequency

EPL 12385 *Condition M2.1 / M2.2* requires monitoring to be undertaken in accordance with the locations, analytes, and frequency specified within the table within EPL 12385. This table includes monitoring of TSS and Oil and Grease within groundwater monitoring bores which is consistent with previous versions of the Soil and Water Management Plan. However, the updated Soil and Water Management Plan approved July 2021 (prepared in consultation with EPA) no longer requires these parameters to be monitored. In order to correct this inconsistency a variation to EPL12385 is to be undertaken to also remove these additional parameters from EPL 12385.

Monitoring was also unable to be undertaken at EPL Point 5 (MB10) due to the bore being damaged. A replacement bore is to be established / alternative site nominated. The planned variation to EPL 12385 will also address the re-established/alternative site.

Annual Return Submission Period

EPL 12385 *Condition R1.5* requires that the Annual Return be submitted within 60 days after the end of the reporting period. The completed annual return for the period 18 November 2020 to 30 June 2021 was submitted on 2 February 2022, i.e. beyond the required date. This arose due to a requested change in the reporting period to align the EPL Annual Return to the financial year. However, it was incorrectly assumed the next period would end 30 June 2022, rather the period ended 30 June 2021 (a 7 month period). It is noted that all previous Annual Returns have been submitted within the required timeframe and the regular reporting reminder system reflects the updated reporting period. No known adverse environmental or community effects have arisen from the late submission.

12. ACTIVITIES TO BE COMPLETED IN THE NEXT REPORTING PERIOD

Activities planned to be completed during the next reporting period are outlined in Section 4.3 and planned improvements in environmental management practices in Sections 6 and 7. In summary, the key activities planned for the next reporting period are as follows.

- A potential extension of the processing area (subject to modification of MP 05_0103B).
- Continued extraction of sand and soil by dredge and excavator and sale of both processed and unprocessed products by road.
- Continued environmental monitoring.
- Continued community consultation, principally through the CCC, to inform the community about Quarry activities.

Key environmental improvements planned during the next reporting period include further review and update of the Soil and Water Management Plan to further rationalise environmental monitoring requirements.

Appendices

- Appendix 1 Compliance Review
 Table A: Project Approval MP05_0103B
 Table B: Statement of Commitments
 Table C: Environment Protection Licence 12385
- Appendix 2 Noise Monitoring Results
- Appendix 3 Air Quality Monitoring Results
- Appendix 4 Surface Water Monitoring Results
- Appendix 5 Groundwater Monitoring Results



Appendix 1

Compliance Review

Table A: Project Approval MP 05_0103B

Table B: Statement of Commitments

Table C: Environment Protection Licence 12385

(No. of pages including blank pages = 56)

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 3 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 2 ADMINISTRATIVE CONDITIONS (Cont'd)				
LIMITS ON APPROVAL (Cont'd)				
Hours of Operation				
13.	The Proponent shall comply with the operating hours in <i>Table 1</i> . <i>Table 1: Operating Hours</i>	Compliant	Site records confirm activities undertaken within approved hours of operation.	A, D
	Activity	Permissible Hours		
	Site establishment, dry processing, product transport by road, VENM receipts, other quarrying operations not specified in this table	<ul style="list-style-type: none"> • 7.00 am to 6.00 pm Monday to Friday • 7.00 am to 1.00 pm Saturday • At no time on Sundays or public holidays 		
	Sand extraction by dredging and pumping to the processing plant, wet processing.	<ul style="list-style-type: none"> • 7.00 am to 10.00 pm Monday to Friday • 7.00 am to 4.00 pm Saturday • At no time on Sundays or public holidays 		
	Sand extraction by dredging and pumping to fill sites.	<ul style="list-style-type: none"> • 7.00 am to 6.30 pm Monday to Friday • 7.00 am to 1.00 pm Saturday • At no time on Sundays or public holidays 		
	Operation of dredge to fill pipeline with water or pipeline flushing	<ul style="list-style-type: none"> • 6.30 am to 7.00 pm Monday to Friday • 6.30 am to 1.30 pm Saturday • At no time on Sundays or public holidays 		
Maintenance (if inaudible at neighbouring residences)	Any day			
14.	The following activities may be carried out outside the hours specified in condition 13. above: (a) delivery or dispatch of materials as requested by Police or other public authorities; and (b) emergency work to avoid the loss of lives, property or to prevent environmental harm. In such circumstances, the Proponent must notify the Secretary and affected residents prior to undertaking the activities, or as soon as is practical thereafter.	Not Applicable	No such requests or emergency works have been received / required to date.	A
STRUCTURAL ADEQUACY				
15.	The Proponent must ensure that all new buildings and structures, and any alterations or additions to existing buildings and structures, are constructed in accordance with the relevant requirements of the BCA. <i>Notes:</i> <ul style="list-style-type: none"> • Under Part 4A of the EP&A Act, the Proponent is required to obtain construction and occupation certificates for the proposed building works; and • Part 8 of the EP&A Regulation sets out the requirements for the certification of the project. 	Compliant	No buildings or structures on site require certification or assessment against the Building Code of Australia.	A, D
DEMOLITION				
16.	The Proponent shall ensure that all demolition work is carried out in accordance with AS 2601-2001: <i>The Demolition of Structures</i> , or its latest version.	Not Yet Applicable	No demolition work has been required to date.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 4 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 2 ADMINISTRATIVE CONDITIONS (Cont'd)				
PROTECTION OF PUBLIC INFRASTRUCTURE				
17.	<p>The Proponent shall:</p> <ul style="list-style-type: none"> a) repair, or pay the full costs associated with repairing, any public infrastructure that is damaged by the project; and b) relocate, or pay the full costs associated with relocating, any public infrastructure that needs to be relocated as a result of the project. <p><i>Note: This condition does not apply to damage to roads caused as a result of general road usage or as otherwise addressed by contributions required by condition 19 of Schedule 2.</i></p>	Compliant	<p>No repair works or relocation of public infrastructure was required during the reporting period.</p> <p>The previous installation of a culvert beneath Crescent Street for placement of pipelines required repair of the road surface which were completed at the cost of the Company.</p>	A, D
OPERATION OF PLANT AND EQUIPMENT				
18.	<p>The Proponent must ensure that all plant and equipment used at the site, or to monitor the performance of the project is:</p> <ul style="list-style-type: none"> a) maintained in a proper and efficient condition; and b) operated in a proper and efficient manner. 	Compliant	<p>Equipment repair was undertaken during the reporting period to ensure proper and efficient equipment condition. No issues with equipment operation arose during the reporting period.</p>	A
CONTRIBUTIONS				
19.	<p>The Proponent must pay to Council a financial contribution toward the upgrade and construction of distributor roads (other than Altona Road and the upgrade of the Tweed Coast Road / Crescent Street intersection). The contribution must be:</p> <ul style="list-style-type: none"> a) determined in accordance with the Tweed Road Contributions Plan September 2016 (as indexed); b) paid prior to the dispatch of any laden trucks from the site, unless otherwise agreed by Council; c) reported in the Annual Review. <p><i>Note: The upgrade and maintenance of Altona Road is subject to conditions 25 and 26 of Schedule 3. The upgrade of the Tweed Coast Road / Crescent Street intersection is subject to condition 27 of Schedule 3.</i></p>	Compliant	<p>Correspondence from Council dated 7 September 2016 confirms Council's acceptance that the contribution be paid prior to receipt of VENM to the site. The contribution amount was confirmed with Tweed Shire Council on 13 October 2020 and subsequently paid (i.e. prior to receipt of VENM).</p>	A
COMPLIANCE				
20.	<p>The Proponent must ensure that all of its employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this approval relevant to activities they carry out in respect of the project.</p>	Compliant	<p>Kingscliff Sands induct all employees and contractors with all works under the direct supervision of the Operations Manager. The Operations Manager maintains copies of all approvals on site which are accessible to all employees / contractors.</p>	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 2 ADMINISTRATIVE CONDITIONS (Cont'd)				
PRODUCTION DATA				
21.	The Proponent must: a) from the commencement of quarrying operations provide annual quarry production data to DRG using the standard form for that purpose; and b) include a copy of this data in the Annual Review.	Not Determined Compliant	It is advised that the 2021/22 Extractive Material Return form has not yet been received from DRNSW. Kingscliff Sands is following up with DRNSW. Production data is presented in Section 4.1 of this Annual Review.	A, D
LIMITS OF EXTRACTION				
22.	The Proponent must ensure that the surveyed boundaries of the approved limits of extraction are clearly marked at all times in a permanent manner that allows operating staff and inspecting officers to clearly identify those limits. <i>Note: The limit of extraction includes the area described in the documents listed in condition 3 of Schedule 2, and shown conceptually on the project layout plan in Appendix 1.</i>	Compliant	The modified extraction boundary (per MOD2) has been surveyed by registered surveyors (B&P Surveys) and star pickets placed with ~2m high orange electrical conduit to enhance the visibility of the markers.	A, D
PIPELINE CORRIDOR				
23.	Prior to commencing work to install pipeline corridors (shown conceptually in Appendix 1), the Proponent must submit for the approval of the Secretary: a) a survey plan of the route of the pipeline; b) evidence that this route does not require native vegetation clearing; c) evidence that the fill sites have approval for filling; and d) in relation to the eastern pipeline: (i) evidence that any vegetation cleared from the eastern pipeline corridor following the date of this approval has been lawfully carried out in accordance with another approval; (ii) details of proposed measures to protect vegetation during pipeline installation, operation and removal; and (iii) details of measures, developed in consultation with OEH, to provide opportunities for the Wallum Froglet to cross the eastern pipeline.	Compliant	Neumann Contractors emailed DPE the required information for the section of pipeline between the Quarry Site and the Cudgen Heights fill site 5 and 19 July 2017. DPE approved installation of the pipeline by letter dated 31 July 2017. No additional sections of pipeline were placed during the reporting period.	A, D
24.	The Proponent must maintain the pipelines, ensuring that any leak or maintenance issues are detected and repaired to the satisfaction of the Secretary.	Not Applicable	The pipelines during the previous reporting period were maintained and inspected by Neumann Contractors. However, following the completion of filling of the Cudgen Heights area the pipelines were removed. Therefore no inspections or maintenance were applicable to this reporting period.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 7 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
NOISE (Cont'd)				
Operating Conditions				
3.	<p>The Proponent must:</p> <p>a) implement best practice management to minimise the construction, operational and road transportation noise of the project;</p> <p>b) minimise the noise impacts of the project during meteorological conditions when the noise criteria in this approval do not apply (see Appendix 3);</p> <p>c) carry out attended noise monitoring (at least every 3 months or as otherwise agreed by the Secretary) to determine whether the project is complying with the operational noise criteria in Table 2 (see Appendix 3); and</p> <p>d) regularly assess noise monitoring data and modify and/or stop operations on site to ensure compliance with the relevant conditions of this approval,</p> <p>to the satisfaction of the Secretary.</p> <p><i>Note: Monitoring under this approval is not required at all residences and the use of representative monitoring locations can be used to demonstrate compliance with criteria, if agreed to by the Secretary.</i></p>	Compliant	<p>All equipment utilised in operations was appropriately sized and maintained to ensure efficient operations with the lowest noise generation. Use of broadband reversing alarms were also utilised to minimise tonal noise. Operations were also restricted to the approved hours of operation</p> <p>Noise monitoring was undertaken during the reporting period. It is noted that, due to flooding the Q1 monitoring was undertaken in April 2022. As a result, the Q2 monitoring was undertaken in August 2022 (i.e. slightly beyond this reporting period). (see Section 4.3 and 11).</p> <p>No modification to operations has been deemed necessary to date.</p> <p>Noise monitoring and management is further discussed in Section 6.3.</p>	A, D
Noise Management Plan				
4.	<p>The Proponent must prepare a Noise Management Plan for the project to the satisfaction of the Secretary. This plan must:</p> <p>a) be prepared by a suitably qualified and experienced person/s whose appointment has been endorsed by the Secretary;</p> <p>b) be submitted to the Secretary for approval within three months of the determination of Modification 2;</p> <p>c) be prepared in consultation with the EPA;</p> <p>d) describe the measures to be implemented to ensure:</p> <ul style="list-style-type: none"> - compliance with the noise criteria and operating conditions of this approval; - best practice management is being employed; and - the noise impacts of the project are minimised during meteorological conditions under which the noise criteria in this approval do not apply (see Appendix 3); <p>e) describe the proposed noise management system; and</p>	Compliant	<p>No amendments to the Noise Management Plan were required during the reporting period.</p> <p>The Department confirmed by letter 18 April 2019 that RWC was suitably qualified to prepare the noise management plan.</p> <p>The updated management plan was submitted to the Department on 22 April 2019, resubmitted 30 April 2020 and approved 22 June 2020.</p> <p>EPA confirmed via email on 18 April 2019 that they would not be providing comments on the updated plan.</p> <p>Section 3 of the 2020 Noise Management Plan outlines the noise management measures.</p> <p>Section 5 of the 2020 Noise Management Plan outlines the noise management system.</p>	D D D D D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

**Table A (Cont'd)
Compliance Review – Project Approval 05_0103B**

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*																			
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)																							
NOISE (Cont'd)																							
Noise Management Plan (Cont'd)																							
4. (Cont'd)	f) include a monitoring program to be implemented to measure noise from the project against the noise criteria in Table 2, and which evaluates and reports on the effectiveness of the noise management system on site. The Proponent must implement the Noise Management Plan as approved from time to time by the Secretary.		Section 5 of the 2020 Noise Management Plan outlines the noise monitoring program. The Noise Management Plan was appropriated implemented during the reporting period.	D A, D																			
AIR QUALITY																							
Air Quality Impact Assessment Criteria																							
8.	The Proponent must ensure that particulate matter generated by the project do not cause exceedances of the criteria listed in Table 3 at any privately-owned land. <i>Table 3</i>	Compliant	Air quality monitoring was undertaken in accordance with the approved Air Quality Management Plan. Deposited dust levels remained below the criteria for the reporting period.	A, D																			
<table border="1"> <thead> <tr> <th>Pollutant</th> <th>Averaging period</th> <th>Criterion</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Particulate matter < 10 µm (PM₁₀)</td> <td>Annual</td> <td>^{a,c} 25 µg/m³</td> </tr> <tr> <td>24-hour</td> <td>^b 50 µg/m³</td> </tr> <tr> <td rowspan="2">Particulate matter < 2.5 (PM_{2.5})</td> <td>Annual</td> <td>^{a, c} 8 µg/m³</td> </tr> <tr> <td>24-hour</td> <td>^b 25 µg/m³</td> </tr> <tr> <td>Total suspended particulate (TSP)</td> <td>Annual</td> <td>^{a,c} 90 µg/m³</td> </tr> <tr> <td>^d Deposited dust</td> <td>Annual</td> <td>^b 2 g/m²/month ^a 4 g/m²/month</td> </tr> </tbody> </table>		Pollutant	Averaging period	Criterion	Particulate matter < 10 µm (PM ₁₀)	Annual	^{a,c} 25 µg/m ³	24-hour	^b 50 µg/m ³	Particulate matter < 2.5 (PM _{2.5})	Annual	^{a, c} 8 µg/m ³	24-hour	^b 25 µg/m ³	Total suspended particulate (TSP)	Annual	^{a,c} 90 µg/m ³	^d Deposited dust	Annual	^b 2 g/m ² /month ^a 4 g/m ² /month			
Pollutant	Averaging period	Criterion																					
Particulate matter < 10 µm (PM ₁₀)	Annual	^{a,c} 25 µg/m ³																					
	24-hour	^b 50 µg/m ³																					
Particulate matter < 2.5 (PM _{2.5})	Annual	^{a, c} 8 µg/m ³																					
	24-hour	^b 25 µg/m ³																					
Total suspended particulate (TSP)	Annual	^{a,c} 90 µg/m ³																					
^d Deposited dust	Annual	^b 2 g/m ² /month ^a 4 g/m ² /month																					
<p><i>Notes:</i></p> <p><i>a Total impact (i.e. incremental increase in concentrations due to the project plus background concentrations due to all other sources).</i></p> <p><i>b Incremental impact (i.e. incremental increase in concentrations due to the project on its own).</i></p> <p><i>c Excludes extraordinary events such as bushfires, prescribed burning, dust storms, fire incidents or any other activity agreed by the Secretary.</i></p> <p><i>d Deposited dust is to be assessed as insoluble solids as defined by Standards Australia, AS/NZS 3580.10.1:2003: Methods for Sampling and Analysis of Ambient Air - Determination of Particulate Matter - Deposited Matter - Gravimetric Method.</i></p>																							
Operating Conditions																							
6.	The Proponent must: a) implement best management practice to minimise the dust emissions of the project, including routinely watering haul roads being used by heavy vehicles and equipment;	Compliant	Previously disturbed areas have been stabilised through re-establishment of pasture. Visual monitoring of dust generation indicated that no additional controls were required beyond the natural moisture content of the materials.	A, D																			
* D = Documentation sighted A = Advised by Company O = On-site Observation																							

**Table A (Cont'd)
 Compliance Review – Project Approval 05_0103B**

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
AIR QUALITY (Cont'd)				
Air Quality Management Plan (Cont'd)				
7. (Cont'd)	f) include an air quality monitoring program that: <ul style="list-style-type: none"> - is capable of evaluating the performance of the project against the air quality criteria; - adequately supports the air quality management system; and - includes a protocol for determining any exceedances of the air quality criteria. The Proponent must implement the Air Quality Management Plan as approved from time to time by the Secretary.		Section 6 of the 2020 Air Quality Management Plan outlines the air quality monitoring program. The 2020 Air Quality Management Plan was implemented during the reporting period.	D
Meteorological Monitoring				
8.	For the life of the project, the Proponent must ensure that there is a suitable meteorological station operating in the vicinity of the site that complies with the requirements in the <i>Approved Methods for Sampling and Analysis of Air Pollutants in New South Wales</i> guideline.	Compliant	Reliance is placed upon an on-site rain gauge, the BOM Coolangatta Station No. 040717 and BOM Tweed Heads Golf Course Station No. 058056. Rain and wind data is presented in Section 6.2 of this Annual Review.	A, D
Greenhouse Gas Emissions				
9.	The Proponent must implement all reasonable measures to minimise the release of greenhouse gas emissions from the site.	Compliant	Given the limited scale of activities, appropriate maintenance, operation and sizing of equipment for tasks are considered reasonable measures and were implemented.	A,D
SOIL AND WATER				
Water Supply				
10.	The Proponent must ensure that it has sufficient water for all stages of the project, and if necessary, adjust the scale of operations under this approval to match its available water supply. <i>Note: Under the Water Act 1912 and/or the Water Management Act 2000, the Proponent is required to obtain all necessary water licences for the project.</i>	Compliant	Gales holds Water Access Licence 40902 which provides for 'take' of up to 700ML per year.	D
Water Discharges				
11.	The Proponent must comply with the discharge limits in any EPL for the site, or with section 120 of the POEO Act.	Compliant	Discharge (uncontrolled) during the reporting period only occurred during local flooding associated with extreme rainfall events (i.e. >82.5mm over 5 consecutive days) (see Table C for assessment of compliance with EPL conditions).	A
Fines Management				
12.	The Proponent must ensure that: <ul style="list-style-type: none"> a) no potential acid sulfate soil is removed from the site, unless adequately neutralised in accordance with methods approved under the Soil and Water Management Plan (see condition 18 below); 	Compliant	Unwashed materials were not transported from the Quarry during the reporting period.	A, D
* D = Documentation sighted		A = Advised by Company		O = On-site Observation



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 11 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
SOIL AND WATER (Cont'd)				
Fines Management (Cont'd)				
12. (Cont'd)	b) all excavated potential acid sulfate soil fines material is discharged into the dredge pond at a depth greater than 3 metres below the water surface as soon as possible to prevent oxidisation; and	Compliant	All fines have been returned to the pond a least 3m below the water.	AD
	c) all fines are deposited to a final depth of at least 8 metres below the water surface, unless an alternative method(s) is approved by the EPA and the Secretary. <i>Note: Acid sulfate soils are as defined in the NSW Acid Sulfate Soils Manual.</i>	Compliant	Fines deposited during the reporting period will also ultimately settle at the base of the dredge pond.	A, D
Flood Management				
13.	All earthworks, including drainage and bunding works, must be contained wholly within the site.	Compliant	The processing area, extraction pond and associated bunding is contained wholly within the site.	D
14.	The Proponent must cease dredging and processing activities not less than 24 hours prior to the commencement of overflow from any dredge pond. No dredging or processing may occur when the dredge ponds are overflowing.	Not Yet Applicable	No overflows of the dredge pond bunding occurred during the reporting period. Notwithstanding, dredging and processing did not occur during periods of localised flooding.	A, D
15.	The Proponent must ensure that the flood storage capacity of the site throughout all stages of the project is not less than the pre-project flood storage capacity, unless otherwise agreed by the Secretary. Details of the available flood storage capacity must be reported in each Annual Review. <i>Note: The Secretary may agree to a reduction in the pre-existing flood storage capacity of the site in the event that separate development consent is granted for development on the site.</i>	Compliant	Based on previous survey of the extraction pond and the volume of material imported to create the transformer pad, net flood storage capacity has increased by at least ~4 000m ³ (4ML).	D
16.	The Proponent must ensure that the top of the earth bunding around the extraction ponds does not exceed 1.8 m AHD. Spillways shall be provided at the eastern and western extents of each bund and must be a minimum of 50 m wide and not exceed 1.3 m AHD. Bunds and spillways must be suitably surfaced (for example grassed or rock lined) to avoid scour and erosion during storm and flood events.	Compliant	All bunding surrounding the extraction area has been constructed in accordance with these requirements.	A, D
17.	The Proponent must ensure the pad of the processing area does not exceed a height of 1.8 m AHD.	Compliant	The construction of the Processing Area was completed during the previous reporting period. Levels at the processing area pad have been retained to 1.8m AHD. The transformer pad has been formed to 3.8m AHD per Essential Energy requirements – it is noted that the transformer is owned and controlled by Essential Energy.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 12 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
SOIL AND WATER (Cont'd)				
Soil and Water Management Plan				
18.	<p>Within three months of the determination of Modification 2, unless otherwise agreed by the Secretary, the Proponent must prepare a Soil and Water Management Plan for the project in consultation with EPA, Water NSW, DoI and Council, to the satisfaction of the Secretary. This plan must be prepared by a suitably qualified expert whose appointment has been approved by the Secretary, and include:</p> <p>a) a Site Water Balance; b) an Erosion and Sediment Control Plan; c) a Surface Water Monitoring Program d) a Groundwater Monitoring Program; e) a Blue-Green Algae Management Plan; The Proponent must implement the approved plan as approved from time to time by the Secretary</p>	Compliant	<p>Extensions were granted by the Department on 18 April and 31 May 2019 for the submission of the updated Soil and Water Management Plan (SWMP) by 8 July 2019. The updated SWMP was submitted to the Department on 8 July 2019. A copy of the SWMP was also provided to the required agencies for comment on 24 June 2019. The Department approved of RWC, AGECE and HMC as being suitably qualified to prepare the SWMP on 31 May 2019.</p> <p>Section 3 of the SWMP. Section 4 of the SWMP. Section 7 of the SWMP. Section 6 of the SWMP. Section 8 of the SWMP. The updated SWMP is currently pending approval.</p>	A, D
19.	<p>The Site Water Balance must include details of:</p> <p>a) sources and security of water supply; b) water use and management on site; c) any off-site water transfers; d) reporting procedures; and e) measures to be implemented to minimise clean water use on site.</p>	Compliant	<p>Section 3.2 of the SWMP. Section 3.3 of the SWMP. Section 3.3 of the SWMP. Section 9 of the SWMP. Section 3.5 of the SWMP.</p>	D
20.	<p>The Erosion and Sediment Control Plan must:</p> <p>a) be consistent with the relevant requirements of Department of Housing's <i>Managing Urban Stormwater: Soil and Construction</i>, the NSW Acid Sulfate Soil Advisory Committee's <i>Acid Sulfate Soil Manual</i>, and relevant Council codes, or most recent versions of these documents; b) describe construction and operational activities that could cause soil erosion, sedimentation or generation of acid sulfate soils; c) describe the location, function, and capacity of soil and water management and control structures during construction, stabilisation and operational stages;</p>	Compliant	<p>Sections 4.1 and 5.1 of SWMP.</p> <p>Sections 4.2 and 5.2 of the SWMP.</p> <p>Section 4.3 of the SWMP.</p>	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 13 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
SOIL AND WATER (Cont'd)				
Soil and Water Management Plan (Cont'd)				
20 (Cont'd)	<ul style="list-style-type: none"> d) describe measures to minimise soil erosion and the potential for the transport of sediment to downstream waters; e) define procedures for managing the potential acid sulfate soils on the site; f) define procedures for managing water releases from the site; and g) define procedures for the maintenance of soil and water management structures on the site during the life of the project. 		<p>Section 4.3 of the SWMP.</p> <p>Sections 5.3 and 5.4 of the SWMP.</p> <p>Section 7.8 of the SWMP.</p> <p>Section 4.4 of the SWMP.</p>	
21.	<p>The Surface Water Monitoring Program must include:</p> <ul style="list-style-type: none"> a) a detailed description of the surface water management system; b) surface water impact assessment criteria; c) a program to monitor bank and bed stability; and d) a program to monitor and manage pH in the dredge pond; e) a program to monitor and report on adverse impacts of the project on surface water flows and quality, including any surface water discharges; and f) a protocol for the investigation, notification and mitigation of identified exceedances of the surface water impact assessment criteria. 	Compliant	<p>Section 7.2 of the SWMP.</p> <p>Section 7.4 of the SWMP.</p> <p>Section 4.4 of the SWMP.</p> <p>Section 7.5 of the SWMP.</p> <p>Sections 7.7 and 7.8 of the SWMP.</p> <p>Section 7.7 of the SWMP.</p>	D
22.	<p>The Groundwater Monitoring Program must include:</p> <ul style="list-style-type: none"> a) detailed baseline data on groundwater levels and quality, based on statistical analysis; b) groundwater impact assessment criteria; c) a program to monitor and report on adverse impacts of the project on groundwater flows and quality; d) a program to monitor groundwater level effects on vegetation, and on groundwater supply to adjoining properties; and e) a protocol for the investigation, notification and mitigation of identified exceedances of the groundwater impact assessment criteria. 	Compliant	<p>Section 6.2 of the SWMP.</p> <p>Section 6.3 of the SWMP.</p> <p>Sections 6.4 and 6.5 of the SWMP.</p> <p>Section 6.4 of the SWMP.</p> <p>Section 6.5 of the SWMP.</p>	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 15 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
SOIL AND WATER (Cont'd)				
Additional Groundwater Requirements (Cont'd)				
25. (Cont'd)	<p>a) update the existing groundwater model for the project to address the consolidated extraction area as approved under Modification 2;</p> <p>b) re-assess the potential groundwater impacts of the project; and</p> <p>c) review and if necessary revise the Groundwater Monitoring Program and the groundwater management and mitigation measures for the project in response to the updated groundwater modelling; to the satisfaction of the Secretary.</p>			
TRANSPORT				
Site Access				
26.	The Proponent must ensure that all heavy vehicle access to and from the site is via the Tweed Coast Road/Crescent Street/Altona Road route. Heavy vehicles must not travel via Crescent Street through Cudgen Village, except for local deliveries to Cudgen Village.	Compliant	The Transport Management Plan and associated Truck Drivers Code of Conduct details explicitly the approve transportation route and excluded roads.	D
Upgrade and Maintenance of Altona Road				
27.	<p>The Proponent must upgrade Altona Road between the site entrance and intersection with Crescent Street. This upgrade must:</p> <p>a) include two additional passing bays along the current alignment of Altona Road, each having sufficient length to readily accommodate a laden truck and dog trailer combination, to the satisfaction of the Council; and</p> <p>b) be funded by the Proponent, or by a cost sharing agreement between the Proponent and the owner of the Tweed Sand Quarry, in consultation with Council.</p>	Compliant	<p>Hanson, operator of the Tweed Sand Quarry sought and received approval for the construction of a single longer passing bay.</p> <p>Upgrade works were completed by Hanson during the reporting period with Council confirming satisfaction with the works through the issue of a Works as Executed Compliance Certificate dated 7 May 2020.</p>	A, D
28.	<p>By 20 August 2019, the Proponent must enter into a cost sharing agreement with the owner of the Tweed Sand Quarry, in consultation with Council, for the maintenance of Altona Road between the site entrance and intersection with Crescent Street. This agreement must:</p> <p>c) provide for ongoing repairs and maintenance of the road;</p> <p>d) apply to the existing or any future approved alignment of Altona Road; and</p>	Compliant	Previously a draft agreement was prepared between Gales and Hanson, in consultation with Council, a number of matters remained in dispute. A request for an extension was requested from DPIE on 21 August 2019. A response to the time extension was not received from the Department with the draft agreement ultimately referred to the Secretary for resolution on 25/09/19. Whilst a response was not received, during the reporting period Gales, Hanson and Council have operated in accordance with the agreement without dispute.	D, A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
TRANSPORT (Cont'd)				
Upgrade and Maintenance of Altona Road (Cont'd)				
28. (Cont'd)	<p>c) provide for proportionate and equitable contributions between the Proponent and the owner of the Tweed Sand Quarry (based on actual annual product road transport or other measure/s agreed by the parties).</p> <p>If a cost sharing agreement cannot be reached or if there is any dispute regarding the finalisation of the terms of the cost sharing agreement, or its implementation, then either party may refer the matter to the Secretary for resolution.</p>			
29	<p>The Proponent must upgrade the intersection of Crescent Street and Tweed Coast Road. This upgrade must:</p> <p>a) provide for the construction of an acceleration lane of not less than 200 metres in length on Tweed Coast Road, northbound from the intersection, to the satisfaction of Council (as roads authority);</p> <p>b) provide for channelised right turn treatment (line marking only) on Tweed Coast Road for vehicles turning right into Crescent Street;</p> <p>c) be designed and constructed in accordance with Austroads Guidelines, Australian Standards and RMS Supplements; and</p> <p>d) be funded by the Proponent, or by a cost sharing agreement between the Proponent and the owner of the Tweed Sand Quarry, in consultation with Council;</p> <p>If a cost sharing agreement cannot be reached or if there is any dispute regarding the finalisation of the terms of the cost sharing agreement, or its implementation, then either party may refer the matter to the Secretary for resolution.</p> <p><i>Note: The proposed road works on Tweed Coast Road (MR450) will be captured by Section 138 of the Roads Act 1993. Concept Design is to be submitted to Tweed Shire Council for referral to Roads and Maritime for concurrence under Section 138 of the Roads Act 1993.</i></p>	Compliant	Upgrade works were completed by Hanson during the reporting period with Council confirming satisfaction with the works through the issue of a Works as Executed Compliance Certificate dated 7 May 2020.	A, D
Operating Conditions				
30.	<p>The Proponent must:</p> <p>a) provide sufficient parking on-site for all project-related traffic and visitors, in accordance with Council parking code and ensure that no on street parking is undertaken.</p>	Compliant	No on-street parking occurred during the reporting period. On-site parking is available within the Processing Area.	A
* D = Documentation sighted		A = Advised by Company		O = On-site Observation

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
TRANSPORT (Cont'd)				
Operating Conditions (Cont'd)				
30. (Cont'd)	b) ensure that trucks do not enter the site prior to 7.00 am on any day;	Compliant	Records of operational hours confirms no transportation activities commenced prior to 7:00am.	A, D
	c) ensure that on-site parking and pedestrian facilities are adequately signposted;	Compliant	Signage has been placed.	A
	d) ensure that all laden trucks entering or exiting the site have their loads covered;	Compliant	The Operations Manager advises that the loader operator checks all trucks.	A
	e) ensure that all laden trucks exiting the site are cleaned of material that may fall from vehicles, before leaving the site;	Compliant	The Operations Manager advises that the loader operator checks all trucks.	A
	f) use its best endeavours to ensure that appropriate signage is displayed on all trucks used to transport quarry products from the project so they can be easily identified by road users; and	Compliant	The need for appropriate signage is specified in the Drivers Code of Conduct.	A
	g) keep accurate records of all laden truck movements to and from the site and publish a summary of these records on its website every month.	Compliant	Records of laden trucks are provided on the Company website.	A, D
Transport Management Plan				
31.	The Proponent must prepare a Traffic Management Plan for the project to the satisfaction of the Secretary. This plan must: a) be prepared by suitably qualified and experienced person/s whose appointment has been endorsed by the Secretary; b) be prepared in consultation with RMS, Transport for NSW and Council, and in accordance with the RTA – Traffic Control at Worksites Manual; c) describe the processes in place for the management of truck movements entering and exiting the site; d) prohibit trucks departing the site from turning right from Crescent Street to Tweed Coast Road; e) include a Drivers' Code of Conduct that includes: - details of the safe and quiet driving practices that must be used by drivers travelling to and from the quarry;	Compliant	Approval for the staged submission of the Traffic Safety Plan was issued by DPE 9 September 2016. The 'Stage 1' Traffic Management Plan, for physical commencement activities, was prepared in consultation with Council and RMS and approved by DPE 12/09/16. The 'Stage 2' Traffic Management Plan for works to enable commencement of dredging was prepared in consultation with Council and RMS and approved by DPE 25/05/17. The Operational Transport Management Plan was prepared in consultation with Council and RMS/TfNSW and approved by DPIE 21/05/20. The approved TMP address all requirements. Dispatch of product trucks commenced 22 May 2020.	
* D = Documentation sighted A = Advised by Company O = On-site Observation				

**Table A (Cont'd)
Compliance Review – Project Approval 05_0103B**

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*	
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)					
TRANSPORT (Cont'd)					
Transport Management Plan (Cont'd)					
31. (Cont'd)	<ul style="list-style-type: none"> - a map of the primary haulage route; - safety initiatives for haulage through residential areas, school zones and along school bus routes; - an induction process for vehicle operators and regular toolbox meetings; - complaints resolution and disciplinary procedures; and - details of community consultation - measures for peak haulage periods. <p>f) describe the measures to be put in place to ensure compliance with the Drivers' Code of Conduct;</p> <p>g) include details of the measures to be implemented to minimise traffic safety issues and disruption to local road users during road upgrade works; and</p> <p>(h) propose measures to minimise the transmission of dust and tracking of material onto the surface of public roads from vehicles leaving the quarry.</p> <p>The Proponent must not dispatch any trucks from the site until the Traffic Management Plan is approved by the Secretary.</p> <p>The Proponent must implement the approved Traffic Management Plan as approved from time to time by the Secretary.</p>				
REHABILITATION					
Rehabilitation Objectives					
32.	The Proponent must rehabilitate the site to the satisfaction of the Secretary. This rehabilitation must be generally consistent with the proposed rehabilitation activities described in the documents listed in condition 3 of Schedule 2, and comply with the objectives in Table 4.	Not Yet Applicable	No areas have yet become available for final rehabilitation. Notwithstanding, it is noted that 'temporary' rehabilitation of soil stockpiles and bunding has been completed.	A, D	
* D = Documentation sighted		A = Advised by Company		O = On-site Observation	



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 19 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
REHABILITATION (Cont'd)				
Rehabilitation Objectives (Cont'd)				
32. (Cont'd)	Table 4: Rehabilitation Objectives			
	Feature	Objective		
	All areas of the site affected by the project	<ul style="list-style-type: none"> • Safe • Hydraulically and geotechnically stable, including the dredge pond margins (particularly where subject to regular wind and wave action) • Non-polluting • Fit for the intended post-extraction land use(s) • Final landform integrated with surrounding natural landforms as far as is reasonable and feasible, and minimising visual impacts when viewed from surrounding land 		
	Surface Infrastructure	<ul style="list-style-type: none"> • Decommissioned and removed, unless otherwise agreed by the Secretary 		
	Dredge Pond	<ul style="list-style-type: none"> • Perimeter of dredge pond landscaped and vegetated using native tree and understorey species and, where necessary, non-invasive groundcover suitable for the final land use • Natural looking bank design with curved lake boundaries, with a variety of bank treatments (e.g. beaches, wetlands) providing a variety of habitats. • Minimise the extent and persistence of algae blooms • Water quality fit for the intended post-extraction land use(s) 		
Progressive Rehabilitation				
33.	The Proponent must rehabilitate the site progressively as soon as reasonably practicable following disturbance. All reasonable steps must be taken to minimise the total area exposed at any time. Interim stabilisation and temporary vegetation strategies must be employed when areas prone to dust generation, soil erosion and weed incursion cannot be permanently rehabilitated.	Compliant	No areas have yet become available for final rehabilitation. Notwithstanding, it is noted that 'temporary' rehabilitation of soil stockpiles and bunding has been completed therefore achieving a minimum practical exposed area.	A, O
Rehabilitation Management Plan				
34.	The Proponent must prepare a Rehabilitation Management Plan for the project to the satisfaction of the Secretary. This plan must: <ul style="list-style-type: none"> a) be prepared by a suitably qualified and experienced person/s whose appointment has been endorsed by the Secretary; b) be prepared in consultation with Council, Water NSW, DoI and OEH; c) be submitted to the Secretary within three months of the determination of Modification 2, unless the Secretary agrees otherwise; d) describe how the rehabilitation of the site and pipeline corridors would achieve the objectives identified in Table 4; 	Compliant	<p>RWC was approved as being suitably qualified to prepare the Rehabilitation Management Plan (RMP) on 31 May 2019.</p> <p>The RMP was supplied to these agencies for review on 1 July 2019.</p> <p>Extensions were granted by the Department on 18 April and 31 May 2019 for the submission of the updated RMP by 8 July 2019. The updated SWMP was submitted to the Department on 8 July 2019.</p> <p>Sections 3.2 and 3.3 of the RMP.</p>	<p>D</p> <p>D</p> <p>D</p>
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
REHABILITATION (Cont'd)				
Rehabilitation Management Plan (Cont'd)				
34. (Cont'd)	e) describe the short, medium, and long term measures that would be implemented to: <ul style="list-style-type: none"> - rehabilitate and stabilise the site and pipeline corridors; and - manage the restored vegetation and wetland habitat established on the site; 		Section 3.2 of the RMP.	D
	f) include detailed performance and completion criteria for the rehabilitation and stabilisation of the site (including appropriate water quality criteria);		Sections 3.4 and 4.3 of the RMP.	D
	g) include a detailed description of the measures to be implemented to: <ul style="list-style-type: none"> - enhance existing vegetation and increase littoral and terrestrial habitat potential; - protect areas outside the disturbance areas, including vegetation adjoining pipelines; - manage impacts on fauna, including measures to enable Wallum Froglet to cross the eastern pipeline; - control terrestrial and aquatic weeds and pests; - control access; and - reduce the visual impacts of the project; 		Section 3.2 of the RMP.	D
	h) include a program to monitor, independently audit and report on the effectiveness of the measures in paragraph (g) above, and progress against the detailed performance and completion criteria in paragraph (f);		Section 3.5 of the RMP.	D
	i) include a vegetation clearance protocol;		Section 3.3.8 of the RMP.	D
	j) include a Long-Term Management Strategy, which: <ul style="list-style-type: none"> - defines the objectives and criteria for quarry closure and post-extraction management; - investigates options for the future use of the site; - describes the measures that would be implemented to minimise or manage the ongoing environmental effects of the project; and - describes how the performance of these measures would be monitored over time; 		Section 4 of the RMP.	D
	k) describe the potential risks to successful rehabilitation and/or revegetation, including a description of the contingency measures that would be implemented to mitigate these risks; and		Section 3.6 of the RMP.	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				



Table A (Cont'd)
 Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
REHABILITATION (Cont'd)				
Rehabilitation Management Plan (Cont'd)				
34. (Cont'd)	<p>l) detail who is responsible for monitoring, reviewing, and implementing the plan.</p> <p>The Proponent must implement the approved Rehabilitation Management Plan as approved from time to time by the Secretary.</p>		<p>Section 3.7 of the RMP.</p> <p>Approval of the updated RMP remains pending.</p>	D
Rehabilitation Bond				
35.	<p>Within 6 months of the approval of the Rehabilitation Management Plan, the Proponent must lodge a Rehabilitation Bond with the Department to ensure that the rehabilitation of the site is undertaken in accordance with the performance and completion criteria set out in the plan and the relevant conditions of approval. The sum of the bond must be an amount agreed to by the Secretary and determined by:</p> <p>a) calculating the cost of rehabilitating all disturbed areas of the site, taking into account the likely surface disturbance over the next 3 years of quarrying operations; and</p> <p>b) employing a suitably, independent and experienced person to verify the calculated costs.</p> <p>The calculation of the Rehabilitation Bond must be submitted to the Department for approval at least 1 month prior to the lodgement of the bond</p>	Not Yet Applicable	A rehabilitation bond was previously established (correspondence from DPE dated 12/04/17 confirms receipt of bank guarantee for the agreed rehabilitation bond of \$163,375). The review of the bond is required within 6 months of the approval of the RMP. Approval of the RMP remains pending.	A, D
36.	<p>The Rehabilitation Bond must be reviewed and if required, an updated bond must be lodged with the Department within 3 months following:</p> <p>a) any update or revision to the Rehabilitation Management Plan;</p> <p>b) the completion of an Independent Environmental Audit; or</p> <p>c) in response to a request by the Secretary.</p> <p>Notes:</p> <ul style="list-style-type: none"> <i>If the rehabilitation of the site area is completed (or partially completed) to the satisfaction of the Secretary, then the Secretary will release the bond (or relevant part of the bond). If the rehabilitation of the site is not completed to the satisfaction of the Secretary, then the Secretary will call in all or part of the bond, and arrange for the completion of the relevant works.</i> <i>If capital and other expenditure required by the Rehabilitation Management Plan is largely complete, the Secretary may waive the requirement for lodgement of a bond in respect of the remaining expenditure.</i> 	Not Yet Applicable	Approval of the updated RMP remains pending. An Independent Environmental Audit has not yet been undertaken and no request has been received from the Secretary.	A, D
<p>* D = Documentation sighted A = Advised by Company O = On-site Observation</p>				



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
ABORIGINAL CULTURAL HERITAGE				
Aboriginal Cultural Heritage Management Plan				
37.	<p>The Proponent must prepare an Aboriginal Cultural Heritage Management Plan to the satisfaction of the Secretary. This plan must:</p> <ul style="list-style-type: none"> a) be prepared in consultation with the relevant Aboriginal communities; b) be submitted to the Secretary for approval prior to carrying out any development; and c) include a description of the: <ul style="list-style-type: none"> • Aboriginal cultural heritage induction protocol for employees; • process for Aboriginal inspection of excavations for the northern pipeline corridor; • measures that would be implemented if any new Aboriginal objects or skeletal remains are discovered during the project either within or beyond the area of disturbance; and • process for identifying a long-term storage location should Aboriginal relics be discovered within the project site requiring salvage. <p>The Proponent must implement the approved Aboriginal Cultural Heritage Management Plan as approved from time to time by the Secretary.</p>	Compliant	<p>The Aboriginal Cultural Heritage Management Plan (ACHMP) was implemented as applicable during the reporting period.</p> <p>Prepared in consultation with Tweed-Byron LALC (correspondence dated 01/03/11)</p> <p>The ACHMP was submitted to the then DoP 09/02/11 and approved 14/05/14. An updated version was approved 05/07/17.</p> <p>Section 7 of the ACHMP.</p> <p>Section 8 of the ACHMP.</p> <p>Section 10 and Appendix 1 of the ACHMP.</p> <p>Section 12 of the ACHMP.</p> <p>As confirmed to the Department on 16 April 2019, as a result of the MOD2 approval, only administrative updates were required to the existing plan.</p>	A, D
VISUAL				
38.	<p>The Proponent must establish and subsequently maintain the vegetation screen around the extraction area within 12 months of the date of this approval.</p> <p><i>Note: The vegetation screen must be detailed in the Rehabilitation Management Plan required under Schedule 3.</i></p>	Compliant	<p>Vegetation screening was previously planted adjacent to Tweed Coast Road and Crescent Street, fencing installed to exclude cattle and slashing of grass undertaken within the fenced off area to assist tree growth. Supplemental planting was also completed during September 2017 with maintenance (principally weed spraying and fence repair) occurring as required – See Section 8 of this report.</p>	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 23 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 3 SPECIFIC ENVIRONMENTAL CONDITIONS (Cont'd)				
VISUAL (Cont'd)				
39.	The Proponent must implement all reasonable measures to minimise the visual and off-site lighting impacts of the project to the satisfaction of the Secretary.	Compliant	The use of topsoil on the bund walls containing the existing pasture species ensured that the bund wall's groundcover was rapidly established. Planting of shrubs on the eastern and southern boundary of the Initial Processing Area was also completed during October 2017.	A, D
WASTE				
40.	The Proponent must: <ul style="list-style-type: none"> a) manage on-site sewage treatment and disposal in accordance with the requirements of its EPL, and to the satisfaction of the EPA and Council; b) minimise the waste generated by the project; c) ensure that the waste generated by the project is appropriately stored, handled, and disposed of; and d) report on waste management and minimisation in the Annual Review, to the satisfaction of the Secretary. 	Compliant	During the reporting period all sewage wastes were collected in a portaloos system and removed from site by a licenced waste contractor. Minimal wastes were generated and were appropriately removed by licenced contractors or Council for disposal at a licenced facility. A summary of waste management is presented in Section 6.8.	A
41.	Except as expressly permitted in an EPL, the Proponent must not receive waste at the site for storage, treatment, processing, reprocessing or disposal.	Compliant	No wastes were received to the site.	A
LIQUID STORAGE				
42.	The Proponent must ensure that all tanks and similar storage facilities (other than for water) are protected by appropriate bunding or other containment, in accordance with the relevant Australian Standards.	Compliant	No hydrocarbon tanks were retained on site during the reporting period. A mobile road-registered fuel tanker service was used to refuel the mobile equipment.	A
Dangerous Goods				
43.	The Proponent must ensure that the storage, handling, and transport of dangerous goods are conducted in accordance with the relevant <i>Australian Standards</i> , particularly AS1940 and AS1596, and the <i>Dangerous Goods Code</i> .	Compliant	Only minor volumes of hydrocarbons (20L and 5L oil and grease containers) were stored on-site within a service van. No spills or other issues occurred during the reporting period.	A
SCHEDULE 4 ADDITIONAL PROCEDURES				
Notification of Landowners				
1.	As soon as practicable and no longer than 7 days after obtaining monitoring results showing an exceedance of any criteria in Schedule 3 the Proponent must:	Not Yet Applicable	Criteria specified within Schedule 3 include air quality and noise. No exceedance with these criteria is considered to have occurred. Therefore no 'notification' events have occurred.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

**Table A (Cont'd)
Compliance Review – Project Approval 05_0103B**

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 4 ADDITIONAL PROCEDURES (Cont'd)				
Notification of Landowners (Cont'd)				
1. (Cont'd)	<p>a) notify the affected landowners and tenants in writing of the exceedance, and provide quarterly monitoring results, to each affected party until the project is again complying with the relevant criteria; and</p> <p>b) publish on its website the full details of the exceedance.</p> <p>Any exceedance of any criteria in Schedule 3 is an incident that must be notified to the Department in accordance with conditions 9 to 12 of Schedule 5.</p> <p>For any exceedance of the air quality criteria or air quality measures in Schedule 3, the Proponent must also provide to any affected land owners and tenants a copy of the fact sheet entitled "Mine Dust and You" (NSW Minerals Council, 2011).</p>			
Independent Review				
2.	<p>If a landowner considers the project to be exceeding the relevant criteria in Schedule 3, they may ask the Secretary in writing for an independent review of the impacts of the project on their land.</p> <p>If the Secretary is not satisfied that an independent review is warranted, the Secretary will notify the landowner in writing of that decision, and the reasons for that decision, within 21 days of the request for a review.</p> <p>If the Secretary is satisfied that an independent review is warranted, within 3 months, or as otherwise agreed by the Secretary and the landowner, the Proponent must:</p> <p>a) commission a suitably qualified, experienced and independent person, whose appointment has been approved by the Secretary, to:</p> <ul style="list-style-type: none"> - consult with the landowner to determine their concerns; - conduct monitoring to determine whether the project is complying with the relevant criteria in Schedule 3; and - if the project is not complying with that criteria, identify measures that could be implemented to ensure compliance with the relevant criteria; <p>b) give the Secretary and landowner a copy of the independent review.</p> <p>c) comply with any written requests made by the Secretary to implement any findings of the review.</p>	Not Yet Applicable	Request for independent review has not been received to date.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 5 ENVIRONMENTAL MANAGEMENT AND MONITORING CONDITIONS (Cont'd)				
Management Plan Requirements (Cont'd)				
2. (Cont'd)	<p>a) a summary of relevant background or baseline data;</p> <p>b) a description of:</p> <ul style="list-style-type: none"> - the relevant statutory requirements (including any relevant approval, licence or lease conditions); - any relevant limits or performance measures/criteria; and - the specific performance indicators that are proposed to be used to judge the performance of, or guide the implementation of, the project or any management measures; <p>c) a description of the measures to be implemented to comply with the relevant statutory requirements, limits, or performance measures/criteria;</p> <p>d) a program to monitor and report on the:</p> <ul style="list-style-type: none"> - impacts and environmental performance of the project; and - effectiveness of any management measures (see (c) above); <p>e) a contingency plan to manage any unpredicted impacts and their consequences and to ensure that ongoing impacts reduce to levels below relevant impact assessment criteria as quickly as possible;</p> <p>f) a program to investigate and implement ways to improve the environmental performance of the project over time;</p> <p>(g) a protocol for managing and reporting any:</p> <ul style="list-style-type: none"> - incidents; - complaints; and - non-compliances with statutory requirements; <p>h) a protocol for periodic review of the plan; and</p> <p>i) a document control table that includes version numbers, dates when the management plan was prepared and reviewed, names and positions of the person/s who prepared and reviewed the management plan, a description of any revisions made and the date of the Secretary's approval.</p> <p><i>Note: The Secretary may waive some of these requirements if they are unnecessary or unwarranted for particular management plans.</i></p>			
* D = Documentation sighted		A = Advised by Company		O = On-site Observation



Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 27 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 5 ENVIRONMENTAL MANAGEMENT AND MONITORING CONDITIONS (Cont'd)				
Application of Existing Management Plans				
3.	The Proponent must continue to apply existing approved management plans, strategies or monitoring programs that have most recently been approved under this approval, until the approval of a similar plan, strategy or program following a modification to this approval.	Compliant	Previous management plans were applied to the extent applicable and/or superseded by approved updated management plans.	D
COMMUNITY CONSULTATIVE COMMITTEE				
8.	<p>The Proponent must operate a Community Consultative Committee (CCC) for the project to the satisfaction of the Secretary. This CCC must be operated in general accordance with the Department's <i>Community Consultative Committee Guidelines: State Significant Projects (2016)</i>, for the duration of quarrying operations and for at least 6 months following the completion of quarrying operations.</p> <p>Notes:</p> <ul style="list-style-type: none"> The CCC is an advisory committee. In accordance with the guidelines, the Committee should comprise an independent chair and appropriate representation from the Proponent, Council and the local community. 	Compliant	<p>The CCC was established in July 2017 with the approval of the Independent Chairperson by DPE 8 July 2017 and new chairperson in May 2022. Community and Council members of the CCC were approved by DPE 14 November 2016.</p> <p>The inaugural CCC meeting was held 07/04/17. The CCC continued to operate during the reporting period (see Section 9.2).</p>	A, D
Revision of Strategies, Plans & Programs				
4.	<p>Within 3 months of:</p> <p>a) the submission of an incident report under condition 10 of this Schedule;</p> <p>b) the submission of an Annual Review under condition 13 of this Schedule;</p> <p>c) the submission of an Independent Environmental Audit under condition 14 of this Schedule; or</p> <p>d) the approval of any modification to the conditions of this approval.</p> <p>the Proponent must review the suitability of all strategies, plans and programs required under this approval. Where this review leads to revisions in any such document, then within 6 weeks of the review the revised document must be submitted for the approval of the Secretary.</p> <p>Notes:</p> <p><i>This is to ensure that strategies, plans and programs are regularly updated to incorporate any measures recommended to improve the environmental performance of the project.</i></p>	Compliant	All management plans have continued to be reviewed. No updates have been required. The Rehabilitation Management plan remains under review for final approval.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 28 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 5 ENVIRONMENTAL MANAGEMENT AND MONITORING CONDITIONS (Cont'd)				
COMMUNITY CONSULTATIVE COMMITTEE (Cont'd)				
Staging, Combining and Updating Strategies, Plans or Programs				
5.	With the approval of the Secretary, the Proponent may: a) prepare and submit any strategy, plan or program required by this approval on a staged basis (if a clear description is provided as to the specific stage and scope of the project to which the strategy, plan or program applies, the relationship of the stage to any future stages and the trigger for updating the strategy, plan or program); b) combine any strategy, plan or program required by this approval (if a clear relationship is demonstrated between the strategies, plans or programs that are proposed to be combined); and c) update any strategy, plan or program required by this approval (to ensure the strategies, plans and programs required under this approval are updated on a regular basis and incorporate additional measures or amendments to improve the environmental performance of the project).	Not Applicable	No requests to stage or combine plans, strategies or programs were made during the reporting period. Updated management plans were submitted in accordance with the relevant conditional requirements.	A, D
Evidence of Consultation				
6.	Where the conditions of this approval require consultation with an identified party, the Proponent must: a) consult with the relevant party prior to submitting the subject document; and b) provide details of the consultation undertaken, including: - the outcome of that consultation, matters resolved and unresolved; and - details of any disagreement remaining between the party consulted and the Proponent and how the Proponent has addressed any unresolved matters.	Compliant	A summary of consultation (to date) for the updated SWMP (approved 20 July 2021) was included as an appendix. Further consultation correspondence will continue to be provided to the Department as received / required.	D
7.	However, if the Secretary agrees, a strategy, plan or program may be prepared without consultation being undertaken with an identified party required under a condition of this approval.	Not Applicable	No formal requests have been made to the Department not to undertake consultation.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Page 29 of 33

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 5 ENVIRONMENTAL MANAGEMENT AND MONITORING CONDITIONS (Cont'd)				
REPORTING				
Incident Notification, Reporting and Response				
9.	The Department must be notified in writing to compliance@planning.nsw.gov.au immediately after the Proponent becomes aware of an incident.	Not Applicable	No incidents occurred during the reporting period.	A, D
10	Within 7 days of the date of the incident, the Proponent must provide the Secretary and any relevant agencies with a detailed report on the incident, and such further reports as may be requested. This report must include the time and date of the incident, details of the incident, measures implemented to prevent re- occurrence and must identify any non-compliance with this approval.	Not Applicable	No incidents occurred during the reporting period.	A, D
11.	Any written requirements of the Secretary or relevant public authority (as determined by the Secretary) which may be given at any point in time, to address the cause or impact of an incident must be complied with and within any timeframe specified by the Secretary or relevant public authority.	Not Applicable	No incidents occurred during the reporting period.	A, D
12.	If statutory notification is provided to EPA as required under the POEO Act in relation to the project, such notification must also be provided to the Secretary within 24 hours after the notification was provided to EPA.	Not Applicable	No statutory notification was required to be provided to EPA during the reporting period.	A, D
Annual Review				
13.	By the end of September each year, or other timing as may be agreed by the Secretary, the Proponent must submit a report to the Department reviewing the environmental performance of the project, to the satisfaction of the Secretary. This review must: a) describe the project (including any rehabilitation) that was carried out in the previous financial year, and the project that is proposed to be carried out over the current financial year;	Compliant	The 2020/2021 Annual Review (this report) was submitted to DPE, Council, Water NSW, NRAR, EPA and the CCC on 30/09/21 Sections 4 and 8 describe the activities, including rehabilitation, undertaken during the reporting period.	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table A (Cont'd)
Compliance Review – Project Approval 05_0103B

Cond. No.	Conditional Requirement	Compliance	Comments	Basis*
SCHEDULE 5 ENVIRONMENTAL MANAGEMENT AND MONITORING CONDITIONS (Cont'd)				
REPORTING (Cont'd)				
Independent Environmental Audit (Cont'd)				
6. (Cont'd)	<p>a) be led and conducted by a suitably qualified, experienced, and independent team of experts whose appointment has been endorsed by the Secretary;</p> <p>b) include consultation with the relevant agencies and the CCC;</p> <p>c) assess the environmental performance of the project and whether it is complying with the relevant requirements in this approval and any relevant EPL or water licences for the project (including any assessment, strategy, plan or program required under these approvals);</p> <p>d) review the adequacy of any strategies, plan or programs required under the abovementioned approvals;</p> <p>e) recommend measures or actions to improve the environmental performance of the project, and/or any strategy/plan/program required under this approval; and</p> <p>f) be conducted and reported to the satisfaction of the Secretary.</p> <p><i>Note: This audit team must be led by a suitably qualified auditor and include experts in any fields specified by the Secretary.</i></p>		The 2019 audit addressed all required components and was confirmed by the Department as being satisfactory on 1 May 2020.	
Independent Environmental Audit				
15.	Within 12 weeks of commencing each audit, unless otherwise agreed by the Secretary, the Proponent must submit a copy of the audit report to the Secretary and other agencies that requests it, together with its response to any recommendations contained in the audit report, and a timetable for the implementation of the recommendations. The Proponent must implement these recommendations, to the satisfaction of the Secretary.	Compliant	An extension to the submission of the audit was granted by DPIE on 7 February 2020 for a submission date of 2 March 2020. The final audit and response was submitted 2 March 2020.	A, D
Access to Information				
10.	<p>Within 1 month of the approval of Modification 2, and for the life of the project, the Proponent must:</p> <p>a) make the following information and documents (as they are obtained or approved) publicly available on its website:</p> <ul style="list-style-type: none"> - the documents listed in conditions 2 and 3 of Schedule 2; - current statutory approvals for the project; 	Compliant	Copies of all required documents have been made available on the Gales website.	D
<p>* D = Documentation sighted A = Advised by Company O = On-site Observation</p>				

Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)

Page 2 of 9

SoC No.	Commitment	Compliance	Comments	Basis*
5. Groundwater				
5.1	Adjust sand extraction rates to ensure that groundwater drawdown levels remain within the predicted limits.	Not Applicable	Only limited dredging occurred during the reporting period. Extraction rates were not required to be adjusted.	A, D
5.2	Install a height gauge within the extraction pond so that water levels can be monitored daily to m AHD.	Compliant	A survey gauge was previously installed.	A
5.3	Continue groundwater monitoring following the cessation of extraction and placement of VENM.	Not Yet Applicable	Extraction operations and VENM placement has not permanently ceased.	A, D
5.4	Compile an annual summary of all monitoring results and forward to Water NSW as part of the Annual Review for the site.	Compliant	A detailed monitoring summary has been included as part of this Annual Review which has been provided to Water NSW.	A, D
5.5	Consult with each likely affected landowner and investigate complaints of poor water quality in neighbouring dams/bores.	Not Yet Applicable	Potentially affected landholders have previously been consulted. No issues or complaints arose during the reporting period.	A, D
5.6	Negotiate an agreement with each affected landholder in the event water quality or quantity is adversely affected to either: <ul style="list-style-type: none"> • deepen the existing bore or install a replacement bore; • pay a cash compensation equal to the assessed cost of deepening the bore; • provide an alternative water supply, such as from the extraction ponds or groundwater bore registered to the Proponent; or • provide an appropriately sized rainwater storage tank to enhance property water storage. 	Not Yet Applicable	No landholders have been adversely affected.	A, D
5.7	Implement the provision of an alternative water supply or other agreed compensation.	Not Applicable	The R. Julius water supplies have not been adversely effected.	A, D
5.8	Provide copies of any negotiated agreements to the Department of Planning and Department of Water and Energy for their records.	Compliant	The signed agreement with R.W. Julius has been provided to the then DPE and Water NSW.	A, D
6. Surface Water				
6.1	Reduce sand extraction and temporarily cease VENM placement if a significant deterioration in extraction pond water quality occurs, until the source is identified and appropriate amelioration measures are implemented.	Not Applicable	No significant deterioration of extraction pond water occurred during the reporting period.	A, D
6.2	Regularly monitor surface water to provide an accurate assessment of the adequacy of practices implemented as part of the operation.	Compliant	Monitoring data reviewed upon receipt and critically analysed annually.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				



Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)

Page 3 of 9

SoC No.	Commitment	Compliance	Comments	Basis*
7. Acid Sulfate Soils and Sediments, Soil Contamination and Agricultural Suitability				
7.1	Convey return water (from both the wash plant and fill sites) in a manner which ensures fines / silts remain in suspension and do not settle in the return pipelines. If a pipeline is not used, undertake sluicing in a manner that ensures turbulent flow and sufficient velocity to prevent the deposition of fines material within the drainage line.	Compliant	A silt return channel has been constructed in order to provide sufficient head pressure for return water to discharge via a pipe 3m below the pond surface.	A
7.2	Do not extract residual clay material from the base of the sand resource.	Compliant	Extraction operations to date have remained well above the expected residual marine clays.	A, D
7.3	Ensure a suitably qualified or trained person assesses imported material (VENM) in accordance with the ASSMAC guidelines and confirms its classification as VENM prior to acceptance at the Quarry Site.	Compliant	Imported VENM was classified and VENM certificates retained.	A, D
7.4	Place VENM(b) received at the premises which is intended to be dredged or interned at the base of the extraction pond within the nominated period.	Not Yet Applicable	VENM(b) (PASS) has not yet been imported to the Quarry.	A, D
7.5	Retain records of monitoring together with the application rates of the alkaline amendment used as neutralising agents. Provide these records to statutory authorities upon request.	Compliant	These monitoring records have been retained and reported in the respective Annual Reviews. No requests for supply of additional records has been received to date.	A, D
7.6	Obtain documentation for each truck load of VENM(b) received at the Quarry Site that demonstrates that the excavation of VENM(b) and its transport and handling has been conducted in accordance with the NSW ASS Manual to prevent the generation of acid.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.7	Retain documentation for each truck load of VENM(b) received at the site which indicates: <ul style="list-style-type: none"> • the details of the originating site (name, address, owner and developer, contact details); • the details of the transportee (name, address, contact details, vehicle registration); • date and time of the extraction of the VENM(b); • pH of the VENM(b) at the time of its extraction, and at the time immediately prior to its placement underwater; and • the name of the person (certified practicing soil scientist) who assessed the material and classified it as VENM(b). 	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.8	Ensure verification of neutralising agent application volumes and verification results are available.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.9	Treat any acid sulfate material excavated on site at determined rates prior to use in earthen bunds or for rehabilitation.	Not Applicable	No acid sulfate material was excavated during the reporting period for use in earthen bunds or for rehabilitation.	A, D

* D = Documentation sighted

A = Advised by Company

O = On-site Observation



Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)

Page 4 of 9

SoC No.	Commitment	Compliance	Comments	Basis*
7. Acid Sulfate Soils and Sediments, Soil Contamination and Agricultural Suitability (Cont'd)				
7.10	Collect and analyse samples of acid sulfate soil material that is to be recovered through excavation (i.e. not dredged) and is not to be washed using a hydrocyclone (or similar).	Not Applicable	All extracted material during the reporting period was washed.	A
7.11	Incorporate an alkaline amendment into the excavated acid sulfate material at the calculated rate (based on the results of sampling).	Not Applicable	All extracted material during the reporting period was washed.	A
7.12	Complete the validation sampling of treated material in accordance with the approved Acid Sulfate Soil Management Plan.	Not Applicable	All extracted material during the reporting period was washed.	A
7.13	Construct bunding around the extraction and processing areas to control drainage.	Compliant	Bunding has been constructed around the dredge pond.	A, D
7.14	Ensure all surface water and runoff from the extraction and processing areas drains or is pumped into the extraction ponds.	Compliant	All water within the active extraction area is internally draining. The processing area is also drains back into the bunded extraction area.	A, D
7.15	Audit the effectiveness of the operational safeguards and monitoring by an external environmental consultant.	Compliant	HMC previously completed an audit of the acid sulfate soil monitoring and management.	D
7.16	Test the pH of the water into which the VENM(b) is placed to ensure it is not less than 6.5 at any time.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.17 & 7.18	Undertake monitoring in accordance with the approved Acid Sulfate Soil Management Plan in relation to VENM(b) receipt and processing / internment.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.19	Test the pH of the VENM(b) immediately prior to under-water disposal / backfilling to ensure the pH is not less than 5.5.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.20	Undertake internal environmental audits of VENM(b) receipt and treatment during the initial stages of the operation to ensure appropriate treatment is being conducted and records are up to date.	Not Yet Applicable	Importation of VENM(b) has not yet commenced.	A, D
7.21	Complete the following in the event that validation or monitoring criteria are exceeded for any extracted materials. <ul style="list-style-type: none"> • Test the acid neutralising capacity of the material. • Incorporate alkaline amendments at the appropriate rate if the measured acid neutralising capacity is insufficient to neutralise the existing and potential acidity. • Undertake validation testing following treatment and apply additional alkaline amendments as required. Repeat process until compliance with action criteria is met. 	Not Applicable	Previous validation testing results did not exceed criteria.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)

SoC No.	Commitment	Compliance	Comments	Basis*
8. Flora and Fauna (Cont'd)				
8.4	Place pipelines within pipeline corridors so as to avoid the need to clear trees or shrubs, wherever possible.	Compliant	The pipelines installed to the Cudgen Heights fill site minimised disturbance to vegetation and did not disturb any native vegetation.	A, D
8.5	Utilise local native plant species recommended by Idyll Spaces (2008) for rehabilitation and landscaping within and adjacent the final lake (Note: vegetation set back from the final lake would reflect the specific land use – e.g. sporting fields, gardens, etc).	Not Yet Applicable	No final areas have become available for rehabilitation.	A, D
8.6	Undertake replacement planting of the same tree species within the same area in the unlikely event that a small number of trees are required to be removed for the laying of the pipelines.	Not Yet Applicable	No native tree species were disturbed as a result of the pipeline to the Cudgen Heights fill site.	A, D
9. Aquatic Ecology				
9.1	During the realignment of the western drainage channel as part of the realignment of Altona Road. <ul style="list-style-type: none"> • maintain the original connection to other upstream and downstream drainage channels; • avoid stranding native fish and, where possible, relocate them to similar habitat; • ensure fish free passage through the channel is made available where permanent crossings are to be constructed (e.g. access road crossings); and • consult with DPI – Fisheries officers during the realignment process. 	Not Yet Applicable	Altona Road has not yet been realigned.	A, D
9.2	Create wetlands along finalised sections of the extraction pond in accordance with the approved Landscape Management Plan.	Not Yet Applicable	No final batters have yet been formed.	D
9.3	Undertake frequent and regular monitoring of temperature, dissolved oxygen, nutrients, colour and concentrations of blue-green algae.	Compliant	Regular water quality monitoring was undertaken (see Section 7).	A, D
9.4	Obtain samples and readings from the dredge pond in accordance with the approved Blue Green Algae Management Plan.	Compliant	Monitoring was undertaken in accordance with the approved Blue-Green Algal Management Plan during the reporting period.	A, D
10. Traffic and Transport				
10.1	No vehicles permitted to turn right from Crescent Street to Tweed Coast Road. (Note: Light vehicles travelling south from the Quarry Site would be directed to travel on Crescent Street/Cudgen Road.	Compliant	Drivers were instructed not to turn right through the Drivers Code of Conduct.	A, D
10.2	No heavy vehicles to turn right from Altona Road to Crescent Street.	Compliant	Drivers were instructed not to turn right through the Drivers Code of Conduct.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)

SoC No.	Commitment	Compliance	Comments	Basis*
10. Traffic and Transport (Cont'd)				
10.3	Weigh all product trucks using the on-site weighbridge or other suitable weigh system and ensure all RMS weight restrictions are adhered to.	Compliant	All product trucks were loaded using a front-end loader with calibrated weigh cells.	A, D
10.4	Inform all truck drivers and staff of road rules, speed restrictions and considerate driving practices.	Compliant	Drivers instructed of rules and restrictions through the Drivers Code of Conduct.	A, D
10.5	Ensure all drivers are aware of all relevant operational hours.	Compliant	Drivers instructed of operational hours through the Drivers Code of Conduct.	A, D
10.6	Undertake mechanical road sweeping of Altona Road and site access roads.	Compliant	During the reporting period manual sweeping of Altona Road was undertaken as required	A
10.7	Cover all product loads to reduce dust lift off.	Compliant	The loader operator instructs all product truck drivers to cover their loads prior to leaving site.	A
10.8	Realign Altona Road in accordance with DA 05/1450 (or other applicable development consent).	Not Yet Applicable	Operations will not reach a point that requires the realignment of Altona Road for some time.	A, D
10.9	Implement appropriate management controls including the use of warning signs and manual traffic control during the laying of pipelines adjacent to Tweed Coast Road and during the underboring of the road crossings.	Not Yet Applicable	The pipelines have not yet been installed.	A, D
10.10	Establish a telephone complaints line to enable any traffic-related incidents, unsafe operation or general concern to be reported. Investigate all complaints and act decisively on substantiated incidents.	Compliant	A telephone complaints line is advertised on the Company website.	A, D
10.11	Implement a truck driver's code of conduct required to be signed by all Company employed or contracted truck drivers. The code will outline each truck driver's responsibility and the process to be undertaken in the event of a complaint.	Compliant	The Drivers Code of Conduct is included within the approved Transportation Management Plan.	A, D
11. Noise				
11.1	Fit all mobile vehicles on the site with broadband type reversing beepers or alternative safety devices such as strobe lights and / or cameras.	Compliant	All mobile equipment that required reversing alarms were fitted with broadband type alarms.	A
11.2	Regularly service all equipment on site.	Compliant	Repairs and maintenance were undertaken during the reporting period as required.	A, D
11.3	Maintain the internal road network to an acceptable standard to limit body noise from empty trucks.	Compliant	The internal road to the extraction area has been appropriately surfaced.	A,O
11.4	Undertake a monitoring program to demonstrate that noise emissions from the Quarry Site are within the Quarry specific noise limits at the surrounding assessment locations.	Compliant	Compliance noise monitoring confirmed compliance with applicable noise limits.	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

**Table B (Cont'd)
 Compliance Review – Statement of Commitments (SoC)**

Page 8 of 9

SoC No.	Commitment	Compliance	Comments	Basis*
11. Noise (Cont'd)				
11.5	Regularly review the extent of noise monitoring throughout the life of the Project to ensure meaningful data is being collected.	Compliant	Noise monitoring reviewed as part of the updated Noise Management Plan approved 22 June 2020 and as part of each Annual Review. No further adjustments are currently planned.	D
12. Air Quality				
12.1	Install water sprays or other suitable controls to minimise dusts generated during screening and dry processing.	Compliant	All processing during the reporting period was undertaken as a wet process.	A, D
12.2	Undertake progressive rehabilitation / stabilisation of available areas of disturbance (e.g. finalised sections or backfilled areas of the extraction ponds).	Not Yet Applicable	No final rehabilitation areas have become available. Notwithstanding, disturbed areas are temporarily rehabilitated to pasture where possible.	A, D
12.3	Clean accumulated tracked road mud, dry dusts, sand or spillages on Altona Road using a street sweeper.	Not Yet Applicable	Tracked sand was manually swept from Altona Road during the reporting period.	A
12.4	Cover product trucks loads to prevent wind-borne losses and spillages.	Compliant	The loader operator instructs all product truck drivers to cover their loads prior to leaving site.	A
12.5	Undertake monitoring in accordance with the Air Quality Monitoring Program.	Compliant	Monitoring during the reporting period was undertaken in accordance with the updated AQMP approved 22 June 2020.	A, D
12.6	Annually review the dust monitoring program to ensure that the data being collected is meaningful.	Compliant	The AQMP was revised and updated 22 April 2019 and resubmitted 30 April 2020 and approved 22 June 2020. No further updates have been required to date or are currently planned.	A, D
12.7	Ensure the screening and blending plant does not exceed a daily <u>average</u> processing rate greater than 100tph.	Not Yet Applicable	Dry processing operations have not yet commenced.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

**Table B (Cont'd)
Compliance Review – Statement of Commitments (SoC)**

Page 9 of 9

SoC No.	Commitment	Compliance	Comments	Basis*
13. Aboriginal Heritage				
13.1	Invite Aboriginal stakeholders to observe during the burying of the pipelines within the northern pipeline corridor.	Not Yet Applicable	The pipelines have not yet been installed within the northern pipeline corridor.	A, D
13.2	Stop works at and adjacent to any Aboriginal sites or relics, if found.	Not Applicable	No Aboriginal sites have been identified.	A
13.3	Contact the regional archaeologist of the Coffs Harbour OEH and relevant Aboriginal Stakeholders if any Aboriginal sites or relics, if found.	Not Applicable	No Aboriginal sites have been identified.	A
13.5	Complete inductions and training in accordance with the approved Aboriginal Cultural Heritage Management Plan.	Compliant	The Quarry Operator has been 'inducted' by the Tweed LALC.	A
13.6	Undertake consultation with Aboriginal representatives in relation to the ongoing management of identified items of Aboriginal heritage.	Not Applicable	No Aboriginal sites have been identified.	A
14. Visibility				
14.1	Construct a 2m high bund on the eastern and southern perimeter of the processing area and plant with native shrub species.	Compliant	These bunds have previously been established and planted with native shrub species.	A, D
14.2	Progressively rehabilitate the Quarry Site such that non-vegetated areas would be minimised.	Compliant	No final rehabilitation areas have become available. Notwithstanding, disturbed areas are temporarily rehabilitated to pasture where possible.	A, D
14.3	Maintain the Quarry Site in a clean and tidy condition at all times.	Compliant	The Quarry Site is maintained in a clean and tidy condition.	A
14.4	Position and direct floodlights or other lighting to minimise light emissions, with lighting not required at any given time not used.	Compliant	Floodlights directing light onto the plant have been utilised for security purposes as advised by security consultants.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Cond. No.	Commitment	Compliance	Comments	Basis*																								
A4 Information supplied to the EPA																												
A4.1	<p>Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.</p> <p>In this condition the reference to "the licence application" includes a reference to:</p> <p>a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and</p> <p>b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.</p>	Compliant	Activities during the reporting period were consistent with all relevant application information.	A, D																								
2 Discharges to Air and Water and Applications to Land																												
P1 Location of monitoring/discharge points and areas																												
P1.1	The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.	Noted	-	-																								
P1.2	The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.	Noted	Monitoring undertaken at these monitoring points as applicable.	D																								
			<table border="1"> <thead> <tr> <th>EPA Identification no.</th> <th>Type of Monitoring Point</th> <th>Type of Discharge Point</th> <th>Location Description</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Water Quality Monitoring Point</td> <td>Water Quality Monitoring Point</td> <td>Dredge Pond South Spillway West</td> </tr> <tr> <td>2</td> <td>Water Quality Monitoring Point</td> <td>Water Quality Monitoring Point</td> <td>Dredge Pond South Spillway East</td> </tr> <tr> <td>4</td> <td>Groundwater Monitoring - MB15</td> <td></td> <td>Groundwater monitoring bore. Defined as MB15 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.</td> </tr> <tr> <td>5</td> <td>Groundwater Monitoring - MB10</td> <td></td> <td>Groundwater monitoring bore. Defined as MB10 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.</td> </tr> <tr> <td>6</td> <td>Groundwater Monitoring - MB11</td> <td></td> <td>Groundwater monitoring bore. Defined as MB11 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.</td> </tr> </tbody> </table>	EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description	1	Water Quality Monitoring Point	Water Quality Monitoring Point	Dredge Pond South Spillway West	2	Water Quality Monitoring Point	Water Quality Monitoring Point	Dredge Pond South Spillway East	4	Groundwater Monitoring - MB15		Groundwater monitoring bore. Defined as MB15 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.	5	Groundwater Monitoring - MB10		Groundwater monitoring bore. Defined as MB10 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.	6	Groundwater Monitoring - MB11		Groundwater monitoring bore. Defined as MB11 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.	
EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description																									
1	Water Quality Monitoring Point	Water Quality Monitoring Point	Dredge Pond South Spillway West																									
2	Water Quality Monitoring Point	Water Quality Monitoring Point	Dredge Pond South Spillway East																									
4	Groundwater Monitoring - MB15		Groundwater monitoring bore. Defined as MB15 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.																									
5	Groundwater Monitoring - MB10		Groundwater monitoring bore. Defined as MB10 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.																									
6	Groundwater Monitoring - MB11		Groundwater monitoring bore. Defined as MB11 in Gales-Kingscliff Pty Ltd, Soil and Water Management Plan for the Cudgen Lakes Sand Quarry, May 2017 (GKSWMP). Location described in Section 5.2.2 Figure 5.1.																									
* D = Documentation sighted A = Advised by Company O = On-site Observation																												

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Cond. No.	Commitment	Compliance	Comments	Basis*
3 Limit Conditions				
L1 Pollution of waters				
L1.1	Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.	Compliant	No pollution of waters is deemed to have occurred during the reporting period.	A, D
L1.2	Exceedance of a quality limit specified in this licence for the discharge of TSS, pH or Oil and Grease from Point 1, 2 or 3 or a volume limit for discharge from Point 1, 2 or 3 is permitted if the discharge from Point 1, 2 or 3 occurs solely as a result of rainfall at the premises exceeding a total of 82.5 millimetres over any consecutive five day period.	Compliant	Wet weather discharge occurred during the reporting period as a result of flooding following significant rainfall events (e.g. 286.6mm on 28/02/22 and 241.0mm on 29/03/22).	A, D
L1.3	The licensee must take all practical measures to avoid or minimise TSS, pH etc. contained in wet weather discharges.	Compliant	Dredging ceased at least 24 hours prior to significant rainfall events which resulted in wet weather discharge.	A, D
L2 Concentration Limits				
L2.1	For each monitoring/discharge point or utilisation area specified in the tables below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.	Not Applicable	Monitoring could not be undertaken during wet weather discharge due to safety concerns and inaccessibility (i.e. flooding). Wet weather discharge only occurred following significant rainfall events above which exceedance of water quality parameters is permitted (i.e. >82.5mm over any consecutive 5 day period – see Condition L1.2).	A, D
L2.2	Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.	Not Applicable	Wet weather discharge only occurred following significant rainfall events above which exceedance of water quality parameters is permitted (i.e. >82.5mm over any consecutive 5 day period – see Condition L1.2).	A, D
L2.3	To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the tables.	Noted	-	-

L2.4	Water and/or Land Concentration Limits					-	-	-
	POINT 1,2							
	Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit		
	Oil and Grease	Visible				nil		
	pH	pH				6.5 - 8.5		
	TSS	milligrams per litre				50		
L3 Waste								
L3.1	The licensee must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by the licence.					Compliant	No wastes were received to the Quarry during the reporting period.	A, D
L3.2	Virgin Excavated Natural Material (VENM) may be received at the premises for the purpose of land application.					Noted	No VENM was imported during the reporting period as part of the approved Quarry operations.	A, D
* D = Documentation sighted			A = Advised by Company			O = On-site Observation		

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Cond. No.	Commitment	Compliance	Comments	Basis*																																																	
O5 Other operating conditions																																																					
O5.1	The licensee must assess and manage any acid sulfate soil (ASS) and potential acid sulfate soil (PASS) in accordance with the 1998 <i>Acid Sulfate Soils Manual</i> published by the NSW Acid Sulfate Soil Management Advisory Committee (ASSMAC).	Compliant	Activities to date have been undertaken in accordance with the Acid Sulfate Soil Management Plan.	A, D																																																	
5. Monitoring and Recording Conditions																																																					
M1 Monitoring records																																																					
M1.1	The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.	Compliant	The monitoring records have been retained as required.	D																																																	
M1.2	All records required to be kept by this licence must be: <ul style="list-style-type: none"> a) in a legible form, or in a form that can readily be reduced to a legible form; b) kept for at least 4 years after the monitoring or event to which they relate took place; and c) produced in a legible form to any authorised officer of the EPA who asks to see them. 	Compliant	Monitoring has been retained in a legible form for more than 4 years. No requests from an EPA officer were received.	A, D																																																	
M1.3	The following records must be kept in respect of any samples required to be collected for the purposes of this licence: <ul style="list-style-type: none"> a) the date(s) on which the sample was taken; b) the time(s) at which the sample was collected; c) the point at which the sample was taken; and d) the name of the person who collected the sample. 	Compliant	Monitoring records contain all required information.	D																																																	
M2 Requirement to monitor concentration of pollutants discharged																																																					
M2.1	For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:	Administrative Non-Compliance	Monitoring of TSS and Oil and Grease within groundwater monitoring bores not undertaken (consistent with updated and approved Soil and Water Management Plan). A variation to EPL12385 is to be undertaken to ensure consistency. Monitoring was also unable to be undertaken at EPL Point 5 (MB10) due to the bore being damaged. A replacement bore is to be established / alternative site nominated. This non-compliance was reported through the 2021/2022 Annual Return.	D																																																	
M2.2	Water and/ or Land Monitoring Requirements. POINT 1,2 <table border="1"> <thead> <tr> <th>Pollutant</th> <th>Units of measure</th> <th>Frequency</th> <th>Sampling Method</th> </tr> </thead> <tbody> <tr> <td>Oil and Grease</td> <td>Visible</td> <td>Special Frequency 1</td> <td>Visual Inspection</td> </tr> <tr> <td>pH</td> <td>pH</td> <td>Special Frequency 1</td> <td>Probe</td> </tr> <tr> <td>Total suspended solids</td> <td>milligrams per litre</td> <td>Special Frequency 1</td> <td>Grab sample</td> </tr> </tbody> </table> POINT 4,5,6 <table border="1"> <thead> <tr> <th>Pollutant</th> <th>Units of measure</th> <th>Frequency</th> <th>Sampling Method</th> </tr> </thead> <tbody> <tr> <td>Ammonia</td> <td>milligrams per litre</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>Chloride</td> <td>milligrams per litre</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>Electrical conductivity</td> <td>microsiemens per centimetre</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>Oil and Grease</td> <td>milligrams per litre</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>pH</td> <td>pH</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>Standing Water Level</td> <td>metres (Australian Height Datum)</td> <td>Yearly</td> <td>No method specified</td> </tr> <tr> <td>Sulfate</td> <td>milligrams per litre</td> <td>Yearly</td> <td>Grab sample</td> </tr> <tr> <td>Total suspended solids</td> <td>milligrams per litre</td> <td>Yearly</td> <td>Grab sample</td> </tr> </tbody> </table>				Pollutant	Units of measure	Frequency	Sampling Method	Oil and Grease	Visible	Special Frequency 1	Visual Inspection	pH	pH	Special Frequency 1	Probe	Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample	Pollutant	Units of measure	Frequency	Sampling Method	Ammonia	milligrams per litre	Yearly	Grab sample	Chloride	milligrams per litre	Yearly	Grab sample	Electrical conductivity	microsiemens per centimetre	Yearly	Grab sample	Oil and Grease	milligrams per litre	Yearly	Grab sample	pH	pH	Yearly	Grab sample	Standing Water Level	metres (Australian Height Datum)	Yearly	No method specified	Sulfate	milligrams per litre	Yearly	Grab sample	Total suspended solids
Pollutant	Units of measure	Frequency	Sampling Method																																																		
Oil and Grease	Visible	Special Frequency 1	Visual Inspection																																																		
pH	pH	Special Frequency 1	Probe																																																		
Total suspended solids	milligrams per litre	Special Frequency 1	Grab sample																																																		
Pollutant	Units of measure	Frequency	Sampling Method																																																		
Ammonia	milligrams per litre	Yearly	Grab sample																																																		
Chloride	milligrams per litre	Yearly	Grab sample																																																		
Electrical conductivity	microsiemens per centimetre	Yearly	Grab sample																																																		
Oil and Grease	milligrams per litre	Yearly	Grab sample																																																		
pH	pH	Yearly	Grab sample																																																		
Standing Water Level	metres (Australian Height Datum)	Yearly	No method specified																																																		
Sulfate	milligrams per litre	Yearly	Grab sample																																																		
Total suspended solids	milligrams per litre	Yearly	Grab sample																																																		
* D = Documentation sighted		A = Advised by Company		O = On-site Observation																																																	

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Page 7 of 10

Cond. No.	Commitment	Compliance	Comments	Basis*
M2 Requirement to monitor concentration of pollutants discharged (Cont'd)				
M2.3	Special Frequency 1 means: sampling once <24 hours prior to; and, sampling the discharge daily during, each discharge event arising from rainfall of less than 82.5mm falling in total over a period of up to five days duration.	Noted	Wet weather discharge during the reporting period occurred as a result of rainfall >82.5mm over a period of five consecutive days.	-
M3 Testing methods - concentration limits				
M3.1	Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.	Noted	-	A
M4 Environmental Monitoring				
M4.1	The licensee is required to install and maintain a rainfall depth measuring device.	Compliant	An new automatic rain gauge was previously installed on site in addition to a manual rain gauge.	A, D
M4.2	Rainfall at the premises must be measured and recorded in millimetres per 24 hour period, at the same time each day. Note: The rainfall monitoring data collected in compliance with Condition M4.2 can be used to determine compliance with L1.2.	Compliant	As above.	A, D
M5 Recording of pollution complaints				
M5.1	The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.	Compliant	No complaints were received during the reporting period.	A, D
M5.2	The record must include details of the following: a) the date and time of the complaint; b) the method by which the complaint was made; c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect; d) the nature of the complaint; e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and f) if no action was taken by the licensee, the reasons why no action was taken.	Compliant	No complaints were received during the reporting period.	A, D
M5.3	The record of a complaint must be kept for at least 4 years after the complaint was made.	Compliant	The complaint record has been retained (with one complaint having been previously recorded in the past 4 years).	A, D
M5.4	The record must be produced to any authorised officer of the EPA who asks to see them.	Not Applicable	No requests received during the reporting period.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Page 8 of 10

Cond. No.	Commitment	Compliance	Comments	Basis*
M6 Telephone complaints line				
M6.1	The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.	Compliant	The mobile phone contact for the Managing Director, 0414 322 455, was the relevant complaints contact during the reporting period.	A, D
M6.2	The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.	Compliant	The complaints number is included on the Company website.	A, D
M6.3	The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.	No Longer Applicable	The licence was issued 18/11/2005 (i.e. more than 3 months prior).	D
6 Reporting Conditions				
R1 Annual return documents				
R1.1	The licensee must complete and supply to the EPA an Annual Return in the approved form comprising: 1. a Statement of Compliance; and 2. a Monitoring and Complaints Summary. 3. Statement of Compliance - Licence Conditions, 4. a Statement of Compliance - Load based Fee, 5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan, 6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and 7. a Statement of Compliance - Environmental Management Systems and Practices. At the end of each reporting period, the EPA will provide to the licensee a copy of the form that must be completed and returned to the EPA.	Compliant	The completed annual return for the period 18 November 2020 to 30 June 2021 was submitted on 2 February 2022.	D
R1.2	An Annual Return must be prepared in respect of each reporting period, except as provided below.	Compliant	The completed annual return for the period 18 November 2020 to 30 June 2021 was submitted on 2 February 2022.	D
R1.3	Where this licence is transferred from the licensee to a new licensee: a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.	Not Applicable	The licence has not been transferred.	D
* D = Documentation sighted A = Advised by Company O = On-site Observation				



**Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385**

Cond. No.	Commitment	Compliance	Comments	Basis*
6 Reporting Conditions (Cont'd)				
R1 Annual return documents (Cont'd)				
R1.4	Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on: a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.	Not Applicable	The licence has not been surrendered.	D
R1.5	The Annual Return for the reporting period must be supplied to the EPA by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').	Administrative non-compliance.	The completed annual return for the period 18 November 2020 to 30 June 2021 was submitted on 2 February 2022, beyond the required date. The late submission was reported as part of the Annual Return and was due to an administrative error arising from the change in the reporting period.	D
R1.6	The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.	Compliant	Copies of annual returns retained for more than 4 years.	A
R1.7	Within the Annual Return, the Statement of Compliance must be certified and the Monitoring and Complaints Summary must be signed by: a) the licence holder; or b) by a person approved in writing by the EPA to sign on behalf of the licence holder. Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period. Note: An application to transfer a licence must be made in the approved form for this purpose.	Compliant	The Annual Return was signed by the licence holder.	D
R2 Notification of environmental harm				
R2.1	Notifications must be made by telephoning the Environment Line service on 131 555.	Noted	-	-
R2.2	The licensee must provide written details of the notification to the EPA within 7 days of the date on which the incident occurred. Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.	Not Applicable	No environmental harm occurred during the reporting period.	A, D
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Table C (Cont'd)
Compliance Review – Environmental Protection Licence 12385

Page 10 of 10

Cond. No.	Commitment	Compliance	Comments	Basis*
6 Reporting Conditions (Cont'd)				
R3 Written report				
R3.1	Where an authorised officer of the EPA suspects on reasonable grounds that: a) where this licence applies to premises, an event has occurred at the premises; or b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.	Not Applicable	No requests received.	A
R3.2	The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.	Not Applicable	No requests received.	A
R3.3	The request may require a report which includes any or all of the following information: a) the cause, time and duration of the event; b) the type, volume and concentration of every pollutant discharged as a result of the event; c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event; d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort; e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants; f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and g) any other relevant matters.	Not Applicable	No requests received.	A
R3.4	The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.	Not Applicable	No requests received.	A
7 General Conditions				
G1 Copy of licence kept at the premises or plant				
G1.1	A copy of this licence must be kept at the premises to which the licence applies.	Compliant	A copy is retained on-site.	A
G1.2	The licence must be produced to any authorised officer of the EPA who asks to see it.	Not Applicable	No requests received.	A
G1.3	The licence must be available for inspection by any employee or agent of the licensee working at the premises.	Compliant	A copy is retained on-site and is available upon request.	A
* D = Documentation sighted A = Advised by Company O = On-site Observation				

Appendix 2

Noise Monitoring Results

(Total No. of pages including blank pages = 85)



CRAIG HILL ACOUSTICS. ACOUSTIC, CONSULTING, ENGINEERING AND DESIGNS

CRAIG HILL ACOUSTICS

Acoustic Consultants

QLD & NSW

Cudgen Lakes Sand Quarry

Compliance Noise Monitoring

August 2021

CRAIG HILL ACOUSTICS. 7 View Ct . Palm Beach .Qld 4221 .
Mobile 0418 762968 E: craig@craighillacoustics.com.au
Web site;craig@craighillacoustics.com.au

DOCUMENT CONTROL PAGE

Cudgen Lakes Sand Quarry

Reference140921/1

Report prepared for Gales-Kingscliff Pty Limited

Date Tuesday, 14 September 2021

Site Cudgen Lakes Sand Quarry

Authorised by Scott Hollanby

Consultants Craig Hill Acoustics
 7 View Ct
 Palm Beach. Qld 4221
 Mob 0418 762 968
 E: craig@craighillacoustics.com.au
www.craighillacoustics.com.au

Signed Craig Hill (manager) author

Copy 1 2 3 4 5 6

Revision History		
No	Date Issued	Comments
	Tuesday, 14 September 2021	
DISTRIBUTION RECORD		
Copy	Destination	
1	File Controlled copy	
2	Scott Hollamby < scott@rwcorkery.com >	

Tuesday, September 14, 2021©

Contents

1.0	INTRODUCTION	4
2.0	LOCATION OF MONITORING	6
3.0	CRITERIA	7
3.1	Impact Assessment Criteria	7
3.2	Cumulative Noise Criteria	7
4.0	SOUND MEASUREMENTS	8
4.1	Equipment	8
4.2	Atmospheric Conditions	8
5.0	TESTING	9
5.1	Results	10
6.0	PREDICTED LEVELS	11
7.0	DISCUSSION AND CONCLUSIONS	12
	APPENDIX A PRE CONSTRUCTION TESTING	13

1.0 INTRODUCTION

The purpose of this report is to examine noise levels from quarry operations for compliance.

Attended monitoring was conducted on Thursday 5th August 2021 at noise sensitive receivers identified in the conditions of approval to establish the compliance status.

Activities on the day were related to dredging and loading product to road registered trucks.

Table 1.1 Equipment being used at the time of the test

CDE Wash Plant (nil product)
Loader (Hyundai HL-770)
Road Trucks

Table 1.2 Equipment on site not in use


Dredge 8 "
Screener Sandvik
Excavator (Doosan DX 420 LCA)
Haul truck (TerexTA40)

Table 1.3 Hours of operation

Activity	Permissible Hours
Site establishment, dry processing, product transport by road, VENM receipts, other quarrying operations not specified in this table	<ul style="list-style-type: none"> 7.00 am to 6.00 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to the processing plant, wet processing.	<ul style="list-style-type: none"> 7.00 am to 10.00 pm Monday to Friday 7.00 am to 4.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to fill sites.	<ul style="list-style-type: none"> 7.00 am to 6.30 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Operation of dredge to fill pipeline with water or pipeline flushing	<ul style="list-style-type: none"> 6.30 am to 7.00 pm Monday to Friday 6.30 am to 1.30 pm Saturday At no time on Sundays or public holidays
Maintenance (if inaudible at neighbouring residences)	Any day

Activity	Day	Time
Site establishment, sand or soil extraction by excavator, dry processing, product transport by road, VENM receipts, other quarry related activities, maintenance (if audible at neighbouring residences)	Monday – Friday	7:00am to 6:00pm
	Saturday	7:00am to 1:00pm
	Sunday and Public Holidays	Nil

Diagram 1.1 Approved Site Layout



2.0 LOCATION OF MONITORING

- Receptor G – Residence - 216 Tweed Coast Road. (line of sight to operations)
- Receptor O – Residence - 607 Cudgen Road.(line of sight to operations)
- Receptor Pacific Views Estate – Residences – via Collier Street (located to rear of new residences). (line of sight to operations)
- Receptor DD – Residence - 34A Crescent Street.(no line of sight)
- Receptor F – Residence - 64 John Robb Way. (no line of sight)

Diagram 2.1 Monitoring locations





Diagram 2.2 Relocation of Receptor Pacific Views and O



3.0 CRITERIA

The relevant impact assessment and cumulative noise criteria as specified in Schedule 3 Conditions 3 and 4 of Project Approval 05_0103B are as follows.

3.1 Impact Assessment Criteria

Table 3.1 Impact Assessment Criteria

Receiver Location	Day and Evening LAeq (15 min) dB(A)
Residences on privately owned land	47

3.2 Cumulative Noise Criteria

The project combined with the noise generated by other industrial development does not exceed the following amenity criteria on any privately owned land.

LAeq (11 hour) 50 dB(A) – Day;

LAeq (4 hour) 45 dB(A) - Evening and

LAeq(9 hour) 40 dB(A) - Night

LA90 corresponds to the A-weighted sound pressure level which is exceeded for 90% of the time. This parameter is used to measure the background noise level.

LAeq corresponds to the equivalent or energy-averaged level

4.0 SOUND MEASUREMENTS

4.1 Equipment

The following equipment was utilised during the test assessments:

Svantec Type 1, Sound and Vibration Analyser Model 949 Serial No 6023. calibrated June 2021.

BSWA Sound Level Calibrator Serial No 490190. calibrated June 2021.

The above equipment complies with the requirements of Australian Standards 1259.2 1990, Sound Level Meters, Part 2 Integrating – Averaging, as required by the Australian Standards.

Equipment was calibrated before the tests and checked after and found to be within the acceptable drift.

The above equipment complies with the requirements in **IEC 61672**.

4.2 Atmospheric Conditions

The atmospheric conditions during the period of monitoring are provided in Table 4.1.

Table 4.1 Atmospheric Conditions

Humidity	60%
Wind Speed	0-5kts
Wind Direction	NW
Atmospheric Pressure	1010 hpa
Cloud Cover	0%
Temp	15-18 C

5.0 TESTING

The following tests were carried out at locations G, O, B, DD and F within 30m of affected dwellings where practical as indicated on the attached site plan.

Tests conducted on Thursday 5th August 2021 between 0800 and 1100 hrs.

- Receptor G – Residence - 216 Tweed Coast Road. (rear boundary)
- Receptor O – Residence – 607 Cudgen Road. (rear boundary)
- Receptor Pacific Views Estate – Residences – via Collier Street. (rear boundary of new residences)
- Receptor DD – Residence - 34A Crescent Street. (rear boundary)
- Receptor F – Residence - 64 John Robb Way. (rear boundary)

Table 5.1 Equipment being used at the time of the test 05/08/2021

Operating equipment measured at 20m	LAeq 15 min
CDE Wash Plant (nil product)	-
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66

Table 5.2 Equipment being used at the time of the test 18/06/2021

Operating equipment measured at 20m	LAeq 15 min
CDE Wash Plant (nil product)	-
Loader (Hyundai HL-770)	71
Road Trucks	66

Table 5.3 Equipment in use 10/12/2021

Operating equipment measured at 20m	LAeq 15 min
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Roller compactor CA302	68
Screener Sanvik(QA331)	70

Table 5.4 Equipment in use 10/07/2020

Operating equipment measured at 20m	LAeq 15 min
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66

Table 5.5 Equipment in use April 2020 test

Operating equipment measured at 20m	LAeq
Screener (QA331)	70
Loader (Cat 926H)	67
Excavator (Cat 329D)	68
End loader and screener	72

5.1 Results

The results of the compliance monitoring are presented in Table 6.1.

Table 5.4 Attended monitoring 05/08/2021

Receptor & Time	Attended Testing LAeq 15 minutes	> Project Criteria (47 LAeq 15min)	> Cumulative Criteria (50 LAeq 11 hrs)	Comments
G 0800 - 0815	50	3	0	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not measurable / distinguishable above background.
O 0830 - 0845	49	2	-1	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable above background.
Pacific Views 0900 - 0915	51	4	1	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable / distinguishable above background.
DD 1000 - 1015	49	2	-1	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible or measurable / distinguishable above background.
F 1030 - 1030	48	1	-2	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible / distinguishable above background.

6.0 PREDICTED LEVELS

Equipment operations were not either audible or measurable at any of the monitoring sites. Measurements were undertaken at approximately 20m from equipment during operations and distance attenuation applied to establish possible levels at monitoring locations.

Table 6.1 shows predicted compliance to the criteria for nominated equipment operations.

Table 6.1 Predicted levels of on site equipment based on measurements at 20m

Receptor	Distance m	Dredge 8" 63LAeq @ 20m	CDE wash plant 70LAeq @ 20 mts (not in use)	Loader 71LAeq @ 20 mts	Excavator 66 LAeq @ 20 m (not in use)	Road Trucks 66 LAeq @ 20 m	Combined	Combined with line of sight attenuation	> Project Day Criteria (47 LAeq 15 min)	> Cumulative Day Criteria (50 LAeq 11 hrs)
		Predicted Levels with Distance attenuation								
G	880m	30	37	38	33	33	42	42	-5	-8
O	600m	33	40	41	36	36	45	45	-2	-5
Pacific Views	555m	34	41	42	37	37	45	47	-0	-3
DD	780m	31	38	39	34	34	43	33	-14	-17
F	900m	30	37	38	33	33	42	32	-15	-18

(not in use): Equipment not in use on the day but included in prediction to demonstrate compliance

$$Lp(R2) = Lp(R1) - 20 \cdot \log_{10}(R2/R1)$$

Where:

Lp(R1) = Sound Pressure Level at Initial location.

Lp(R2) = Sound Pressure Level at the new location.

R1 = Distance from the noise source to initial location.

R2 = Distance from noise source to the new location.

$$\text{Logarithmic addition} = 10 \cdot \log_{10}(\text{SUM}(10^{(\text{user range}/10)}))$$

7.0 DISCUSSION AND CONCLUSIONS

Noise from operations were not audible or measurable at locations G,F and DD.

Noise from the operations were occasionally audible at locations O and Pacific Views Estate but not measurable due to other noise in the area.

Distance calculations of measured noise levels from operating plant on site indicate that operations would be within the criteria of 47LAeq and not likely to be a major contributor the 50 LAeq cumulative criteria.

Monitoring for accumulative levels was only conducted over 15 minutes. This measurement would be relative for continuous operations over an 11 hour period. For shorter duration operations this figure would be reduced by 2 to 5 dB with breaks for lunch and working an 8 hour day.

Table 7.1

Receptor	Pre-project / Baseline Levels	Compliance Monitoring LAeq 15 min								Project Criteria	
		Previous testing								Latest tests	LAeq 15 min
	Unattended logger original report	Attended monitoring 23/08/05	Attended monitoring 10/07/17	Attended monitoring 30/08/18	Attended monitoring 20/04/20	Attended monitoring 20/04/20	Attended monitoring 10/12/20	Attended monitoring 18/06/21	Attended monitoring 05/08/21	>Impact Criteria day and evening 47LAeq	>Cumulative Criteria Day 50LAeq
G	62	63	62	57	55	56	57	55	50	3	0
O	NM	NM	64	46	48	52	53	52	49	2	-1
Pacific Views	55	51	57	48	55	53	52	51	51	4	1
DD	55	53	58	56	56	53	52	50	49	2	-1
F	58	54	43	57	59	55	47	50	48	1	-2

Monitored levels in the area are not unusual for daytime compliance testing. Examination of pre-project data shows ambient LAeq for day and evening rarely drops below the project design levels making it difficult to enable compliance identification.

To better demonstrate this, **Appendix A** shows graphs for the pre-project monitoring (Rumble Report No. 617/04 unattended logger). The project criteria for day and evening periods of 47LAeq is indicated by the straight red line. From **Appendix A** it can be seen that the LAeq levels generally do not fall below the project criteria until the night time period, at which time the Quarry is not approved to operate. This issue will be further considered during future monitoring events.



APPENDIX A PRE CONSTRUCTION TESTING



Measurements taken by Ron Rumble Pty Ltd and originally presented in Ron Rumble, (2008). Noise Assessment Report 61704- Part B.



SPECIALIST CONSULTANT STUDIES
Part 8 – Noise Assessment



8 - 87



GALES-KINGSCLIFF PTY LTD
Cudgen Lakes Sand Extraction Project
Report No. 617/04















































CRAIG HILL ACOUSTICS. ACOUSTIC, CONSULTING, ENGINEERING AND DESIGNS

CRAIG HILL ACOUSTICS

Acoustic Consultants

QLD & NSW

Cudgen Lakes Sand Quarry

Compliance Noise Monitoring

Tuesday, 12 October 2021

CRAIG HILL ACOUSTICS. 7 View Ct . Palm Beach .Qld 4221 .
Mobile 0418 762968 E: craig@craighillacoustics.com.au
Web site; craighillacoustics.com.au

DOCUMENT CONTROL PAGE

Cudgen Lakes Sand Quarry

Reference 121021/1

Report prepared for Gales-Kingscliff Pty Limited

Date Tuesday, 12 October 2021

Site Cudgen Lakes Sand Quarry

Authorised by Scott Hollanby

Consultants Craig Hill Acoustics
 7 View Ct
 Palm Beach, Qld 4221
 Mob 0418 762 968
 E: craig@craighillacoustics.com.au
www.craighillacoustics.com.au

Signed Craig Hill (manager) author

Copy 1 □ 2 x3 □ 4 □ 5 □ 6 □

Revision History		
No	Date Issued	Comments
	Tuesday, 12 October 2021	
DISTRIBUTION RECORD		
Copy	Destination	
1	File Controlled copy	
2	Scott Hollamby < scott@rwcorkery.com >	

Tuesday, October 12, 2021©

Contents

1.0	INTRODUCTION	4
2.0	LOCATION OF MONITORING	6
3.0	CRITERIA	9
3.1	Impact Assessment Criteria	9
3.2	Cumulative Noise Criteria	9
4.0	SOUND MEASUREMENTS	10
4.1	Equipment	10
4.2	Atmospheric Conditions	10
5.0	TESTING	11
5.1	On site equipment 01 October 2021	11
5.2	Equipment used during previous tests	12
6.0	Attended monitoring results and criteria compliance	13
7.0	PREDICTED LEVELS	14
8.0	DISCUSSION AND CONCLUSIONS	15
	APPENDIX A PRE CONSTRUCTION TESTING	16

1.0 INTRODUCTION

The purpose of this report is to examine noise levels from quarry operations for compliance. Attended monitoring was conducted on the 1 st October 2021 at noise sensitive receivers identified in the conditions of approval to establish the compliance status. Activities on the day were related to dredging and loading product to road registered trucks.

Table 1.1 Equipment being used at the time of the test

CDE Wash Plant (nil product)
Loader (Hyundai HL-770)
Excavator (Doosan DX 420 LCA)
Road Trucks

Table 1.2 Equipment on site not in use


Dredge 8 “

Table 1.3 Hours of operation

Activity	Permissible Hours
Site establishment, dry processing, product transport by road, VENM receipts, other quarrying operations not specified in this table	<ul style="list-style-type: none"> 7.00 am to 6.00 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to the processing plant, wet processing.	<ul style="list-style-type: none"> 7.00 am to 10.00 pm Monday to Friday 7.00 am to 4.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to fill sites.	<ul style="list-style-type: none"> 7.00 am to 6.30 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Operation of dredge to fill pipeline with water or pipeline flushing	<ul style="list-style-type: none"> 6.30 am to 7.00 pm Monday to Friday 6.30 am to 1.30 pm Saturday At no time on Sundays or public holidays
Maintenance (if inaudible at neighbouring residences)	Any day

Activity	Day	Time
Site establishment, sand or soil extraction by excavator, dry processing, product transport by road, VENM receipts, other quarry related activities, maintenance (if audible at neighbouring residences)	Monday – Friday	7:00am to 6:00pm
	Saturday	7:00am to 1:00pm
	Sunday and Public Holidays	Nil

Diagram 1.1 Approved Site Layout



2.0 LOCATION OF MONITORING

- Receptor G – Residence - 216 Tweed Coast Road. (line of sight to operations)
- Receptor O – Residence - 607 Cudgen Road. (line of sight to operations)
- Receptor Pacific Views Estate – Residences – via Collier Street (located to rear of new residences). (line of sight to operations)
- Receptor DD – Residence - 34A Crescent Street. (no line of sight)
- Receptor F – Residence - 64 John Robb Way. (no line of sight)

Diagram 2.1 Monitoring locations





Diagram 2.2 Relocation of Receptor Pacific Views and O



Pic 2.1 View of site from Pacific views monitoring location



Pic 2.2 Zoomed in above pic



Pic 2.3 View of site from Receptor O monitoring location



Pic 2.2 Zoomed in above pic



3.0 CRITERIA

The relevant impact assessment and cumulative noise criteria as specified in Schedule 3 Conditions 3 and 4 of Project Approval 05_0103B are as follows.

3.1 Impact Assessment Criteria

Table 3.1 Impact Assessment Criteria

Receiver Location	Day and Evening LAeq (15 min) dB(A)
Residences on privately owned land	47

3.2 Cumulative Noise Criteria

The project combined with the noise generated by other industrial development does not exceed the following amenity criteria on any privately owned land.

LAeq (11 hour) 50 dB(A) – Day;

LAeq (4 hour) 45 dB(A) - Evening and

LAeq(9 hour) 40 dB(A) - Night

LA90 corresponds to the A-weighted sound pressure level which is exceeded for 90% of the time. This parameter is used to measure the background noise level.

LAeq corresponds to the equivalent or energy-averaged level

4.0 SOUND MEASUREMENTS

4.1 Equipment

The following equipment was utilised during the test assessments:

Svantec Type 1, Sound and Vibration Analyser Model 949 Serial No 6023. calibrated June 2021.

BSWA Sound Level Calibrator Serial No 490190. calibrated June 2021.

The above equipment complies with the requirements of Australian Standards 1259.2 1990, Sound Level Meters, Part 2 Integrating – Averaging, as required by the Australian Standards.

Equipment was calibrated before the tests and checked after and found to be within the acceptable drift.

The above equipment complies with the requirements in **IEC 61672**.

4.2 Atmospheric Conditions

The atmospheric conditions during the period of monitoring are provided in Table 4.1.

Table 4.1 Atmospheric Conditions

Humidity	60%
Wind Speed	0-2kts
Wind Direction	N
Atmospheric Pressure	1010 hpa
Cloud Cover	0%
Temp	18-22 C

5.0 TESTING

The following tests were carried out at locations G, O, B, DD and F within 30m of affected dwellings where practical as indicated on the attached site plan.

Tests conducted on 01 October 2021 between 0900 and 1100 hrs.

- *Receptor G – Residence - 216 Tweed Coast Road. (rear boundary)*
- *Receptor O – Residence – 607 Cudgen Road. (rear boundary)*
- *Receptor Pacific Views Estate – Residences – via Collier Street. (rear boundary of new residences)*
- *Receptor DD – Residence - 34A Crescent Street. (rear boundary)*
- *Receptor F – Residence - 64 John Robb Way. (rear boundary)*

5.1 On site equipment 01 October 2021

Table 5.1 Equipment being used at the time of the test 01/10/2021

Operating equipment measured at 20m	LAeq 15 min
CDE Wash Plant (nil product)	76
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66

5.2 Equipment used during previous tests

Table 5.2 Equipment being used previous tests

Operating equipment measured at 20m	LAeq 15 min
Date 05/08/2021	
CDE Wash Plant (nil product)	76
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66
Date 18/06/2021	
CDE Wash Plant (nil product)	-
Loader (Hyundai HL-770)	71
Road Trucks	66
Date 10/12/2021	
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Roller compactor CA302	68
Screener Sanvik(QA331)	70
Date 10/07/2020	
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Date April 2020	
Operating equipment measured at 20m	LAeq
Screener (QA331)	70
Loader (Cat 926H)	67
Excavator (Cat 329D)	68
End loader and screener	72

6.0 Attended monitoring results and criteria compliance

The results of attended monitoring and criteria compliance are presented in table 6.1 below.

Table 6.1 Attended monitoring 01/10/2021

Receptor & Time hrs	Attended Testing LAeq 15 minutes	> Project Criteria (47 LAeq 15min)	> Cumulative Criteria (50 LAeq 11 hrs)	Comments
G 0900 - 0915	49	2	-1	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not measurable / distinguishable above background.
O 0930 - 0945	51	4	1	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable above background.
Pacific Views 1000 -1015	50	3	0	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable / distinguishable above background.
DD 1100 - 1115	51	4	1	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible or measurable / distinguishable above background.
F 1130- 1145	50	3	0	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible / distinguishable above background.

7.0 PREDICTED LEVELS

Equipment operations were not either audible or measurable at any of the motoring sites. Measurements were undertaken at approximately 20m from equipment during operations and distance attenuation applied to establish possible levels at monitoring locations.

Table 7.1 shows predicted compliance to the criteria for nominated equipment operations.

Table 7.1 Predicted levels of on site equipment based on measurements at 20m

Receptor	Distance m	Dredge 8"	CDE wash plant	Loader	Excavator	Road Trucks	Combined	Combined with line of sight attenuation	> Project Day Criteria (47 LAeq 15 min)	> Cumulative Day Criteria (50 LAeq 11 hrs)
		63LAeq @ 20m	70LAeq @ 20 mts (not in use)	71LAeq @ 20 mts	66 LAeq @ 20 m (not in use)	66 LAeq @ 20 m				
Predicted Levels with Distance attenuation										
G	880m	30	37	38	33	33	42	42	-5	-8
O	600m	33	40	41	36	36	45	45	-2	-5
Pacific Views	555m	34	41	42	37	37	45	47	-0	-3
DD	780m	31	38	39	34	34	43	33	-14	-17
F	900m	30	37	38	33	33	42	32	-15	-18

(not in use): Equipment not in use on the day but included in prediction to demonstrate compliance

$$L_p(R2) = L_p(R1) - 20 \cdot \log_{10}(R2/R1)$$

Where:

$L_p(R1)$ = Sound Pressure Level at Initial location.

$L_p(R2)$ = Sound Pressure Level at the new location.

R1 = Distance from the noise source to initial location.

R2 = Distance from noise source to the new location.

$$\text{Logarithmic addition} = 10 \cdot \log_{10}(\text{SUM}(10^{(\text{user range}/10)}))$$

8.0 DISCUSSION AND CONCLUSIONS

Noise from operations were not audible or measurable at locations G,F and DD.

Noise from the operations were occasionally audible at locations O and Pacific Views Estate but not measurable due to other noise in the area.

Distance calculations of measured noise levels from operating plant on site indicate that operations would be within the criteria of 47LAeq and not likely to be a major contributor the 50 LAeq cumulative criteria.

Monitoring for accumulative levels was only conducted over 15 minutes. This measurement would be relative for continuous operations over an 11 hour period. For shorter duration operations this figure would be reduced by 2 to 5 dB with breaks for lunch and working an 8 hour day.

Table 8.1

Receptor	Pre-project / Baseline Levels	Compliance Monitoring LAeq 15 min									Project Criteria	
		Previous testing									Latest tests	LAeq 15 min
	Unattended logger original report	Attended monitoring 23/08/05	Attended monitoring 10/07/17	Attended monitoring	Attended monitoring 20/04/20	Attended monitoring 20/04/20	Attended monitoring 10/12/20	Attended monitoring 18/06/21	Attended monitoring 05/08/21	Attended monitoring 01/10/21	>Impact Criteria day and evening 47LAeq	>Cumulative Criteria Day >50LAeq
G	62	63	62	57	55	56	57	55	50	49	2	-1
O	NM	NM	64	46	48	52	53	52	49	51	4	1
Pacific Views	55	51	57	48	55	53	52	51	51	50	3	0
DD	55	53	58	56	56	53	52	50	49	51	4	1
F	58	54	43	57	59	55	47	50	48	50	3	0

Monitored levels in the area are not unusual for daytime compliance testing. Examination of pre-project data shows ambient LAeq for day and evening rarely drops below the project design levels making it difficult to enable compliance identification.

To better demonstrate this, **Appendix A** shows graphs for the pre-project monitoring (Rumble Report No. 617/04 unattended logger). The project criteria for day and evening periods of 47LAeq is indicated by the straight red line. From **Appendix A** it can be seen that the LAeq levels generally do not fall below the project criteria until the night time period, at which time the Quarry is not approved to operate. This issue will be further considered during future monitoring events.



APPENDIX A PRE CONSTRUCTION TESTING



Measurements taken by Ron Rumble Pty Ltd and originally presented in Ron Rumble, (2008). Noise Assessment Report 61704- Part B.



SPECIALIST CONSULTANT STUDIES
Part 8 – Noise Assessment



8 - 87



GALES-KINGSCLIFF PTY LTD
Cudgen Lakes Sand Extraction Project
Report No. 617/04















































CRAIG HILL ACOUSTICS. ACOUSTIC, CONSULTING, ENGINEERING AND DESIGNS

CRAIG HILL ACOUSTICS

Acoustic Consultants

QLD & NSW

Cudgen Lakes Sand Quarry

Compliance Noise Monitoring

Saturday, 23 April 2022

CRAIG HILL ACOUSTICS. 7 View Ct . Palm Beach .Qld 4221 .
Mobile 0418 762968 E: craig@craighillacoustics.com.au
Web site; craighillacoustics.com.au

DOCUMENT CONTROL PAGE

Cudgen Lakes Sand Quarry

Reference230422/1

Report prepared for Gales-Kingscliff Pty Limited

Date Saturday, 23 April 2022

Site Cudgen Lakes Sand Quarry

Authorised by Scott Hollanby

Consultants Craig Hill Acoustics
 7 View Ct
 Palm Beach. Qld 4221
 Mob 0418 762 968
 E: craig@craighillacoustics.com.au
www.craighillacoustics.com.au

Signed Craig Hill (manager) author

Copy 1 □ 2 x3 □ 4 □ 5 □ 6 □

Revision History		
No	Date Issued	Comments
	Saturday, 23 April 2022	
DISTRIBUTION RECORD		
Copy	Destination	
1	File Controlled copy	
2	Scott Hollamby < scott@rwcorkery.com >	

Saturday, April 23, 2022©

Contents

1.0	INTRODUCTION	4
2.0	LOCATION OF MONITORING	6
3.0	CRITERIA	9
3.1	Impact Assessment Criteria	9
3.2	Cumulative Noise Criteria	9
4.0	SOUND MEASUREMENTS	10
4.1	Equipment	10
4.2	Atmospheric Conditions	10
5.0	TESTING	11
5.1	On site equipment 01 October 2021	11
5.2	Equipment used during previous tests	12
6.0	Attended monitoring results and criteria compliance	13
7.0	PREDICTED LEVELS	14
8.0	DISCUSSION AND CONCLUSIONS	15
	APPENDIX A PRE CONSTRUCTION TESTING	16

1.0 INTRODUCTION

The purpose of this report is to examine noise levels from quarry operations for compliance.

Attended monitoring was conducted on the 08 April 2022 at noise sensitive receivers identified in the conditions of approval to establish the compliance status.

Activities on the day were related to dredging and loading product to road registered trucks.

Table 1.1 Equipment being used at the time of the test

CDE Wash Plant)
Loader (Hyundai HL-770
Excavator (Doosan DX 420 LCA)
Road Trucks
Dredge 8 “


Table 1.3 Hours of operation

Activity	Permissible Hours
Site establishment, dry processing, product transport by road, VENM receipts, other quarrying operations not specified in this table	<ul style="list-style-type: none"> 7.00 am to 6.00 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to the processing plant, wet processing.	<ul style="list-style-type: none"> 7.00 am to 10.00 pm Monday to Friday 7.00 am to 4.00 pm Saturday At no time on Sundays or public holidays
Sand extraction by dredging and pumping to fill sites.	<ul style="list-style-type: none"> 7.00 am to 6.30 pm Monday to Friday 7.00 am to 1.00 pm Saturday At no time on Sundays or public holidays
Operation of dredge to fill pipeline with water or pipeline flushing	<ul style="list-style-type: none"> 6.30 am to 7.00 pm Monday to Friday 6.30 am to 1.30 pm Saturday At no time on Sundays or public holidays
Maintenance (if inaudible at neighbouring residences)	Any day

Table 1.4 Operational Activities

Activity	Day	Time
Site establishment, sand or soil extraction by excavator, dry processing, product transport by road, VENM receipts, other quarry related activities, maintenance (if audible at neighbouring residences)	Monday – Friday	7:00am to 6:00pm
	Saturday	7:00am to 1:00pm
	Sunday and Public Holidays	Nil

Diagram 1.1 Approved Site Layout



2.0 LOCATION OF MONITORING

- Receptor G – Residence - 216 Tweed Coast Road. (line of sight to operations)
- Receptor O – Residence - 607 Cudgen Road. (line of sight to operations)
- Receptor Pacific Views Estate – Residences – via Collier Street (located to rear of new residences). (line of sight to operations)
- Receptor DD – Residence - 34A Crescent Street. (no line of sight)
- Receptor F – Residence - 64 John Robb Way. (no line of sight)

Diagram 2.1 Monitoring locations





Diagram 2.2 Relocation of Receptor Pacific Views and O



Pic 2.1 View of site from Pacific views monitoring location



Pic 2.2 Zoomed in above pic



Pic 2.3 View of site from Receptor O monitoring location



Pic 2.2 Zoomed in above pic



3.0 CRITERIA

The relevant impact assessment and cumulative noise criteria as specified in Schedule 3 Conditions 3 and 4 of Project Approval 05_0103B are as follows.

3.1 Impact Assessment Criteria

Table 3.1 Impact Assessment Criteria

Receiver Location	Day and Evening LAeq (15 min) dB(A)
Residences on privately owned land	47

3.2 Cumulative Noise Criteria

The project combined with the noise generated by other industrial development does not exceed the following amenity criteria on any privately owned land.

LAeq (11 hour) 50 dB(A) – Day;

LAeq (4 hour) 45 dB(A) - Evening and

LAeq(9 hour) 40 dB(A) - Night

LA90 corresponds to the A-weighted sound pressure level which is exceeded for 90% of the time. This parameter is used to measure the background noise level.

LAeq corresponds to the equivalent or energy-averaged level

4.0 SOUND MEASUREMENTS

4.1 Equipment

The following equipment was utilised during the test assessments:

Svantec Type 1, Sound and Vibration Analyser Model 977C Serial N0 98824, calibrated March 2022.

BSWA Sound Level Calibrator Serial No 490190. calibrated June 2021.

The above equipment complies with the requirements of Australian Standards 1259.2 1990, Sound Level Meters, Part 2 Integrating – Averaging, as required by the Australian Standards.

Equipment was calibrated before the tests and checked after and found to be within the acceptable drift.

The above equipment complies with the requirements in **IEC 61672**.

4.2 Atmospheric Conditions

The atmospheric conditions during the period of monitoring are provided in Table 4.1.

Table 4.1 Atmospheric Conditions

Humidity	78%
Wind Speed	5-10 kts
Wind Direction	SE
Atmospheric Pressure	1010 hpa
Cloud Cover	0%
Temp	20-25 C

5.0 TESTING

The following tests were carried out at locations G, O, B, DD and F within 30m of affected dwellings where practical as indicated on the attached site plan.

Tests conducted on 08 April 2022 between 1215 and 1430 hrs.

- *Receptor G – Residence - 216 Tweed Coast Road. (rear boundary)*
- *Receptor O – Residence – 607 Cudgen Road. (rear boundary)*
- *Receptor Pacific Views Estate – Residences – via Collier Street. (rear boundary of new residences)*
- *Receptor DD – Residence - 34A Crescent Street. (rear boundary)*
- *Receptor F – Residence - 64 John Robb Way. (rear boundary)*

5.1 On site equipment 08 March 2022

Table 5.1 Equipment being used at the time of the test 08/04/2022

Operating equipment measured at 20m	LAeq 15 min
CDE Wash Plant	76
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66
Dredge	63

5.2 Equipment used during previous tests

Table 5.2 Equipment being used previous tests

Date 01/10/2021	
Operating equipment measured at 20m	LAeq 15 min
CDE Wash Plant (nil product)	76
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66
Date 05/08/2021	
CDE Wash Plant (nil product)	76
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Road Trucks	66
Date 18/06/2021	
CDE Wash Plant (nil product)	-
Loader (Hyundai HL-770)	71
Road Trucks	66
Date 10/12/2021	
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Roller compactor CA302	68
Screener Sanvik(QA331)	70
Date 10/07/2020	
Loader (Hyundai HL-770)	71
Excavator (Doosan DX 420 LCA)	66
Date April 2020	
Operating equipment measured at 20m	LAeq
Screener (QA331)	70
Loader (Cat 926H)	67
Excavator (Cat 329D)	68
End loader and screener	72

6.0 Attended monitoring results and criteria compliance

The results of attended monitoring and criteria compliance are presented in table 6.1 below.

Table 6.1 Attended monitoring 08/04/2022

Receptor & Time hrs	Attended Testing LAeq 15 minutes	> Project Criteria (47 LAeq 15min)	> Cumulative Criteria (50 LAeq 11 hrs)	Comments
G 1215-1230	47	0	-3	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not measurable / distinguishable above background.
O 1245-1300	50	3	0	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable above background.
Pacific Views 1315-1330	51	4	1	Noise from other sources such as traffic noise from Pacific Highway dominated background. Noise from operations occasionally audible but not measurable / distinguishable above background.
DD 1345-1400	52	5	2	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible or measurable / distinguishable above background.
F 1415-1430	49	2	-1	Noise from other sources such as traffic noise from Coast Road dominated background. Noise from operations not audible / distinguishable above background.

7.0 PREDICTED LEVELS

Equipment operations were not either audible or measurable at any of the motoring sites. Measurements were undertaken at approximately 20m from equipment during operations and distance attenuation applied to establish possible levels at monitoring locations.

Table 7.1 shows predicted compliance to the criteria for nominated equipment operations.

Table 7.1 Predicted levels of on site equipment based on measurements at 20m

Receptor	Distance m	Dredge 8” 63 LAeq @ 20m	CDE wash plant 70 LAeq @ 20 mts (not in use)	Loader 71 LAeq @ 20 mts	Excavator 66 LAeq @ 20 m (not in use)	Road Trucks 66 LAeq @ 20 m	Combined	Combined with line of sight attenuation	> Project Day Criteria (47 LAeq 15 min)	> Cumulative Day Criteria (50 LAeq 11 hrs)
		Predicted Levels with Distance attenuation								
G	880m	30	37	38	33	33	42	42	-5	-8
O	600m	33	40	41	36	36	45	45	-2	-5
Pacific Views	555m	34	41	42	37	37	45	47	-0	-3
DD	780m	31	38	39	34	34	43	33	-14	-17
F	900m	30	37	38	33	33	42	32	-15	-18

(not in use): Equipment not in use on the day but included in prediction to demonstrate compliance

$$Lp(R2) = Lp(R1) - 20 \cdot \log_{10}(R2/R1)$$

Where:

Lp(R1) = Sound Pressure Level at Initial location.

Lp(R2) = Sound Pressure Level at the new location.

R1 = Distance from the noise source to initial location.

R2 = Distance from noise source to the new location.

$$\text{Logarithmic addition} = 10 \cdot \log_{10}(\text{SUM}(10^{(\text{user range}/10)}))$$

8.0 DISCUSSION AND CONCLUSIONS

Noise from operations were not audible or measurable at locations G,F and DD.

Noise from the operations were occasionally audible at locations O and Pacific Views Estate but not measurable due to other noise in the area.

Distance calculations of measured noise levels from operating plant on site indicate that operations would be within the criteria of 47LAeq and not likely to be a major contributor the 50 LAeq cumulative criteria.

Monitoring for accumulative levels was only conducted over 15 minutes. This measurement would be relative for continuous operations over an 11 hour period. For shorter duration operations this figure would be reduced by 2 to 5 dB with breaks for lunch and working an 8 hour day.

Table 8.1

Receptor	Pre-project / Baseline Levels	Compliance Monitoring LAeq 15 min										Project Criteria	
		Previous testing										Latest tests	LAeq 15 min
	Unattended logger original report	23/08/05	10/07/17	30/08/18	20/04/20	20/04/20	10/12/20	18/06/21	05/08/21	01/10/21	08/04/22	>Impact Criteria day and evening 47LAeq	>Cumulative Criteria Day >50LAeq
G	62	63	62	57	55	56	57	55	50	49	47	0	-3
O	NM	NM	64	46	48	52	53	52	49	51	50	3	0
Pacific Views	55	51	57	48	55	53	52	51	51	50	51	4	1
DD	55	53	58	56	56	53	52	50	49	51	52	5	2
F	58	54	43	57	59	55	47	50	48	50	49	2	-1

Monitored levels in the area are not unusual for daytime compliance testing. Examination of pre-project data shows ambient LAeq for day and evening rarely drops below the project design levels making it difficult to enable compliance identification.

To better demonstrate this, **Appendix A** shows graphs for the pre-project monitoring (Rumble Report No. 617/04 unattended logger). The project criteria for day and evening periods of 47LAeq is indicated by the straight red line. From **Appendix A** it can be seen that the LAeq levels generally do not fall below the project criteria until the night time period, at which time the Quarry is not approved to operate. This issue will be further considered during future monitoring events.



APPENDIX A PRE CONSTRUCTION TESTING



Measurements taken by Ron Rumble Pty Ltd and originally presented in Ron Rumble, (2008). Noise Assessment Report 61704- Part B.



SPECIALIST CONSULTANT STUDIES
Part 8 – Noise Assessment



8 - 87



GALES-KINGSCLIFF PTY LTD
Cudgen Lakes Sand Extraction Project
Report No. 617/04















































Appendix 3

Air Quality Monitoring Results

(Total No. of pages including blank pages = 2)



All Deposited Dust Monitoring Results

Samples On	Samples Off	Month	Deposited Dust (g/m ² /month)					
			DG1		DG2		DG3	
			Insoluble Matter	Rolling Annual Average	Insoluble Matter	Rolling Annual Average	Insoluble Matter	Rolling Annual Average
11-07-17	10-08-17	Jul-17	0.28	0.28	0.98	0.98	0.42	0.42
10-08-17	09-09-17	Aug-17	0.54	0.41	0.82	0.90	0.74	0.58
09-09-17	09-10-17	Sep-17	1.36	0.73	0.66	0.82	0.68	0.61
09-10-17	08-11-17	Oct-17	4.23	1.60	1.71	1.04	0.36	0.55
08-11-17	09-12-17	Nov-17	17.40	4.76	15.55	3.94	1.02	0.64
09-12-17	09-01-18	Dec-17	9.25	5.51	0.84	3.43	0.70	0.65
09-01-18	09-02-18	Jan-18	3.56	5.23	0.39	2.99	1.04	0.71
14-04-20	14-05-20	Apr-20	13.35	ID	0.64	ID	0.86	ID
14-05-20	12-06-20	May-20	0.85	ID	1.00	ID	0.35	ID
12-06-20	13-07-20	Jun-20	0.21	ID	0.10	ID	0.13	ID
13/07/20	13/08/20	Jul-20	2.66	ID	2.11	ID	0.17	ID
13/08/20	11/09/20	Aug-20	2.60	ID	2.70	ID	0.40	ID
11/09/20	13/10/20	Sep-20	10.00	ID	2.10	ID	0.20	ID
13/10/20	10/11/20	Oct-20	3.34	ID	1.66	ID	0.34	ID
10/11/20	10/12/20	Nov-20	0.33	ID	0.75	ID	0.37	ID
1/12/20	11/01/21	Dec-21	0.02	ID	0.04	ID	0.32	ID
11/01/21	8/02/21	Jan-21	0.87	ID	0.76	ID	0.00*	ID
8/02/21	9/03/21	Feb-21	1.44	ID	0.64	ID	2.07	ID
9/03/21	9/04/21	Mar-21	NT	ID	0.83	1.11	0.80	0.50
9/04/21	10/05/21	Apr-21	0.74	2.10	0.07	1.06	0.69	0.49
10/05/21	7/06/21	May-21	3.08	2.30	0.12	0.99	0.08	0.46
7/06/21	7/07/21	Jun-21	2.62	2.52	0.75	1.04	NT	0.49
7/07/21	6/08/21	Jul-21	0.28	2.30	0.29	0.89	0.58	0.53
6/08/21	6/09/21	Aug-21	0.60	2.12	0.59	0.72	0.76	0.56
6/09/21	8/10/21	Sep-21	0.06	1.22	0.55	0.59	0.45	0.59
8/10/21	9/11/21	Oct-21	0.90	0.99	11.41	1.40	NS	0.61
9/11/21	8/12/21	Nov-21	2.44	1.19	1.98	1.50	NS	0.64
8/12/21	7/01/22	Dec-21	0.45	1.23	1.06	1.59	1.62	0.78
7/01/22	9/02/22	Jan-22	0.50	1.19	0.32	1.55	0.35	0.82
9/02/22	10/03/22	Feb-22	0.87	1.14	17.37*	1.63	3.16	0.94
10/03/22	27/04/22	Mar-22	NS	1.14	NS	1.71	NS	0.96
27/04/22	27/04/22	Apr-22	NS	1.18	NS	1.90	NS	1.00
27/04/22	23/05/22	May-22	NS	0.97	NS	2.12	NS	1.15
23/05/22	29/06/22	Jun-22	NS	0.76	NS	2.31	NS	1.15
Average			0.06	-	0.29	-	0.35	-
Monthly Maximum			2.44	-	11.41	-	3.16	-
Monthly Minimum			0.76	-	2.31	-	1.15	-

ID – Insufficient data to calculate
 inaccessible) NT – Not Tested (sample broken in transit) NS – Not Sampled (location inaccessible)
 *Suspected spurious laboratory result



Appendix 4

Surface Water Monitoring Results

(Total No. of pages including blank pages = 12)



Site: DP1		Physical										Major Cations & Anions						Metals				Nutrients							Bacteria / Algae					
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mg/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOX mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a		
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35					<20	0.01	<1000/100	<230/100	<50000	<10		
Pre-Extraction	30/11/2015	Fine Sunny Approx 30mm rain previous week (BoM - Coolangatta)	24.5	8.47	591	6.12	148	8.8	4	2											0.04	0.02	0.81				0.81	0.02	0.02	860	860			
	26/01/2016	Fine, Clear, some algae, cattile & ducks	27.3	8.61	663	5.87	192	4.3	3.8	2	64	25	12	7	120	16	76	0.08	0.001	0.01	0.03	0.02	0.84			0.84	0.02	0.02	128	174				
	25/02/2016	Algae, ducks, low turbidity	25.8	9.07	601	6.04	104	1.7	2.1	4	69	26	12	8	120	15	58	0.04		0.01	0.03	0.02	0.83			0.83	0.02	0.02	4800	360				
	17/03/2016	Sample taken in 20cm of clear water. Surface chop caused by wind. Cattle surrounding dam. Water birds. Approx 80mm rain previous week (BoM - Coolangatta).	26.8	7.82	593	5.97	70	7	5.9	4	64	26	12	8	110	14	92	0.16	0.001	0.02	0.05	0.02	0.86			0.86	0.02	0.02	270	820				
	4/09/2017		26.2	8.4	786	9.24	132	5	0.9	5	132	33	21	8	236	57	98	0.06	0.001	0.07	0.01	0.01	0.5	0.01	0.02	0.5	0.02	0.02	40	10	5	2		
	5/10/2017		28.3	7.71	901	7.36	48.7	68		5	95	46	17	7	182	40	130	0.03	0.001	0.05	0.09	0.01	0.5	0.01	0.03	1.1	0.01	0.03	320	1180				
8/10/2017	Algae/chlorophyll only to lab	27.2	7.81	886	6.83	61.2		156																							5	10		
2017/2018	30/10/2017	Commencement of extraction																																
	30/10/2017	Daily monitoring requirement for first 2 weeks of dredging.	23.4	8.0	1056	4.23	224																											
	31/10/2017	Daily monitoring requirement for first 2 weeks of dredging.	20.1	7.9	1069	4.28	210																											
	1/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	22.1	7.9	1061	4.25	216																											
	2/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	22.4	7.6	980	2.78	212																											
	3/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	20.2	7.7	1142	3.26	206																											
	6/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	22.4	7.6	1042	4.18	214																											
	7/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	22.1	7.3	1031	3.76	210																											
	8/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.9	8.0	1090	3.93	212																											
	9/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.7	7.7	1052	4.05	209																											
	10/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.5	7.9	1067	4.02	204																											
	13/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.1	7.4	1767	4.2	132																											
	14/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.7	8.1	1837	4	122																											
	15/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21	7.2	1795	3.9	134																											
	21/11/2017	Daily monitoring requirement for first 2 weeks of dredging.	21.5	7.4	1623	4.6	133																											
	28/11/2017	Weekly monitoring requirement.	27.3	7.4	3058	3.14	50.4	55	97	5	454	110	72	19	874	197	237	0.01	0.001	0.05	0.1	0.01	1.6	0.01	0.12	1.5	0.32	0.12	110	2160	5	6		
	30/11/2017	Weekly monitoring requirement.	21.6	7.6	1455	4.8	143																											
	6/12/2017	Weekly monitoring requirement.	22	7.8	3210	6.53	206																											
	13/12/2017	Weekly monitoring requirement.	22.9	7.8	3150	3.95	147																											
	13/12/2017	Birds on Dredge pond and surrounds	27	7.36	3991	0.2	107		125.3		563	121	89	22	992	261	234	0.01	0.001	0.05	0.15	0.01	1.6	0.01	0.01	1.6	0.16	0.01			5	28		
	20/12/2017	Weekly monitoring requirement.	22.8	7.7	3550	4.15	157																											
	11/01/2018	Birds on Dredge pond and surrounds	30.9	8.07	4012	2.17	-0.7	12	20.1	5	628	136	97	24	1090	270	240	0.01	0.002	0.05	0.04	0.01	1.3	0.01	0.01	1.3	0.02	0.01	110	90	825	13		
	12/01/2018	Weekly monitoring requirement.	21.8	7.7	1610	4.16	172																											
	17/01/2018	Weekly monitoring requirement.	20.9	7.4	797	3.43	116																											
23/01/2018	Weekly monitoring requirement.	21.8	7.7	1569	4.12	168																												
24/01/2018	Birds on Dredge pond and surrounds	27.4	7.54	4685	3.27	36.2		55.2		606	129	96	22	1240	296	223	0.01	0.002	0.05	0.07	0.01	1.4	0.01	0.02	1.4	0.21	0.02			355	24			
31/01/2018	Weekly monitoring requirement.	20.5	7.8	3391	5.73	161																												
7/02/2018	Birds on Dredge pond and surrounds	26.6	7.72	4915	5.21	30.9		19.5	5	693	137	103	24	1350	315	264	0.01	0.002	0.05	0.06	0.01	1.2	0.01	0.01	1.2	0.1	0.01	20	40		22			
7/02/2018	Weekly monitoring requirement.	19.1	7.8	4040	5.68	111																												
8/02/2018	Last day of first extraction campaign.																																	
8/03/2018	Water Birds on Dredge Pond, no algae visible, slight brown/green tinge to pond water, level	25	7.92	4642	5.33	63		10.1		602	126	93	22	1180	307	237	0.04	0.002	0.05	0.01	0.01	1.1	0.01	0.01	1.1	0.02	0.01			1940	51			
13/04/2018	Birds on Dredge pond and surrounds. Algae numbers significantly reduced. Field measurements, algae counts and chlorophyll only for vertical profile samples in dredge pond.	26	8.07	4659	7.37	134		0.6		636	134	100	24	1120	263	245	0.02	0.002	0.05	0.02	0.01	0.9	0.01	0.01	0.9	0.01	0.1			6980	12			
31/05/2018	Aquatic Birds on dredge pond	19.6	8.12	3960	5.59	61		6.8	5	663	135	101	23	1290	313	270	0.02	0.002	0.05	0.01	0.01	0.8	0.01	0.03	0.8	0.06	0.03	20	50	14900	9			
2018/2019	25/10/2018		25.1	8.62	4553	6.59	80	5	15.2	5	671	121	100	22	1250	334	205	0.05	0.005	0.05	0.03	0.01	1.2	0.01	0.01	1.2	0.06	0.01	110	40	50300	13		
	3/12/2018	S/W WIND TBC	27.6	8.8	5061	8.76	44.2	12	10.1		642	112	99	22	1310	301	188	0.03	0.001	0.06	0.02	0.01	1.4	0.01	0.02	1.4	0.02	0.02			284000	15		
	17/12/2018		26.5	8.72	5048	9.92	13	7	11.3		686	107	99	24	1170	302	171	0.06	0.002	0.05	0.04	0.01	1.4	0.01	0.01	1.4	0.05	0.01			247000	31		
	15/01/2019		29.4	8.54	4978	4.93	26.5	6	7.5	5	813	116	119	27	1320	298	148	0.02	0.002	0.05	0.02	0.01	1.3	0.01	0.01	1.3	0.05	0.01	270	410	97700	15		
	7/02/2019	Aquatic Birds and Cattle. No algal scum on surface. No Oil and grease sampling. Hut mud DP1-8	28.8	8.47	5172	7.84	-43.6	18	10.3		691	94	98	22	1380	364	172	0.04	0.002	0.05	0.03	0.005	1.4	0.01	0.01	1.4	0.01	0.01			14900	10		
	21/02/2019		27.8	8.32	5440	8.14	16.8	7																										

Site: DP1-1		Physical									Major Cations & Anions							Metals			Nutrients							Bacteria / Algae				
Sample Date	Comments/ Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mg/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a
Objectives		-	-	6.5-8.5	<3000	>6		5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10	
Pre - Extraction	4/09/2017		21.5	8.44	824	7.01	121	5	3.9		129	33	20	8	236	56	98	0.05	0.001	0.06	0.01	0.01	0.4	0.01	0.01	0.4	0.02	0.01	10	10	5	1
	5/10/2017		24	7.51	819	4.51	54.4	62	149		98	46	17	7	179	39	128	0.07	0.001	0.06	0.15	0.01	0.9	0.01	0.03	0.9	0.16	0.03	480	840		
2017/2018	30/10/2017	Commencement of extraction																														
	28/11/2017		26.9	7.65	3066	3.11	19.4	53	85		456	110	72	18	877	281	237	0.01	0.001	0.05	0.08	0.01	1.4	0.01	0.01	1.4	0.29	0.01	180	100		
	11/01/2018		30.6	8.01	3997	2.16	-2	10	22.1	5	624	135	96	24	1100	224	239	0.01	0.002	0.05	0.05	0.01	1.2	0.01	0.01	1.2	0.02	0.01	60	120		
	24/01/2018		27.5	7.51	4693	2.88			53.6																							
	7/02/2018		26.4	7.72	4894	5.17	27.8		17.8	5	766	153	114	27	1350	308	263	0.01	0.002	0.05	0.08	0.01	1.3	0.01	0.01	1.3	0.11	0.01	90	80		
8/02/2018	Last day of first extraction campaign.																															
2018 / 2019	25/10/2018		24.9	8.62	4559	5.93	80	7	13.8	5	680	121	102	22	1220	334	193	0.05	0.005	0.05	0.03	0.01	1	0.01	0.01	1	0.05	0.01	90	50		
	15/01/2019		28.9	8.56	4899	4.85	13.5	5	8	5	693	98	104	24	1320	288	139	0.03	0.002	0.05	0.02	0.01	1.2	0.01	0.01	1.2	0.05	0.01	190	370		
	3/04/2019		24.6	8.44	5300	4.84	96.9	8	7.5	5	735	125	112	24	1240	298	173	0.03	0.002	0.05	0.04	0.002	1.2	0.01	0.01	1.2	0.04	0.01	340	160		
2019 / 2020	3/07/2019		18.7	8.49	6553	5.75	85	5	4.4	5	729	125	110	24	1270	248	221	0.01	0.001	0.05	0.02	0.001	1.1	0.01	0.12	1	0.13	0.13	100	140		
	2/10/2019		24.2	8.8	5286	6.5	65.9	5	7.7	5	758	131	115	25	1380	315	189	0.01	0.002	0.05	0.02	0.001	0.9	0.01	0.01	0.9	0.01	0.01	10	10		
	15/01/2020	Aquatic birds present. Cattle present. Low water level. pH meter calibration issue - spurious data	28.4	10.2*	5940	8	82.3	5	3		838	122	121	28	1410	316	164	0.01	0.001	0.05	0.02	0.002	1.1	0.01	0.01	1.1	0.03	0.01	350	270		
2020/2021	7/07/2020	Clear.	16.8	6.4	3694	9.1	121	5	2.6	5	602	87	90	20	1020	195	183	0.01	0.002	0.05	0.02	0.007	1	0.01	0.04	1	0.104	0.04	120	10		
	12/08/2020	Clear	18	8.3	3490	10.5	90	5	6.6	5	552	91	85	19	1020	185	162	0.01	0.001	0.05	0.29	0.001	1	0.01	0.04	1	0.04	0.05	20	10		
	16/09/2020		21.4	8.41	3640	10.71	94.5	6	60.1	5	565	87	83	18	1080	193	149	0.03	0.002	0.05	0.02	0.001	0.8	0.01	0.01	0.8	0.01	0.01	10	10		
	14/10/2020		24.5	8.63	3510	9.78	67.6	5	15.3	5	566	98	83	20	1040	230	139	0.03	0.002	0.05	0.02	0.001	0.8	0.01	0.01	0.8	0.02	0.01				6
	11/11/2020		24.6	8.44	3691	9.5	77.4	5	2.4		534	86	80	18	1050	238	145	0.03	0.002	0.05	0.01	0.001	0.7	0.01	0.01	0.7	0.01	0.01	70	240		
	24/02/2021	Clear	26.7	8.34	3053	8.56	20.5	5	4.8		439	78	66	16	905	195	126	0.03	0.002	0.05	0.01	0.007	0.7	0.01	0.01	0.7	0.01	0.01	220	180		
2021/2022	N/A		17.5	8.04	2456	8.79	53.1	5	3.75		400	72	58	14	767	166	136	0.01	0.002	0.05	0.01	0.001	0.7	0.02	0.04	0.6	0.18	0.06	20	40		

Category	Parameter	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters	Value	Objective	Exceeds Objective	Statistical Analysis	Other Parameters
Pre-Extraction	Average	-	22.8	7.98	822	5.76	87.7	34	76.5	ND	114	40	19	8	208	48	113	0.06	0.001	0.06	0.08	0.010	0.7	0.01	0.02	0.7	0.09	0.02	245	425	5	1				
	Maximum	-	24.0	8.44	824	7.01	121.0	62	149.0	ND	129	46	20	8	236	56	128	0.07	0.001	0.06	0.15	0.010	0.9	0.01	0.03	0.9	0.16	0.03	480	840	5	1				
	Minimum	-	21.5	7.51	819	4.51	54.4	5	3.9	ND	98	33	17	7	179	39	98	0.05	0.001	0.06	0.01	0.010	0.4	0.01	0.01	0.4	0.02	0.01	10	10	5	1				
Reporting Period (2021/2022)	Average	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	Maximum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Minimum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results	Average	-	24.0	8.13	3914	6.72	63.5	12	24.8	5	565	100	85	20	1026	228	171	0.02	0.002	0.05	0.05	0.005	1.0	0.01	0.02	1.0	0.07	0.02	139	155	5	3.5				
	Maximum	-	30.6	8.80	6553	10.71	121.0	62	149.0	5	838	153	121	28	1410	334	263	0.07	0.005	0.06	0.29	0.010	1.4	0.02	0.12	1.4	0.29	0.13	480	840	5	6				
	80 th Percentile	-	27.5	8.57	5286	9.50	94.5	9	53.6	5	740	126	112	24	1326	309	224	0.03	0.002	0.05	0.08	0.010	1.2	0.01	0.04	1.2	0.14	0.04	268	252	5	6				
	Median (50 th Percentile)	-	24.6	8.38	3694	6.50	67.6	5	7.7	5	584	98	88	20	1065	234	163	0.02	0.002	0.05	0.02	0.005	1.0	0.01	0.01	1.0	0.04	0.01	90	100	5	3.5				
	20 th Percentile	-	18.7	7.62	3053	4.51	20.5	5	3.8	5	431	77	64	16	855	181	134	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.7	0.01	0.01	16	10	ID	ID				
Minimum	-	16.8	6.40	819	2.16	-2.0	5	2.4	5	98	33	17	7	179	39	98	0.010	0.001	0.05	0.01	0.001	0.4	0.01	0.01	0.4	0.01	0.01	10	10	5	1					

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

Site: DP1-3		Physical										Major Cations & Anions							Metals			Nutrients / Bacteria / Algae										
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10
Pre-Extraction	4/09/2017		19.1	8.05	769	6.02	125	6	3.4		130	33	21	8	236	57	96	0.04	0.001	0.05	0.01	0.01	0.5	0.02	0.01	0.5	0.02	0.03	20	20	5	2
	5/10/2017		22.8	7.03	743	3.12	76.6	48	163		96	48	17	7	174	43	134	0.01	0.001	0.05	0.09	0.01	1	0.01	0.02	1	0.19	0.02	400	770		
2017/2018	30/10/2017	Commencement of extraction																														
	28/11/2017		27.1	7.54	3053	3.09	18.1	88	113		456	110	72	18	881	221	244	0.01	0.001	0.05	0.14	0.01	1.6	0.01	0.09	1.5	0.3	0.09	170	120		
	13/12/2017		27.6	7.56	4703	2.49	31.1																									
	11/01/2018		27.9	7.45	4008	1.07	-14	12	24.2	5	640	133	99	24	1120	277	253	0.01	0.002	0.05	0.04	0.01	1.3	0.01	0.01	1.3	0.3	0.01	10	10		
	7/02/2018		27.7	7.53	4916	4.54	26		39.5	5	682	133	100	24	1370	309	262	0.01	0.002	0.05	0.07	0.01	1.2	0.01	0.02	1.2	0.21	0.02	10	30		
	8/02/2018	Last day of first extraction campaign.																														
	31/05/2018		19.3	8.12	3927	8.59	60.7			5	634	128	96	22	1270	284	270	0.01	0.002	0.05	0.01	0.01	0.7	0.01	0.03	0.7	0.08	0.03	30	90	25500	8
2018 / 2019	25/10/2018		22.3	8.58	4510	7.17	84	11	11.7	5	687	122	102	22	1240	330	200	0.05	0.005	0.05	0.03	0.01	1	0.01	0.01	1	0.02	0.01	40	10		
	15/01/2019		28.8	8.53	4894	4.5	24.1	8	9.8	5	698	98	105	24	1310	301	138	0.03	0.002	0.05	0.02	0.01	1.4	0.01	0.01	1.4	0.05	0.01	220	140		
	3/04/2019		24.9	8.42	5308	4.53	83	8	6.2	5	745	127	115	25	1200	288	181	0.03	0.002	0.05	0.02	0.001	1	0.01	0.01	1	0.04	0.01	190	190		
2019 / 2020	3/07/2019		18.2	8.42	6577	5.41	85	5	5.4	5	721	124	110	24	1270	252	227	0.01	0.001	0.05	0.01	0.001	1.1	0.02	0.11	1	0.14	0.13	40	90		
	2/10/2019		23.3	9.7	5262	6	59.8	5	5.5	5	765	132	115	25	1380	306	190	0.02	0.002	0.05	0.02	0.001	1	0.01	0.01	1	0.02	0.01	30	10		
2020/2021	7/07/2020	Clear.	16.7	6.4	3691	9	117	5	3.1	5	609	90	91	21	1020	199	178	0.02	0.002	0.05	0.01	0.004	0.9	0.01	0.04	0.9	0.19	0.04	70	10		
	12/08/2020	Clear	17.1	8.3	3494	10.4	89	5	8.2	5	537	89	83	18	1020	182	166	0.01	0.002	0.05	0.02	0.001	1	0.02	0.03	1	0.05	0.05	40	20		
	16/09/2020		20.8	8.49	3624	10.78	97.3	5	27.63	5	573	89	86	19	1090	191	151	0.01	0.001	0.05	0.04	0.002	0.8	0.01	0.01	0.8	0.01	0.01	170	910		
	14/10/2020		23.4	8.6	3501	9.26	89.6	5	13.8	5	562	92	83	20	1040	227	140	0.03	0.002	0.05	0.02	0.002	0.8	0.01	0.01	0.8	0.01	0.01				
	11/11/2020		23.2	8.42	3662	9.08	81.8	5	3		548	88	82	19	1060	236	147	0.03	0.002	0.05	0.01	0.005	0.8	0.01	0.01	0.8	0.01	0.01	40	80		
2021/2022	N/A																															
Pre-Extraction	Average	-	21.0	7.54	756	4.57	100.8	27	83.2	ND	113	41	19	8	205	50	115	0.03	0.001	0.05	0.05	0.010	0.8	0.02	0.02	0.8	0.11	0.03	210	395	5	2
	Maximum	-	22.8	8.05	769	6.02	125.0	48	163.0	ND	130	48	21	8	236	57	134	0.04	0.001	0.05	0.09	0.010	1.0	0.02	0.02	1.0	0.19	0.03	400	770	5	2
	Minimum	-	19.1	7.03	743	3.12	76.6	6	3.4	ND	96	33	17	7	174	43	96	0.01	0.001	0.05	0.01	0.010	0.5	0.01	0.01	0.5	0.02	0.02	20	20	5	2
Reporting Period (2021/2022)	Average	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Maximum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Minimum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results	Average	-	23.0	8.07	3920	6.18	66.7	15	29.2	5	568	102.25	86	20	1043	231	186	0.02	0.002	0.05	0.04	0.006	1.0	0.01	0.03	1.0	0.10	0.03	99	167	12753	5
	Maximum	-	28.8	9.70	6577	10.78	125.0	88	163.0	5	765	133	115	25	1380	330	270	0.05	0.005	0.05	0.14	0.010	1.6	0.02	0.11	1.5	0.30	0.13	400	910	25500	8
	80 th Percentile	-	27.6	8.55	5054	9.15	92.7	12	37.1	5	712	130	108	24	1294	304	249	0.03	0.002	0.05	0.06	0.010	1.3	0.02	0.04	1.3	0.20	0.05	186	180	ID	ID
	Median (50 th Percentile)	-	23.2	8.30	3927	6.00	81.8	6	9.8	5	622	104	94	22	1105	244	180	0.02	0.002	0.05	0.02	0.008	1.0	0.01	0.01	1.0	0.05	0.02	40	80	12753	5
	20 th Percentile	-	18.7	7.50	3318	3.11	25.2	5	3.8	5	488	88.4	76	18	937	186	139	0.01	0.001	0.05	0.01	0.001	0.8	0.01	0.01	0.8	0.01	0.01	22	10	ID	ID
Minimum	-	16.7	6.40	743	1.07	-14.0	5	3.0	5	96	33	17	7	174	43	96	0.01	0.001	0.05	0.01	0.001	0.5	0.01	0.01	0.5	0.01	0.01	10	10	5	2	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data

Site: DP1-4		Physical										Major Cations & Anions							Metals			Nutrients / Bacteria / Algae												
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a		
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10		
Pre-E	4/09/2017		17.9	7.95	746	5.57	125	7	4.8		131	33	20	8	234	57	97	0.05	0.001	0.06	0.01	0.01	0.4	0.02	0.02	0.4	0.04	0.04		290	850	5	2	
	5/10/2017		22.7	7.06	777	1.79	81.1	61	166		90	46	17	6	173	43	134	0.01	0.001	0.05	0.1	0.01	1	0.01	0.02	1	0.2	0.02						
2017/2018	30/10/2017	Commencement of extraction																																
	28/11/2017		26.8	7.51	3072	2.85	17	2660	102		451	108	72	18	883	224	236	0.01	0.001	0.05	1.81	0.01	7.3	0.01	0.01	7.3	0.24	0.01	100	220				
	13/12/2017																																	
	11/01/2018		28.1	7.42	4052	0.68	-20	7	22	5	636	134	100	24	1130	269	240	0.01	0.002	0.05	0.04	0.01	1.3	0.01	0.01	1.3	0.33	0.01	10	10	250	6		
	24/01/2018		27.8	7.59	4729	2.49	23		101		681	146	108	25	1250	300	222	0.01	0.002	0.05	0.1	0.01	1.6	0.01	0.03	1.6	0.24	0.03			15900	22		
	7/02/2018		25.3	7.57	4981	4.57	24		58.7	5	710	140	106	26	1380	308	260	0.02	0.002	0.05	0.07	0.01	1.2	0.01	0.02	1.2	0.2	0.02	70	70				
	8/02/2018	Last day of first extraction campaign																																
	8/03/2018		24.3	7.85	4651	3.37	53		14.2		602	127	93	22	1190	285	238	0.03	0.002	0.05	0.01	0.01	1	0.01	0.01	1	0.01	0.01				6120	30	
	13/04/2018		24.9	8.1	4651	6.16	131		8.7																								3380	5
	31/05/2018		19.2	8.11	3931	5.65	60.3		7.7	5	629	129	95	22	1270	286	261	0.01	0.002	0.05	0.01	0.01	0.6	0.01	0.02	0.6	0.06	0.02	40	80	4980	8		
25/10/2018		21.1	8.48	4493	5.24	88	6	11.7	5	674	121	102	22	1250	332	210	0.05	0.005	0.05	0.02	0.01	0.8	0.01	0.01	0.8	0.04	0.01	20	10	62800	14			
3/12/2018		25.8	8.52	5015	5.15	40.5	8	4.3		624	108	97	22	1310	305	201	0.03	0.001	0.05	0.02	0.01	1.1	0.01	0.01	1.1	0.06	0.01			115000	15			
17/12/2018		25.2	8.32	4925	3.15	-54	8	3.8		690	110	100	24	1180	289	176	0.03	0.002	0.05	0.01	0.01	1.2	0.01	0.01	1.2	0.05	0.01			387000	30			
15/01/2019		27.1	7.98	4657	0.33	-206.6	5	5.3	5	684	103	102	23	1290	301	190	0.02	0.002	0.05	0.04	0.01	1.1	0.01	0.01	1.1	0.05	0.01	10	20	9170	9			
7/02/2019		23.4	7.33	4450	0.78	-209.4	14	33.4		710	128	103	22	1250	286	264	0.02	0.002	0.19	0.02	0.005	1.1	0.01	0.01	1.1	0.05	0.01			225	89			
21/02/2019		24.8	7.63	5070	0.91	-219.7	5	39.5		765	111	114	25	1360	333	187	0.02	0.002	0.05	0.03	0.004	1.2	0.01	0.01	1.2	0.05	0.01			155	18			
6/03/2019		24.6	8.16	5090	6.35	-103	5	3.1		731	112	110	24	1350	306	206	0.02	0.002	0.05	0.05	0.005	0.6	0.01	0.01	0.6	0.01	0.01			760	12			
21/03/2019		26.8	8.42	5956	4.18	-34	5	3.22		752	111	113	26	1290	288	178	0.03	0.002	0.05	0.01	0.002	0.8	0.01	0.01	0.8	0.02	0.01			19500	6			
3/04/2019		24.5	8.41	5301	4.46	74.4	5	7.5	5	748	128	114	24	1230	292	181	0.02	0.002	0.05	0.02	0.003	1	0.01	0.01	1	0.06	0.01	110	120	24200	10			
1/05/2019		22.8	8.2	4491	7.64	7.9	5	4.6		783	131	121	26	1300	286	188	0.01	0.002	0.05	0.02	0.001	0.9	0.01	0.01	0.9	0.03	0.01			65600	11			
5/06/2019		17.8	7.8	4086	6.8	58.8	5	-9.8		714	128	112	25	1280	297	226	0.01	0.002	0.05	0.01	0.002	1.3	0.02	0.04	1.2	0.37	0.06			16600	10			
2019/2020	3/07/2019		18.2	8.25	6627	4.67	85	5	2.9	5	733	127	110	24	1280	260	229	0.01	0.001	0.05	0.01	0.001	1.1	0.02	0.12	1	0.17	0.14	100	430	29400	7		
	31/07/2019		17.5	8.25	7103	4.89	111.9	5	7.5		704	122	107	24	1340	311	231	0.01	0.001	0.05	0.02	0.001	1	0.01	0.14	0.9	0.04	0.14			20000	8		
	3/09/2019		18.4	8.3	5479	5.1	137.6	5	5.7		741	125	112	24	1340	328	216	0.01	0.001	0.05	0.01	0.002	0.9	0.01	0.01	0.9	0.02	0.01			18700	9		
	2/10/2019		20.5	8.2	5192	3.2	46.2	5	1.3	5	752	128	111	25	1330	296	230	0.01	0.002	0.05	0.01	0.001	0.8	0.01	0.01	0.8	0.01	0.01	10	10	6080	6		
	6/11/2019	Aquatic birds present. Cattle present. Low water level	22.5	8.5	4917	8.4	98.1	6	5.9		739	106	109	25	1310	318	190	0.02	0.002	0.05	0.02	0.001	1.1	0.01	0.01	1.1	0.01	0.01			155000	15		
	15/01/2020	pH meter calibration issue - spurious data.	26.7	10*	5738	7.7	89.2	5	4		833	123	124	28	1410	322	164	0.01	0.001	0.05	0.02	0.005	1	0.01	0.01	1	0.01	0.01	420	140	5	10		
Reporting Period (2021/2022)	7/07/2020	Clear.	16.6	6.4	3695	9	115	5	2.8	5	605	88	91	20	1020	197	175	0.01	0.002	0.05	0.01	0.004	0.9	0.01	0.04	0.9	0.15	0.04	40	10	6860			
	12/08/2020	Clear	16.8	8.2	3496	9.6	89	12	7.6	5	535	91	82	19	1020	182	166	0.01	0.002	0.05	0.02	0.001	1	0.01	0.04	0.9	0.06	0.05	50	10	43800	8		
	16/09/2020		19.4	8.18	3629	8.41	108.1	5	23.42	5	575	88	85	19	1080	191	174	0.01	0.001	0.05	0.02	0.001	0.8	0.01	0.01	0.8	0.06	0.01	20	80	4170	11		
	14/10/2020		21	8.41	3445	5.64	94.8	5	16.1	5	563	94	82	19	1030	224	171	0.01	0.002	0.05	0.02	0.001	0.7	0.01	0.01	0.7	0.01	0.01			2940	5		
	11/11/2020		22.9	8.42	3659	8.96	75.1	5	3.1		544	87	81	19	1050	232	146	0.03	0.002	0.05	0.01	0.003	0.7	0.01	0.01	0.7	0.04	0.01	20	50	1560	7		
	24/02/2021	Clear	25.7	8.31	3095	8.07	50.6	5	3.7		430	76	65	16	911	198	128	0.03	0.002	0.05	0.01	0.004	0.6	0.01	0.01	0.6	0.1	0.01	140	80	6390	7		
10/06/2021	Clear	17.4	8.04	2448	8.73	62.8		3.88		390	69	56	14	758	163	138	0.01	0.002	0.05	0.01	0.001	0.8	0.02	0.04	0.7	0.23	0.06	10	70	5	3			
2021/2022	N/A																																	
Pre-Extraction	Average	-	20.3	7.51	762	3.68	103.1	34	85.4	ND	111	39.5	19	7	204	50	116	0.03	0.001	0.06	0.06	0.010	0.7	0.015	0.02	0.7	0.1	0.03	290	850	5	2		
	Maximum	-	22.7	7.95	777	5.57	125.0	61	166.0	ND	131	46	20	8	234	57	134	0.05	0.001	0.06	0.10	0.010	1.0	0.02	0.02	1.0	0.2	0.04	290	850	5	2		
	Minimum	-	17.9	7.06	746	1.79	81.1	7	4.8	ND	90	33	17	6	173	43	97	0.01	0.001	0.05	0.01	0.010	0.4	0.01	0.02	0.4	0.0	0.02	290	850	5	2		
Reporting Period (2021/2022)	Average	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	Maximum	-	NS	NS	NS																													

Site: DP1-5		Physical										Major Cations & Anions						Metals			Nutrients / Bacteria / Algae											
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10
2017/2018	30/10/2017	Commencement of extraction																														
	11/01/2018		28.2	7.39	4020	0.47	-4.9	19	26.1	5	645	135	99	24	1120	229	245	0.01	0.002	0.05	0.05	0.01	1.4	0.01	0.01	1.4	0.35	0.01	40	50		
	24/01/2018		27.4	7.49	4671	2.74	36.7		84																							
	7/02/2018		25.5	7.48	4979	4.08	20		112	5	704	146	104	26	1370	309	268	0.11	0.002	0.3	0.09	0.01	1.2	0.01	0.02	1.2	0.18	0.02	60	60		
	8/02/2018	Last day of first extraction campaign.																														
2018 / 2019	31/05/2018		19.3	8.11	3936	5.07	59.4		6.5	5	626	127	95	22	1280	282	270	0.01	0.002	0.05	0.01	0.01	0.7	0.01	0.03	0.7	0.07	0.03	30	90	22300	8
	25/10/2018		20.5	8.44	4517	5.22	89	5	4.6	5	667	121	100	22	1250	338	214	0.05	0.005	0.05	0.02	0.01	0.8	0.01	0.01	0.8	0.03	0.01	10	30		
	15/01/2019		23.9	7.55	4302	0.36	-220	5	4.2	5	653	114	99	22	1270	290	232	0.01	0.002	0.08	0.02	0.01	0.8	0.01	0.01	0.8	0.05	0.01	20	150		
	3/04/2019		23.5	7.53	5451	0.59	-104.5	7	5.5	5	742	127	111	24	1240	293	180	0.03	0.002	0.05	0.02	0.001	1	0.01	0.01	1	0.04	0.01	120	100		
2019 / 2020	3/07/2019		17.9	8.1	6687	2.46	85	5	2.2	5	728	127	110	24	1320	257	232	0.01	0.001	0.05	0.01	0.001	1.3	0.02	0.1	1.2	0.29	0.12	330	360		
	2/10/2019		19.4	8	5221	1.5	36.4	5	2.6	5	764	132	117	25	1360	303	231	0.01	0.002	0.05	0.01	0.001	0.8	0.01	0.01	0.8	0.02	0.01	80	40		
2020/2021	7/07/2020	Clear.	16.7	6.4	3693	8.8	115	5	2.6	5	587	85	88	20	1020	196	174	0.01	0.002	0.05	0.01	0.004	1	0.01	0.04	1	0.14	0.04	50	20		
	12/08/2020	Clear	16.9	8.2	3499	9.5	89	5	7.8	5	544	89	82	19	1020	185	171	0.01	0.002	0.05	0.01	0.001	1	0.02	0.03	0.9	0.05	0.05	30	20		
	16/09/2020		18.1	7.75	3635	5.86	120	5	24.61	5	550	85	81	18	1080	192	177	0.01	0.001	0.05	0.02	0.001	0.7	0.01	0.01	0.7	0.01	0.02	10	20		
	14/10/2020		19.3	8.03	3442	2.56	47.8	5	20.5	5	569	95	84	19	1030	219	172	0.06	0.002	0.05	0.02	0.001	0.7	0.01	0.01	0.7	0.05	0.01				
	11/11/2020		22.1	8.11	3654	4.61	83	5	2.8		540	88	82	19	1040	231	159	0.02	0.002	0.05	0.01	0.001	0.7	0.01	0.01	0.7	0.01	0.01	20	100		
2021/2022	N/A																															

Reporting Period (2021/2022)	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum	Average	Maximum	Minimum
All Results	Average	-	21.3	7.76	4408	3.84	32.3	6	21.9	5	640	113	96	22	1185	256	210	0.03	0.002	0.07	0.02	0.005	0.9	0.01	0.02	0.92	0.1	0.03	67	87	22300	8				
	Maximum	-	28.2	8.44	6687	9.50	120.0	19	112.0	5	764	146	117	26	1370	338	270	0.11	0.005	0.30	0.09	0.010	1.4	0.02	0.10	1.40	0.4	0.12	330	360	22300	8				
	80 th Percentile	-	25.5	8.11	5221	5.86	89.0	6	26.1	5	731	133	110	24	1328	304	250	0.05	0.002	0.06	0.03	0.010	1.2	0.01	0.03	1.20	0.2	0.04	96	120	ID	ID				
	Median (50 th Percentile)	-	20.0	7.88	4161	3.41	53.6	5	6.0	5	645	121	99	22	1240	257	214	0.01	0.002	0.05	0.02	0.001	0.8	0.01	0.01	0.80	0.1	0.01	35	55	22300	8				
	20 th Percentile	-	17.9	7.48	3635	0.59	-4.9	5	2.6	5	549	87	82	19	1028	195	172	0.01	0.002	0.05	0.01	0.001	0.7	0.01	0.01	0.70	0.0	0.01	16	20	ID	ID				
	Minimum	-	16.7	6.40	3442	0.36	-220.0	5	2.2	5	540	85	81	18	1020	185	159	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.70	0.0	0.01	10	20	22300	8				

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data

Site: DP1-6		Physical										Major Cations & Anions							Metals			Nutrients / Bacteria / Algae													
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a			
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10			
2017/2018	30/10/2017	Commencement of extraction																																	
	24/01/2018		27.4	7.47	4667	2.09	34.4		95		605	131	97	23	1250	302	220	0.01	0.002	0.05	0.08	0.01	1.5	0.01	0.01	1.5	0.21	0.01			33600	21			
	7/02/2018		24.8	7.56	4858	1.11	23.1		10																										
	8/02/2018	Last day of first extraction campaign.																																	
2018/2019	8/03/2018		24.3	7.85	4651	3.37	53		14.2		630	133	96	23	1230	238	252	0.02	0.002	0.05	0.01	0.01	1	0.01	0.01	1	0.01	0.01			1220	39			
	13/04/2018		24.9	8.09	4655	6.34	138		4.3																						5030	5			
	31/05/2018		19.4	8.1	3942	5.38	59		7.1	5	630	127	95	22	1280	283	271	0.01	0.002	0.05	0.01	0.01	0.7	0.01	0.03	0.7	0.07	0.03	50	70	12900	8			
	25/10/2018		19.6	8.31	4531	3.12	82	5	3.1	5	710	124	105	23	1270	344	220	0.05	0.005	0.05	0.02	0.01	0.8	0.01	0.01	0.8	0.03	0.01	70	20	24100	8			
	3/12/2018		21.6	7.79	5041	2.31	-130	10	2.3		637	122	100	22	1310	287	275	0.02	0.002	0.18	0.02	0.01	1	0.01	0.01	1	0.11	0.01			276000	8			
	17/12/2018		23.4	7.99	4724	1.5	-130	5	2.1		654	122	95	23	1140	276	225	0.02	0.001	0.13	0.02	0.01	1	0.01	0.01	1	0.04	0.01			16900	5			
	15/01/2019		21.8	7.42	4098	0.3	-276.5	5	2.3	5	648	121	98	22	1240	278	265	0.01	0.002	0.16	0.02	0.01	0.7	0.01	0.01	0.7	0.04	0.01	30	90	5	4			
	7/02/2019		20.2	7.14	4332	0.11	-268.3	19	2.3		731	148	114	25	1270	274	302	0.01	0.002	0.05	0.01	0.005	1.4	0.01	0.01	1.4	0.56	0.01			75	2			
	21/02/2019		20.6	7.07	4545	0.45	-219.7	5	16		728	137	111	25	1310	271	304	0.01	0.002	0.08	0.01	0.001	1.6	0.01	0.01	1.6	0.83	0.01			5	5			
	6/03/2019		21.3	7.27	4701	0.64	-313	5	3.4		692	133	107	23	1320	196	342	0.01	0.002	0.05	0.05	0.005	2.6	0.01	0.01	2.6	1.43	0.01			5	4			
	21/03/2019		24.4	7.69	6192	0.56	-53	5	3.37		751	120	115	26	1340	283	239	0.02	0.002	0.1	0.04	0.002	1.2	0.01	0.01	1.2	0.14	0.01			5	14			
	3/04/2019		24	7.62	5477	0.21	-38.7	9	12.2	5	733	132	113	24	1260	311	217	0.02	0.002	0.13	0.04	0.003	1.2	0.01	0.01	1.2	0.04	0.01	60	80	2110	46			
	1/05/2019		22.8	8.17	4511	7.4	-7.4	6	5.9		786	130	118	26	1310	287	187	0.02	0.002	0.05	0.02	0.001	0.9	0.01	0.01	0.9	0.03	0.01			6590	11			
	5/06/2019		17.7	7.8	4071	6.9	63.5	5	-9.7		722	130	113	25	1280	294	218	0.01	0.002	0.05	0.01	0.003	1.4	0.02	0.04	1.3	0.38	0.06			17400	10			
2019/2020	3/07/2019		18.1	8.13	6676	2.41	86	5	1.6	5	724	125	110	24	1300	255	234	0.01	0.001	0.05	0.01	0.001	1.2	0.02	0.1	1.1	0.33	0.12	260	210	580	5			
	31/07/2019		17.5	8.18	7141	1.92	114.4	5	9.9		672	118	102	23	1320	313	232	0.01	0.001	0.05	0.02		1.1	0.01	0.12	1	0.19	0.12			1180	6			
	3/09/2019		17.8	7.9	5473	2.7	153	5	2.7		730	123	110	23	1330	316	218	0.01	0.002	0.05	0.01	0.001	0.9	0.01	0.03	0.9	0.17	0.03			590	4			
	2/10/2019		20.1	8	5207	1.46	5	5	1.3	5	736	129	112	24	1350	303	242	0.01	0.002	0.05	0.01	0.001	0.8	0.01	0.01	0.8	0.02	0.01	90	40	1180	2			
	6/11/2019		18.8	7.8	4932	1.5	-154.9	5	-3.1		702	108	104	24	1250	281	256	0.01	0.002	0.13	0.02	0.001	1.2	0.01	0.01	1.2	0.42	0.01			1320	3			
15/01/2020	pH meter calibration issue - spurious data.																																		
2020/2021	7/07/2020	Clear.	16.7	6.4	3691	9	114	5	2.7	5	596	87	90	20	1020	194	175	0.01	0.002	0.05	0.01	0.002	0.9	0.01	0.03	0.9	0.14	0.03	50	10	6780	5			
	12/08/2020	Clear	17	8	3529	7.8	93	5	11.5	5	547	89	82	19	1020	188	168	0.02	0.002	0.05	0.02	0.001	1	0.03	0.02	1	0.15	0.05	10	20	27700	5			
	16/09/2020		17.5	7.54	3635	3.38	122.1	5	20.94	5	562	87	83	19	1080	192	177	0.01	0.001	0.05	0.02	0.001	0.8	0.02	0.01	0.8	0.09	0.02	10	10	3810	6			
	14/10/2020		18.3	7.68	3431	1.19	-99.8	5	16.1	5	526	90	79	18	1020	216	176	0.02	0.002	0.05	0.01	0.001	0.8	0.01	0.01	0.8	0.25	0.01			360	8			
	11/11/2020		19.3	7.73	3638	2.33	-109.5	5	5.2		541	86	82	19	1040	219	170	0.01	0.002	0.22	0.01	0.001	0.8	0.01	0.01	0.8	0.14	0.01	60	160	125	5			
	24/02/2021	Clear	25.1	7.99	3173	4.89	55.6	5	5.7		450	80	68	16	936	199	136	0.02	0.002	0.05	0.01	0.001	0.7	0.01	0.01	0.7	0.02	0.01	60	20	5380	7			
	10/06/2021	Clear	17.2	8.02	2431	8.51	63.1		3.95		403	72	58	15	774	168	134	0.01	0.001	0.05	0.01	0.001	0.8	0.02	0.04	0.7	0.2	0.06	10	60	5	1			
2021/2022	N/A																																		

Reporting Period (2021/2022)	Average	Maximum	Minimum	Water Level	Temp	pH	Electrical Conductivity	Dissolved Oxygen	Redox	Total Suspended Solids	Turbidity	Oil & Grease	Sodium	Calcium	Magnesium	Potassium	Chloride	Sulfate	Bicarbonate	Aluminium	Arsenic	Iron (filterable)	Total Phosphorous	Reactive Phosphorous	Total Nitrogen	Nitrite	Nitrate	TKN	Ammonia	NOx	Faecal coliforms	Enterococci	Potentially Toxic Cyanobacteria	Chlorophyll a
All Results	Average	-	20.8	7.74	4578	3.11	-24.3	6	9.1	5	653	116	99	22	1208	262	224	0.01	0.002	0.08	0.03	0.005	1.1	0.01	0.02	1.07	0.2	0.03	59	62	15891	14		
	Maximum	-	27.4	8.31	7141	9.00	153.0	19	95.0	5	791	148	119	27	1360	344	342	0.05	0.005	0.22	0.15	0.025	2.6	0.03	0.12	2.60	1.4	0.12	260	210	276000	149		
	80 th Percentile	-	24.3	8.09	5207	6.34	93.0	5	12.9	5	732	131	113	25	1320	302	267	0.02	0.002	0.13	0.03	0.010	1.3	0.01	0.03	1.30	0.4	0.04	74	104	17000	12		
	Median (50 th Percentile)	-	20.2	7.80	4651	2.31	23.1	5	4.3	5	672	123	102	23	1270	278	220	0.01	0.002	0.05	0.02	0.002	1.0	0.01	0.01	1.00	0.1	0.01	50	40	1270	6		
	20 th Percentile	-	17.7	7.46	3638	0.64	-154.9	5	2.3	5	556	88	83	19	1032	198	176	0.01	0.001	0.05	0.01	0.001	0.8	0.01	0.01	0.80	0.0	0.01	10	18	5	4		
	Minimum	-	16.7	6.40	2431	0.11	-313.0	5	-9.7	5	403	72	58	15	774	168	134	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.70	0.0	0.01	10	10	5	1		

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data

Site: DP1-7		Physical										Major Cations & Anions						Metals			Nutrients / Bacteria / Algae												
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a	
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35				<20	0.01	<1000/100	<230/100	<50000	<10	
2017 / 2018	31/05/2018		19.5	8.13	3971	5.82	55		7.8	5	630	130	96	22	1270	307	271	0.01	0.002	0.05	0.01	0.01	0.7	0.01	0.03	0.7	0.07	0.03	50	120	16400	8	
	25/10/2018		20.2	8.4	4623	3.44	78	5	2.2	5	727	130	110	24	1270	342	221	0.05	0.005	0.05	0.02	0.01	0.8	0.01	0.01	0.8	0.03	0.01	20	40			
2018 / 2019	15/01/2019		21.7	7.32	4190	0.31	-273.6	5	2.7	5	665	127	101	22	1250	268	280	0.01	0.002	0.16	0.02	0.01	0.9	0.01	0.01	0.9	0.22	0.01	40	270			
	3/04/2019		22.2	7.4	5385	0.44	-194	5	2.9	5	694	145	105	22	1250	240	326	0.01	0.002	0.09	0.02	0.01	2.7	0.01	0.01	2.7	1.67	0.01	60	50			
2019 / 2020	3/07/2019		17.9	8.2	6713	3.04	87	5	3.8	5	727	127	111	24	1320	264	236	0.01	0.001	0.05	0.01	0.001	1.2	0.02	0.11	1.1	0.28	0.13	190	190			
	2/10/2019		20.7	8.2	5222	2.2	-50.8	5	2.3	5	736	128	112	24	1360	300	236	0.01	0.002	0.07	0.01	0.001	1	0.01	0.01	1	0.17	0.01	230	190			
2020/2021	7/07/2020	Clear.	16.7	6.4	3705	8.9	117	5	2.8	5	606	88	92	20	1020	198	177	0.01	0.002	0.05	0.02	0.017	0.9	0.01	0.04	0.9	0.18	0.04	40	10			
	12/08/2020	Clear	17	7.85	3517	8.1	96	5	10.9	5	486	80	72	17	1030	190	178	0.02	0.001	0.05	0.02	0.001	1	0.04	0.01	1	0.1	0.05	20	20			
	16/09/2020		17.4	7.45	3025	2.15	112.4	5	52.41	5	568	88	84	19	1080	191	202	0.01	0.001	0.05	0.02	0.001	0.8	0.02	0.01	0.8	20	0.02	10	10			
	14/10/2020		18	7.57	3440	2.31	-126.7	7	22.3	5	562	95	81	20	1030	215	178	0.02	0.002	0.1	0.01	0.005	1	0.01	0.01	1	0.32	0.01					
	11/11/2020		18.4	7.55	3627	2.7	-140.3	5	3.1		531	85	80	18	1040	215	173	0.01	0.002	0.17	0.01	0.001	1.1	0.01	0.01	1.1	0.44	0.01	30	140			
2021/2022	N/A																																
Reporting Period (2021/2022)	Average	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Maximum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Minimum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
All Results	Average	-	19.1	7.68	4311	3.58	-21.8	5	10.3	5	630	111.18	95	21.0909	1175	248	225	0.02	0.002	0.08	0.02	0.006	1.1	0.01	0.02	1.09	2.1	0.03	69	104	16400	8	
	Maximum	-	22.2	8.40	6713	8.90	117.0	7	52.4	5	736	145	112	24	1360	342	326	0.05	0.005	0.17	0.02	0.017	2.7	0.04	0.11	2.70	20.0	0.13	230	270	16400	8	
	80 th Percentile	-	21.3	8.20	5320	7.19	105.8	5	17.7	5	727	130	111	24	1300	304	276	0.02	0.002	0.14	0.02	0.011	1.2	0.02	0.04	1.10	1.2	0.05	164	190	ID	ID	
	Median (50 th Percentile)	-	18.4	7.57	3971	2.70	55.0	5	3.1	5	630	127	96	22	1250	240	221	0.01	0.002	0.05	0.02	0.005	1.0	0.01	0.01	1.00	0.2	0.01	40	85	16400	8	
	20 th Percentile	-	17.2	7.35	3471	1.12	-172.5	5	2.5	5	543.4	86.2	80.4	18.4	1030	194	177.4	0.01	0.001	0.05	0.01	0.001	0.8	0.01	0.01	0.80	0.1	0.01	20	12	ID	ID	
Minimum	-	16.7	6.40	3025	0.31	-273.6	5	2.2	5	486	80	72	17	1020	190	173	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.70	0.0	0.01	10	10	16400	8		

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data

Site: DP1-8		Physical									Major Cations & Anions								Metals					Nutrients / Bacteria / Algae											
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a			
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35					<20	0.01	<1000/100	<230/100	<50000	<10		
2017/2018	30/10/2017	Commencement of extraction																																	
	7/02/2018		25.7	7.55	4994	4.64	18		153																										
	8/03/2018		24.7	7.49	4973	0.72	15.3		7.4		633	134	97	23	1240	176	262	0.04	0.002	0.12	0.01	0.01	1.2	0.01	0.01	1.2	0.04	0.01		40	80				
	13/04/2018		25	8	4656	6.03	102		6.9																									8790	6
	8/02/2018	Last day of first extraction campaign.																																	
2018/2019	31/05/2018		19.6	8.11	3968	5.71	57		7.7	5	633	129	95	22	1270	306	271	0.01	0.002	0.05	0.01	0.01	0.7	0.01	0.03	0.7	0.06	0.03	110	170	19100	9			
	25/10/2018		26.1	8.39	4586	4.64	78	5	4.6	5	677	122	101	22	1260	333	221	0.05	0.005	0.05	0.03	0.01	0.8	0.01	0.01	0.8	0.01	0.01	10	90	26000	13			
	3/12/2018		22.8	8	5042	4.02	-111	8	5.2		633	116	99	22	1330	284	294	0.02	0.002	0.1	0.03	0.01	1.5	0.01	0.01	1.5	0.59	0.01			34800	8			
	17/12/2018		21.3	7.62	4463	0.64	-162	5	1.4		640	118	93	22	1120	264	259	0.02	0.001	0.13	0.01	0.01	0.8	0.01	0.01	0.8	0.01	0.01			405	2			
	7/02/2019																																		
21/02/2019	Hit Bottom																																		
2019/2020	15/01/2020	pH meter calibration issue - spurious data.																																	
2020/2021	7/07/2020	Clear.	16.7	6.4	3692	8.8	116	5	3.2	5	608	88	91	20	1020	196	175	0.01	0.002	0.05	0.01	0.001	0.9	0.01	0.04	0.9	0.13	0.04	50	10	2680				
	11/11/2020		18	7.46	3625	1.79	-185.4	5	3.1		520	83	79	18	1060	212	207	0.01	0.002	0.11	0.01	0.002	1.4	0.01	0.01	1.4	0.17	0.01	40	190	5	2			
	24/02/2021	Clear	20.9	7.19	3632	0.9	-233.7	5	14.6		517	91	80	19	1050	178	218	0.02	0.004	0.06	0.03	0.003	2.2	0.01	0.01	2.2	1.3	0.01	120	280	390	34			
	10/06/2021	Clear	17.2	8.02	2434	8.57	62.6		3.97		402	71	58	15	774	170	139	0.01	0.002	0.05	0.01	0.001	0.7	0.02	0.04	0.6	0.2	0.06	10	20	5	1			
2021/2022	N/A																																		
Reporting Period (2021/2022)	Average	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	Maximum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	Minimum	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	Average	-	21.5	7.66	4220	3.96	-40.8	5	17.9	5	602	108	90	21	1141	235	230	0.02	0.002	0.08	0.02	0.007	1.3	0.01	0.02	1.25	0.4	0.02	55	139	8429	11			
All Results	Maximum	-	26.1	8.39	5042	8.80	116.0	8	153.0	5	759	134	111	25	1330	333	294	0.05	0.005	0.13	0.04	0.015	2.4	0.02	0.04	2.40	1.3	0.06	120	280	34800	34			
	80 th Percentile	-	25.3	8.07	4981	7.05	87.6	6	10.5	IS	670	131	101	23	1286	302	269	0.04	0.004	0.12	0.03	0.010	2.1	0.01	0.04	2.06	1.1	0.04	112	272	23240	23			
	Median (50 th Percentile)	-	21.1	7.62	4520	4.33	16.7	5	4.9	5	633	117	94	22	1180	221	240	0.02	0.002	0.06	0.01	0.010	1.1	0.01	0.01	1.05	0.2	0.01	45	130	540	7			
	20 th Percentile	-	17.7	7.30	3629	0.83	-204.7	5	3.2	IS	518	84	79	18	1026	176	181	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.72	0.0	0.01	10	18	5	2			
	Minimum	-	16.7	6.40	2434	0.64	-246.3	5	1.4	5	402	71	58	15	774	170	139	0.01	0.001	0.05	0.01	0.001	0.7	0.01	0.01	0.60	0.0	0.01	10	10	5	1			

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data

Site: DP2		Physical										Major Cations & Anions						Metals			Nutrients							Bacteria / Algae						
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mg/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorus mg/L	Reactive Phosphorus mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a		
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35					<20	0.01	<1000/100	<230/100	<50000	<10		
Pre-Extraction	30/11/2015	No sample collected due to equipment failure. Fine Sunny Approx 30mm rain previous week (BoM - Coolangatta).																																
	26/01/2016	Fine, clear, some algae, cattle & ducks																																
	25/02/2016	27.3	8.61	663	5.87	194	4.3	4.7	2	64	25	12	7	120	16	94	0.07	0.001	0.07	0.05	0.020	0.94			0.94	0.02	0.02	128	174					
	17/03/2016	23.7	8.26	613	3.75	124	9	5.1	4	67	27	12	8	120	15	96	0.10	0.002	0.01	0.04	0.020	0.91			0.91	0.02	0.02	140	50					
	8/10/2017	26.6	7.79	615	3.43	82	4.3	3.5	4	65	27	12	8	110	14	94	0.05	0.002	0.01	0.04	0.020	0.82			0.82	0.02	0.02	150	340		5			
2017/2018	30/10/2017	Commencement of extraction																																
	30/10/2017	Daily monitoring requirement for first 2 weeks of dredging.																																
	31/10/2017	23.3	7.7	932	4.25	230																												
	1/11/2017	20.3	7.7	1029	4.01	175																												
	2/11/2017	21.2	7.4	997	4.11	192																												
	3/11/2017	21.8	7.7	957	2.77	209																												
	6/11/2017	20.4	7.7	1158	2.96	204																												
	7/11/2017	22.4	7.6	1118	4.1	217																												
	8/11/2017	22	7.6	1098	3.8	211																												
	9/11/2017	21.9	7.6	1125	3.9	210																												
	10/11/2017	21.4	7.7	1065	3.98	204																												
	11/11/2017	21.6	7.8	1069	3.92	208																												
	13/11/2017	21.3	7.6	1762	4.1	134																												
	14/11/2017	21.5	8.1	1806	4.3	124																												
	15/11/2017	20.5	7.1	1769	4.3	178																												
	21/11/2017	21.4	7.2	1586	4.7	143																												
	28/11/2017						38			5	453	109	71	18	882	198	239	0.01	0.001	0.05	0.09	0.010	1.4	0.01	0.02	1.4	0.13	0.02	150	1180	5	9		
	30/11/2017	21.6	7.3	1458	5	154																												
	6/12/2017	22	7.9	3290	6.28	199																												
	13/12/2017	22.7	7.8	3140	3.58	144																												
	13/12/2017	27	7.42	4010	0.19	131			88.9		565	122	90	22	996	261	228	0.01	0.001	0.05	0.1	0.010	1.4	0.01	0.01	1.4	0.12	0.01			5	40		
	20/12/2017	23.3	7.7	3450	3.88	158																												
	11/01/2018	32	8.11	3998	6.8	-0.8	18	22.1	5	624	137	95	24	1080	274	241	0.01	0.002	0.05	0.05	0.010	1.3	0.01	0.01	1.3	0.01	0.01	130	120	1250	12			
	12/01/2018	21.7	7.6	1600	4.1	271																												
	17/01/2018	20.9	7.4	791	3.37	153																												
	23/01/2018	21.7	7.6	1560	4.07	265																												
	24/01/2018	29.1	7.78	4849	4.88	41.2			34.4		613	130	99	23	1250	298	220	0.01	0.002	0.05	0.08	0.010	1.4	0.01	0.05	1.4	0.21	0.05		6830	24			
	31/01/2018	22.3	8.1	1008	5.02	132.2																												
	7/02/2018	27.3	7.88	4918	5.35	32.5			23.8	5	680	135	101	24	1340	305	260	0.02	0.002	0.05	0.06	0.010	1.2	0.01	0.02	1.2	0.04	0.02				25		
	7/02/2018	21.2	7.8	3900	5.66	206																												
	8/02/2018	Last day of first extraction campaign.																																
	8/03/2018	25.3	7.92	4614	7.43	63			17.6		584	123	90	21	1180	292	236	0.03	0.002	0.05	0.01	0.010	1	0.01	0.04	1	0.02	0.04			4020	38		
13/04/2018	26.2	8.4	4708	8.15	178			104																								7880	7	
31/05/2018	19.2	8.08	3929	4.98	61			7.1	5	628	127	95	22	1290	311	270	0.01	0.002	0.05	0.01	0.010	0.8	0.01	0.04	0.8	0.07	0.04	60	100	14300	8			
25/10/2018	25.1	8.61	4535	8.71	82	10	12	5	674	119	100	22	1210	335	190	0.05	0.005	0.05	0.04	0.010	1.1	0.01	0.01	1.1	0.03	0.01	80	110	46500	12				
3/12/2018	27.9	8.83	5076	9.26	60.1	12	11.4	694	118	108	24	1320	303	181	0.05	0.002	0.05	0.02	0.01	1.2	0.01	0.02	1.2	0.02	0.02	264000	18							
17/12/2018	26.3	8.71	5037	9.65	28	9	9.2	688	107	99	23	1300	294	174	0.04	0.002	0.05	0.01	0.01	1.4	0.01	0.01	1.4	0.01	0.01	409000	32							
15/01/2019	30.5	8.53	5105	5	39.5	6	10.7	5	694	97	104	23	1310	297	139	0.03	0.002	0.05	0.02	0.01	1.2	0.01	0.01	1.2	0.05	0.01	180	460	76800	13				
7/02/2019	29	8.46	5208	7.72	-7.8	5	4.6	772	116	119	27	1370	317	171	0.02	0.002	0.05	0.01	0.005	1.2	0.01	0.01	1.2	0.05	0.01	29500	12							
21/02/2019	27.8	7.76	5410	7.76	41.5	5	39.3	774	109	116	26	1380	330	158	0.03	0.002	0.05	0.02	0.001	1.2	0.01	0.01	1.2	0.02	0.01	3970	6							
6/03/2019	27	8.43	5367	8.98	11.8	5	2.1	739	112	113	25	1360	318	190	0.02	0.002	0.05	0.05	0.01	0.6	0.01	0.01	0.6	0.01	0.01	835	7							
21/03/2019	28	8.67	5954	5.65	-109	5	3.22	731	110	110	25	1300	293	165	0.03	0.002	0.05	0.02	0.002	1	0.01	0.01	1	0.02	0.01	18100	6							
3/04/2019	24.8	8.47	5179	5.24	107	8	7.9	5	745	125	114	24	1250	299	178	0.04	0.002	0.05	0.03	0.001	1.1	0.01	0.01	1.1	0.02	0.01	240	140	38300	12				
1/05/2019	24	8.29	4616	8.78	51.9	5	4.7	782	126	119	26	1310	295	189	0.01	0.002	0.05	0.03	0.001	1	0.01	0.01	1	0.04	0.01	61500	9							
5/06/2019	18.4	7.8	4135	7.5	63.9	5	-9.9	707	125	111	24	1280	309	224	0.01	0.002	0.05	0.02	0.002	1.3	0.02	0.05	1.2	0.36	0.07	9940	10							
3/07/2019	18.6	8.49	6564	6.68	85	5	3	728	126	112	24	1260	261	227	0.01	0.001	0.05	0.01	0.001	1.2	0.02	0.11	1.1	0.14	0.13	80	140	26000	9					

Site: DP3		Physical										Major Cations & Anions							Metals					Nutrients							Bacteria / Algae				
Sample Date	Comments / Flow	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrate mg/L	Nitrite mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria	Chlorophyll a			
Objectives		-	-	6.5-8.5	<3000	>6			5-20	10	<500		<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35					<20	0.01	<1000/100	<230/100	<50000	<10		
Pre-Extraction	8/10/2017	Algae/Chlorophyll only to lab		27.3	7.87	898	7.17	63.4																								5	7		
2017/2018	30/10/2017	Commencement of extraction																																	
	30/10/2017	Daily monitoring requirement for first 2 weeks of dredging.		23.5	7.8	956	4.8	225																											
	31/10/2017	Daily monitoring requirement for first 2 weeks of dredging.		19.4	7.9	1266	4.83	184																											
	1/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		20.5	7.9	1170	4.83	195																											
	2/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.9	7.6	1119	2.17	211																											
	3/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		20.7	7.7	1202	3.46	205																											
	6/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		22.5	7.6	1117	4.1	219																											
	7/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		22	7.6	1098	3.82	209																											
	8/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.9	7.6	1128	3.88	212																											
	9/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.7	7.6	1043	3.94	210																											
	10/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.7	7.8	1073	3.97	211																											
	13/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.1	7.6	1783	4.2	136																											
	14/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.7	8.2	1784	4.8	120																											
	15/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.3	7.4	1790	4.1	132																											
	21/11/2017	Daily monitoring requirement for first 2 weeks of dredging.		21.4	7.7	1752	5.3	136																											
	28/11/2017	Weekly monitoring requirement.		30.5	8.02	3304	8.66	28.6	16	11.7	5	456	104	73	18	845	192	241	0.02	0.001	0.05	0.06	0.010	1.20	0.01	0.01	1.2	0.02	0.01	260	1620	5	3		
	30/11/2017	Weekly monitoring requirement.		21.7	7.4	1584	4.9	129																											
	6/12/2017	Weekly monitoring requirement.		22	7.9	3260	6.31	199																											
	13/12/2017	Weekly monitoring requirement.		22.6	7.8	3220	3.67	153																											
	13/12/2017	Weekly monitoring requirement.		28.7	7.89	3977	0.19	92																											
	20/12/2017	Weekly monitoring requirement.		23.3	7.5	3540	3.57	161																											
	11/01/2018	Weekly monitoring requirement.		30.8	8.04	3935	2.14	-0.5	14	25.5	5	612	135	95	24	1090	272	240	0.01	0.002	0.05	0.04	0.010	1.20	0.01	0.01	1.2	0.01	0.01	130	260	5200	16		
	12/01/2018	Weekly monitoring requirement.		21.7	7.7	1660	4.3	180																											
	17/01/2018	Weekly monitoring requirement.		20.8	7.5	857	3.4	145																											
	23/01/2018	Weekly monitoring requirement.		21.7	7.7	1620	4.21	178																											
24/01/2018	Weekly monitoring requirement.		27.4	7.53	4665	2.75	5.3	53.7																											
31/01/2018	Weekly monitoring requirement.		23.3	8.2	1068	2.55	168																												
7/02/2018	Depth 4.7m		26.4	7.52	4786	4.83	28																												
7/02/2018	Weekly monitoring requirement.		20.9	7.8	3980	5.08	201																												
8/02/2018	Last day of first extraction campaign.																																		
8/03/2018			25.1	7.91	4661	5.15	49																												
13/04/2018			26.2	7.28	4564	7.17	166																												
31/05/2018			19.6	8.09	3959	6.08	53																												
2018/2019	25/10/2018			24.9	8.65	4541	6.87	79	10	14.8	5	690	121	101	22	1200	323	194	0.05	0.005	0.05	0.03	0.010	1.00	0.01	0.01	1	0.04	0.01	120	50	55600	13		
	3/12/2018			27.5	8.81	5042	9.25	116	14	12.4		656	110	100	22	1320	300	180	0.04	0.001	0.05	0.02	0.01	1.2	0.01	0.01	1.2	0.06	0.01			418000	18		
	17/12/2018			26.5	8.72	5054	9.71	18	6	10.8		686	107	99	23	1180	300	170	0.04	0.002	0.1	0.04	0.01	1.4	0.01	0.01	1.4	0.05	0.01			315000	32		
	15/01/2019			28.9	8.5	4938	4.94	69.5	13	7.3	5	679	96	103	23	1320	302	137	0.03	0.001	0.05	0.02	0.01	1.2	0.01	0.01	1.2	0.05	0.01	90	150	105000	16		
	7/02/2019			28.3	8.44	5156	7.62	-70.5	ND	3.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	0.005	1.2	0.01	0.02	1.2	0.05	0.02			23200	8		
	21/02/2019			28	8.36	5452	8.02	28.8	5	31.6		767	111	115	26	1390	331	154	0.03	0.002	0.05	0.01	0.001	1.1	0.01	0.01	1.1	0.01	0.01			3960	5		
	6/03/2019			26.7	8.36	5335	9.04	16.2	5	0.6		721	110	110	24	1380	320	188	0.02	0.002	0.05	0.05	0.006	0.7	0.01	0.01	0.7	0.02	0.01			1040	7		
	21/03/2019			27.7	8.46	5954	5.74	-94.8	5	3.21		745	110	112	26	1290	293	162	0.03	0.002	0.05	0.02	0.001	1	0.01	0.01	1	0.01	0.01			12100	9		
	3/04/2019			25	8.44	5291	4.91	197	10	7.8	5	746	126	114	24	1240	302	170	0.02	0.002	0.05	0.05	0.002	1.1	0.01	0.01	1.1	0.05	0.01	330	270	27500	9		
	1/05/2019			23.2	8.19	4553	7.72	-62	5	6.1		800	127	119	25	1300	294	188	0.01	0.002	0.05	0.02	0.001	0.9	0.01	0.01	0.9	0.04	0.01			63600	10		
	5/06/2019			18.4	7.7	4147	7.4	73	6	-9.7		710	128	110	24	1270	306	224	0.01	0.002	0.05	0.03	0.002	1.4	0.02	0.04	1.3	0.36	0.06			11900	11		
	2019/2020	3/07/2019			19.7	8.39	6587	7.05	87	5	1.8	5	733	125	108	24	1280	249	224	0.01	0.001	0.05	0.01	0.001	1.3	0.02	0.14	1.1	0.14	0.16	50	40	19800	10	
31/07/2019				18.4	8.39	7215	6.6	95.8	5	9.1		702	125	110	24	1330	304	212	0.01	0.001	0.05	0.02	0.001	1.1</											

Appendix 5

Groundwater Monitoring Results

(Total No. of pages including blank pages = 18)



617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB1

Site: MB1		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
	Objective	-	-	-	6.5-8.5	<3000	-	-	-	<10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01		
2/07/2002					6.98	1516									108	492			0.01		1.09									
18/07/2002					6.59	1854	0.91																							
19/07/2002															53	437			0.01		7.15									
28/08/2002					6.85	1364									35	425			0.01		15.7									
1/10/2002					6.84	1272	0.64																							
23/10/2002					6.54	1372	0.91																							
24/10/2002															55	227			0.09		3.14									
28/11/2002					6.66	1215	1.07																							
13/12/2002					7.32	1463	1.28																							
16/12/2002															59	271			0.01		0.69									
20/01/2003					7.31	1587									58	287			0.01		3.61									
24/06/2003					7.01		4.98	23				58	193	36	103	375	230		0.01		3.95									
22/07/2003					7.11		7.66																							
28/08/2003					6.79		2.03																							
29/09/2003					6.76		0.9																							
24/10/2003					6.96		3.53																							
30/11/2004					7	1536																								
16/12/2004					7.24	1087																								
13/01/2005					7	978																								
2/02/2005					6.9		0.14																							
8/03/2005					6.85	872	0.05	-85				40	139	25	5	55	216	153	0.04		18									
10/05/2005					6.85	880												143												
19/07/2005					7.07	1109	0.54					44	178	25	5	80	246	165	0.12		19									
5/08/2005					7.48	1066	0.68																							
10/11/2005					7.21	985	0.27					31	121	20	5	75	173	142	0.11		13									
12/01/2006					7.12	1214	0.29					36	136	22	5	63		170	0.11		14									
7/04/2006					7.18	1036	0.20																							
3/05/2006					7.12	1005	0.18																							
10/05/2006					7.01	1002	0.20	-155				38	135	21	5	42	161	186	218	0.01		5.51								
19/05/2006					6.88	1008	0.66																							
26/05/2006					6.43	905	0.42																							
1/06/2006					6.92	948	0.48																							
8/06/2006					6.84	1016	0.36																							
15/06/2006					7.08	1029	0.21					37	176	25	5	124	191	110	0.14		12									
23/06/2006					6.71	1100	0.38	-113																						
29/06/2006					6.43	1006	0.20																							
6/07/2006					7.76	935	0.21	-168																						
13/07/2006																		183												
14/07/2006					7.05	978	0.35																							
8/02/2007					6.87	979	0.32	-102				45	143	20	5	80	171		0.04		22									
4/03/2007																														
29/08/2007					7.1	1026	0.31	-1398				33	113	15	5	40	103	160	0.01		6.51									
26/10/2007					7.02	733	0.20					32	100	16	5	52	102	181	0.01		0.24									
14/11/2007					6.74	828	0.26					37	105	17	5	38	96	180	0.01		11									
2/09/2008					7.4	840																								
4/09/2017		0.86	0.34	19.8	6.96	581	0.2	-81		1.4	5	43	81	15	4	48	12	292	0.02	0.001	5.04	0.11	0.010	0.60	0.01	0.01	0.6	0.39	0.01	
5/10/2017		0.97	0.23	21.8	7.16	576	1.77	-18.1	32	35	5	36	77	13	4	50	10	275	0.12	0.001	12.8	0.46	0.010	0.70	0.01	0.01	0.7	0.28	0.01	
30/10/2017	Commencement of extraction																													
28/11/2017		1.27	-0.07	23.6	7.2	526	1.2	11.5	12	4.9	5	38	77	13	4	41	7	287	0.01	0.001	0.05	0.08	0.010	0.70	0.01	0.21	0.5	0.14	0.22	
13/12/2017		1.13	0.07	25.3	7	624	0.21	-83		4.5		31	87	10	3	32	4	268	0.01	0.001	0.05	0.16	0.010	0.60	0.01	0.01	0.6	0.43	0.01	
11/01/2018		1.38	-0.18	24.8	7.78	642	0.46	-142		5.7	5	31	107	11	4	28	3	317	0.01	0.001	0.05	0.18	0.010	1.20	0.01	0.01	1.2	0.55	0.01	
24/01/2018		1.76	-0.56	23.8	7.48	717	0.52	-32.7		15.8		27	105	9	4	24	6	295	0.01	0.001	8.29	0.14	0.010	1.10	0.01	0.02	1.1	0.78	0.03	
6/02/2018		1.76	-0.56	25	7.09	722	1.15	-109		7.5	5	29	100	10	3	115	27	320	0.01	0.001	0.05	0.12	0.010	0.70	0.01	0.01	0.7	0.47	0.01	
8/02/2018	Last day of first extraction campaign.																													
8/03/2018		0.75	0.45	23.9	7.02	689	0.18	-92		1.8		24	96	11	3	26	7	335	0.01	0.001	0.11	0.11	0.010	1.20	0.01	0.02	1.2	0.56	0.02	
13/04/2018		0.92	0.28	25	6.66	692	2.73	-69		4.3		31	101	11	3	23	14	326	0.01	0.001	9.5	0.18	0.010	0.70	0.01	0.01	0.7	0.29	0.01	
31/05/2018		0.93	0.27	20.7	7.21	601	0.72	-86		0.5	5	21	102	10	3	38	20	316	0.01	0.001	5.1	0.11	0.010	0.60	0.01	0.01	0.6	0.35	0.01	
24/10/2018		0.81	0.39	19.3	6.93	707	1.08	-97.1	26	1.2	5	21	92	10	3	38	8	307	0.05	0.005	8.77	0.17	0.010	0.8	0.01	0.01	0.8	0.39	0.01	
3/12/2018		1.08	0.12	21	7.12	721	0.6	-95.7	23	0.2		31	83	10	3	37	9	301	0.01	0.001	7.8	0.13	0.010	0.7	0.01	0.01	0.7	0.36	0.01	
17/12/2018		1.05	0.15	20.8	7.42	639	0.39	-159	29	0.3		31	83	10	3	34	6	284	0.01	0.001	8.2	0.11	0.010	0.4	0.01	0.01	0.4	0.31	0.01	
15/01/2019		1.18	0.02	24.4	7.07	612	0.35	-123.5	24	2.7	5	31	89	10	3	33	10	303	0.01	0.001	10.2	0.17	0.010	0.6	0.01	0.01	0.6	0.38	0.01	
6/02/2019	Cap Missing	1.34	-0.14	23	6.95	593	0.51	-147.9	31	-0.2		37	99	12	3	32	7	298	0.01	0.001	0.05	0.18	0.080	0.5	0.01	0.01	0.5	0.31	0.01	
21/02/2019	No Cattle Noted. MB1 logger dropped to bottom of bore - cattle?	1.41	-0.21	24.4	7.07	654	0.31	-186.9	30	44.6		33	90	11	3	32	4	277	0.01	0.001	13.6	0.26	0.010	0.7	0.01	0.01	0.7	0.44	0.01	
6/03/2019	Cattle on site. Downloaded loggers (elevation & rain). Retrieved logger from MB1	1.41	-0.21	26	7.13	674	0.66	-145	33	9.4		34	92	11	3	41	3	596	0.01	0.001	9.97	0.28	0.003	0.7	0.01	0.02	0.7	0.33	0.02	
20/03/2019		0.95	0.25	24.5	7.14	841	1.21	-21.4	34	0.41		32	100	10	4	28	3	309	0.01											

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB1**

2019/2020	3/07/2019		0.81	0.39	21.65	7.19	1098	0.18	-62.2	51	7.8	5	29	132	8	5	24	6	378	0.01	0.001	19.4	0.26	0.001	1.9	0.01	0.01	1.9	0.91	0.01
	31/07/2019	Ants and eggs	0.9	0.3	20.4	6.87	1327	0.33	-114.4	35	14.7		32	116	10	4	39	6	348	0.01	0.001	11.1	0.17	0.045	1.4	0.01	0.01	1.4	0.91	0.01
	4/09/2019	Logger removed on 04/09/19 and replaced on 06/09/19	0.98	0.22	22.1	6.9	918	0.7	-137	17	12.2		44	111	10	4	40	5	336	0.01	0.001	11.7	0.2	0.108	1.6	0.01	0.01	1.6	1.11	0.01
	2/10/2019		1.13	0.07	21.9	6.9	852	1.7	-93.8	26	3.2	5	42	114	10	4	48	1	313	0.01	0.001	10	0.23	0.079	2.6	0.01	0.01	2.6	1.44	0.01
	6/11/2019		1.3	-0.1	21.8	6.8	756	2.6	-72.1	86	6.1		32	105	10	4	36	2	364	0.01	0.001	10.9	0.25	0.011	1.8	0.01	0.01	1.8	0.97	0.01
15/01/2020	data logger would not sync. pH meter calibration issue - spurious data.	1.6	-0.4	22.1	8.4*	744	0.55	-67.9	5	1.3		43	103	10	4	43	2	302				0.19	0.01	1.4	0.01	0.01	1.4	0.62	0.01	
28/04/2020	Monitoring bore damaged (buried during drain cleaning) and requires repair. No sample could be obtained. Bore and logger recovered 10/07/20.																													
2020/2021	16/09/2020		0.61	0.59	20.3	6.76	705	1.39	-113.3	47	2546.77	5	27	112	11	4	27	1	368	0.01	0.001	10.9	0.22	0.017	0.01	0.01	0.01	1.2	0.56	0.01
	14/10/2020	Overcast	0.79	0.41	21.2	6.51	670	2.09	-92.6	30	25.4	5	26	119	11	4	28	1	355	0.01	0.001	10.2	0.18	0.001	0.01	0.01	0.01	1	0.47	0.01
	11/11/2020		0.83	0.37	22	6.67	722	1.69	-94.7	29	4.9		28	117	11	4	27	5	332	0.01	0.001	13	0.18	0.044	0.04	0.01	0.04	1.2	0.62	0.04
	10/06/2021		0.47	0.73	18.9	6.88	528	2.4	7.5	20	48.38		23	93	9	3	26	4	280	0.01	0.001	0.05	0.04	0.001	0.4	0.01	0.05	0.3	0.01	0.05
2021/2022	20/10/2021		0.49	0.71	22.41	7.04	642	1.15	-14.1	NLM	63	NLM	22	100	7	3	28	1	297	0.01	0.001	12.3								
	25/01/2022		0.42	0.78	22.7	7.04	610	2.55	-34.5	NLM	63	NLM	23	107	8	9	22	1	308	0.01	0.004	6.79	1.28		6.6	0.01	0.01	6.6	4.99	0.01
	22/02/2022		0.47	0.73	23.79	7.16	527	1.42	-36.3	NLM	66	NLM	23	99	7	5	29	1	290	0.01	0.001	8.93								
	27/04/2022		0.3	0.9	21.66	6.46	74	1.22	-11.5	NLM	83	NLM	12	6	3	3	20	7	24	0.01	0.001	0.05	0.16		1.3	0.01	0.31	1	0.08	0.31
	23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																													

Pre-Extraction	Average	0.92	0.285	20.8	6.98	1081	0.96	-233.0	32	18.2	5	39	131	21	5	64	220	186	0.05	0.001	9.18	0.29	0.010	0.7	0.01	0.01	0.7	0.34	0.01
	Maximum	0.97	0.340	21.8	7.76	1854	7.66	23.0	32	35.0	5	58	193	36	5	124	492	292	0.14	0.001	22.00	0.46	0.010	0.7	0.01	0.01	0.7	0.39	0.01
	Minimum	0.86	0.230	19.8	6.43	576	0.05	-1398.0	32	1.4	5	31	77	13	4	35	10	110	0.01	0.001	0.24	0.11	0.010	0.6	0.01	0.01	0.6	0.28	0.01
	80th Percentile	ID	ID	ID	7.17	1327	1.07	-18.1	ID	ID	ID	44	176	25	5	80	375	230	0.11	ID	15.70	ID	ID	ID	ID	ID	ID	ID	ID
	20th Percentile	ID	ID	ID	6.78	890	0.20	-168.0	ID	ID	ID	33	96	15	5	42	102	143	0.01	ID	3.14	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average	0.42	ND	22.6	6.93	463	1.59	-24.1	NLM	68.8	NLM	20	78	6	5	25	3	230	0.01	0.002	7.02	0.72	NLM	4.0	0.01	0.16	3.8	2.54	0.16
	Maximum	0.49	0.900	23.8	7.16	642	2.55	-11.5	NLM	83.0	NLM	23	107	8	9	29	7	308	0.01	0.004	12.30	1.28	NLM	6.6	0.01	0.31	6.6	4.99	0.31
	Minimum	0.30	0.710	21.7	6.46	74	1.15	-36.3	NLM	63.0	NLM	12	6	3	3	20	1	24	0.01	0.001	0.05	0.16	NLM	1.3	0.01	0.01	1.0	0.08	0.01
All Results	Average	1.00	0.204	22.5	6.99	897	1.00	-116.3	30	88.2	5	32	108	13	4	45	85	278	0.02	0.001	8.35	0.21	0.019	1.1	0.01	0.03	1.1	0.65	0.03
	Maximum	1.76	0.900	26.0	7.78	1854	7.66	23.0	86	2546.8	5	58	193	36	9	124	492	596	0.14	0.005	22.00	1.28	0.108	6.6	0.01	0.31	6.6	4.99	0.31
	80th Percentile	1.33	0.442	24.4	7.16	1098	1.40	-28.2	34	42.7	5	38	120	17	5	56	188	334	0.02	0.001	12.60	0.23	0.018	1.4	0.01	0.02	1.4	0.81	0.02
	Median (50th Percentile)	0.96	0.240	22.1	7.00	852	0.60	-93.2	29	5.7	5	31	105	11	4	38	9	298	0.01	0.001	9.50	0.17	0.010	0.7	0.01	0.01	0.8	0.44	0.01
	20th Percentile	0.76	-0.132	20.8	6.79	642	0.24	-139.0	22	0.6	5	26	91	10	3	27	3	181	0.01	0.001	0.85	0.12	0.006	0.6	0.01	0.01	0.6	0.31	0.01
Minimum	0.30	-0.560	18.9	6.43	74	0.05	-1398.0	5	-8.6	5	12	6	3	3	20	1	24	0.01	0.001	0.05	0.04	0.001	0.0	0.01	0.01	0.1	0.01	0.01	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB2

Site: MB2		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mg/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
	Objective	-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
22/05/2002																20	27		0.86		7.77									
2/07/2002					7.42	1875										20	17		1.08		7.04									
18/07/2002					6.88	2380	1.13																							
19/07/2002																14	17		0.97		7.93									
28/08/2002					5.93	160									10	18		1.45			9.5									
1/10/2002					7.72	180	0.67																							
23/10/2002					7.38	2394	0.86																							
24/10/2002																22	13		1.5		8.06									
28/11/2002					6.67	178	0.79																							
13/12/2002					6.36	174	1.15																							
16/12/2002																27	19		1.32		8.28									
20/01/2003					6.92	1909										24	16		1.92		8.84									
24/06/2003					6.39		0.8	216				18	1	1		24	13	11	0.44		3.13									
22/07/2003					6.53		5.09																							
28/08/2003					6.61		3.8																							
29/09/2003					5.96		0.6																							
24/10/2003					6.66		3.47																							
30/11/2004					5.65	138																								
16/12/2004					6.43	139																								
13/01/2005					6.67	365																								
2/02/2005					6.22		0.37																							
8/03/2005					6.81	115	0.28	-130				15	0.43	0.46	17	22	14	15.9	6.37		9.14									
10/05/2005					5.56	118																								
19/07/2005					4.62	161	0.21					18	0.8	0.4	17	40	17	14.6	3.95		6.57									
10/11/2005					5.87	348	0.21					15	1.42	0.4	14	45	14	17	4.81		7.38									
12/01/2006					5.49	182	0.26					17	1.8	0.6	19	34		60	6.16		7.71									
7/04/2006					5.88	188	0.20																							
3/05/2006					5.6	142	0.25										23													
10/05/2006					6.07	88	0.16	-104				12	0.2	0.2	19	14	14	14	0.73		3.12									
19/05/2006					5.61	123	0.32																							
26/05/2006					6.1	139	0.23																							
1/06/2006					6.07	199	0.43																							
8/06/2006					6.4	139	0.30																							
15/06/2006					6.05	134	0.28					16	0.5	0.2	20	37	16	11	1.21		4.85									
23/06/2006					4.95	131	0.23	-29																						
29/06/2006					5.75	133	0.28																							
6/07/2006					5.28	115	0.17	-21																						
13/07/2006																	7.8													
14/07/2006					5.33	132	0.27																							
8/02/2007					5.05	150	0.33	-10				16	0.4	0.3	20	27	16		1.98		6.88									
29/08/2007					5.69	178.4	0.24	110.9				17	0.4	0.6	15	28	16	10	2.08		5.76									
26/10/2007					5.4	124.4	0.17					23	0.7	1	15	33	14	7	1.42		5.8									
14/11/2007					5.76	129.3	0.22					22	0.3	2	13	38	21	7	1.5		6.78									
2/09/2008					6.1	127.6																								
4/09/2017		1.64	0.31	20.8	5.47	114	0.17	46		7.3	5	12	0.9	0.9	6	16	0.9	16	0.48	0.011	3.84	0.07	0.07	0.80	0.01	0.01	0.8	0.29	0.01	
5/10/2017		1.77	0.18	21.7	5.53	99.9	0.53	-32.7	9	14.4	5	13	1	0.9	4	22	2	11	0.43	0.009	3.54	0.08	0.03	0.60	0.01	0.01	0.6	0.19	0.01	
30/10/2017	Commencement of extraction																													
28/11/2017		2.89	-0.94	23.5	5.64	514	2.46	7.2	5	0.3	5	70	4	2	14	125	80	12	0.04	0.004	37.4	0.03	0.01	0.60	0.01	0.01	0.6	0.39	0.01	
13/12/2017		2.34	-0.39	25.4	5.17	470	0.65	-103		5.8		57	7	3	8	102	51	1	0.11	0.004	19.5	0.04	0.02	0.50	0.01	0.01	0.5	0.23	0.01	
11/01/2018		2.69	-0.74	25.1	5.56	749	0.62	-5		6.7	5	119	11	8	26	182	159	1	0.05	0.002	18.9	0.06	0.01	1.50	0.01	0.01	1.5	0.77	0.01	
24/01/2018		2.66	-0.71	24.1	5.76	582	0.34	-5		14.8		72	10	5	7	152	67	12	0.2	0.008	23.4	0.04	0.02	0.80	0.01	0.01	0.8	0.2	0.01	
6/02/2018		2.6	-0.65	26.1	5.55	705	0.37	2		6.2	5	97	20	9	7	162	92	23	0.07	0.014	16.8	0.14	0.01	1.50	0.01	0.01	1.5	0.45	0.01	
8/02/2018	Last day of first extraction campaign.																													
8/03/2018		1.56	0.39	24.2	5.85	872	0.19	-115		6.7		95	25	8	6	185	92	28	0.15	0.007	16.1	0.02	0.02	1.30	0.01	0.01	1.3	0.38	0.01	
13/04/2018		1.67	0.28	24.5	5.33	882	1.28	-20		1.5		116	19	8	6	178	103	12	0.12	0.018	20.3	0.05	0.02	0.80	0.01	0.01	0.8	0.17	0.01	
31/05/2018		1.69	0.26	22.3	7.18	718	0.74	19.4		13.4	5	102	19	7	6	180	100	1	0.15	0.014	18.8	0.02	0.01	0.04	0.01	0.01	0.4	0.19	0.1	
24/10/2018		1.5	0.45	20.25	5.18	840	0.31	-8.1	5	0.5	5	96	11	6	10	189	134	17	0.13	0.025	30	0.05	0.01	0.7	0.01	0.01	0.7	0.32	0.01	
3/12/2018		1.77	0.18	22.9	5.22	835	2.85	39.1	9	2.1		99	10	8	13	173	115	15	0.11	0.031	33.2	0.06	0.02	0.8	0.01	0.01	0.8	0.58	0.01	
17/12/2018		1.82	0.13	22.1	5.94	584	2.2	0.3	27	12.6		81	9	6	14	128	119	5	0.13	0.032	21.4	0.06	0.01	1	0.01	0.01	1	0.42	0.01	
15/01/2019		1.9	0.05	23.8	5.41	423	0.38	-71	8	8.2	5	70	10	5	11	100	85	4	0.13	0.026	23.1	0.05	0.01	0.8	0.01	0.01	0.8	0.41	0.01	
6/02/2019		2.05	-0.1	23.5	5.17	309	0.75	61.5	41	7		41	5	4	10	70	57	4	0.15	0.03	12	0.06	0.005	0.9	0.01	0.01	0.9	0.3	0.01	
21/02/2019		2.15	-0.2	23.6	5.25	427.5	0.46	5.4	28	70.6		37	5	3	11	51	36	11	0.17	0.028	20.3	0.05	0.03	0.7	0.01	0.01	0.7	0.14	0.01	
6/03/2019		2.13	-0.18	24.9	5.28	620	0.54	-90.1	5	5.7		89	8	5	10	136	76	17	0.14	0.022	21.8	0.04	0.005	0.6	0.01	0.01	0.6	0.27	0.01	
20/03/2019		1.72	0.23	24.5	5.48	478	0.79	75.4	8	0.23		54	6	4	10	89	60	16	0.18	0.026	16.6									

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB2**

2020/2021	7/07/2020	Cloudy	1.35	0.6	21.8	6.9	153	0.9	9.2	5	153	5	19	2	1	4	25	10	7	0.46	0.071	5.84	0.25	0.22	1.9	0.01	0.01	1.9	0.2	0.01
	12/08/2020	Clear	1.22	0.73	21	5.2	98	0.77	-47	16	431	5	14	1	1	3	8	7	17	0.39	0.027	1.2	0.21	0.028	2	0.01	0.01	2	0.15	0.01
	16/09/2020		1.36	0.59	20.8	5.49	118.4	2.01	26.1	14	4009.23	5	16	2	1	4	15	8	13	0.62	0.058	4.6	0.26	0.026	0.01	0.01	0.01	2	0.28	0.01
	14/10/2020		1.57	0.38	20.2	6.09	123.3	1.74	-26.7	6	724.5	5	15	2	1	4	25	10	11	0.58	0.051	4.85	0.17	0.006	0.01	0.01	0.01	2	0.29	0.01
	11/11/2020	Cloudy, Odour	1.61	0.34	21.3	5.72	159.7	1.86	-13.9	5	133.7		18	2	1	4	31	8	5	0.49	0.047	7.44	0.08	0.013	0.01	0.01	0.01	1.3	0.24	0.01
	10/06/2021		1.25	0.7	20.6	5.32	121.2	1.23	80.33	10	13.5		17	2	1	4	21	8	11	0.32	0.001	0.05	0.07	0.002	1.3	0.01	0.01	1.3	0.31	0.01
2021/2022	20/10/2021		1.2	0.75	20.9	5.18	174	0.53	92.4		10		22	2	2	5	31	8	11	0.34	0.01	6.01								
	25/01/2022		1.13	0.82	24.4	5.73	65	3.05	51.3		15		15	2	1	6	20	2	17	0.13	0.008	2.83	0.12		1.5	0.01	0.03	1.5	0.61	0.03
	22/02/2022		1.2	0.75	25.05	5.31	69	1.83	70.7		14		15	2	15	6	30	2	10	0.12	0.007	2.55								
	27/04/2022		0.98	0.97	22.73	5.59	78	1.68	38.4		45.7		18	2	1	7	32	10	12	0.1	0.007	0.2	0.07		1.1	0.01	0.28	0.8	0.09	0.28
	23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
	22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																												

Pre-Extraction	Average	1.71	0.245	21.3	6.07	383	0.74	5.1	9	10.9	5	16	1	1	15	26	15	16	2.03	0.010	6.60	0.075	0.050	0.7	0.01	0.01	0.7	0.24	0.01	
	Maximum	1.77	0.310	21.7	7.72	2394	5.09	216.0	9	14.4	5	23	2	2	20	45	27	60	6.37	0.011	9.50	0.08	0.070	0.8	0.01	0.01	0.8	0.29	0.01	
	Minimum	1.64	0.180	20.8	4.62	88	0.16	-130.0	9	7.3	5	12	0	0	4	10	1	7	0.43	0.009	3.12	0.07	0.030	0.6	0.01	0.01	0.6	0.19	0.01	
	80th Percentile	ID	ID	ID	6.67	197	0.81	110.9	ID	ID	ID	19	1	1	19	36	19	17	3.58	ID	8.24	ID	ID	ID	ID	ID	ID	ID	ID	ID
	20th Percentile	ID	ID	ID	5.51	123	0.21	-104.0	ID	ID	ID	13	0	0	10	17	13	8	0.76	ID	4.04	ID	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average	1.13	ND	23.3	5.45	97	1.77	63.2	NLM	21.2	NLM	18	2	5	6	28	6	13	0.17	0.008	2.90	0.10	NLM	1.3	0.01	0.16	1.2	0.35	0.16	
	Maximum	1.20	0.970	25.1	5.73	174	3.05	92.4	NLM	45.7	NLM	22	2	15	7	32	10	17	0.34	0.010	6.01	0.12	NLM	1.5	0.01	0.28	1.5	0.61	0.28	
	Minimum	0.98	0.750	20.9	5.18	65	0.53	38.4	NLM	10.0	NLM	15	2	1	5	20	2	10	0.10	0.007	0.20	0.07	NLM	1.1	0.01	0.03	0.8	0.09	0.03	
All Results	Average	1.77	0.182	22.8	5.81	420	0.93	7.7	15	165.1	5	47	6	4	10	72	46	12	0.87	0.035	13.55	0.08	0.022	0.9	0.01	0.02	1.0	0.33	0.02	
	Maximum	2.89	0.970	26.1	7.72	2394	5.09	216.0	62	4009.2	5	119	25	15	26	189	159	60	6.37	0.116	37.40	0.26	0.220	2.0	0.01	0.28	2.0	0.77	0.28	
	80th Percentile	2.13	0.620	24.5	6.40	713	1.28	64.4	27	50.7	5	81	10	7	14	135	92	17	1.40	0.063	22.84	0.10	0.026	1.3	0.01	0.01	1.5	0.42	0.01	
	Median (50th Percentile)	1.71	0.245	22.8	5.63	178	0.60	4.8	8	10.2	5	34	4	3	10	38	20	11	0.27	0.026	8.28	0.06	0.014	0.9	0.01	0.01	0.9	0.30	0.01	
	20th Percentile	1.33	-0.184	21.0	5.28	124	0.25	-44.1	5	3.9	5	16	1	1	6	22	10	4	0.13	0.008	4.70	0.05	0.005	0.6	0.01	0.01	0.7	0.20	0.01	
Minimum	0.98	-0.940	20.2	4.62	65	0.16	-130.0	2	0.0	5	12	0	0	3	8	1	1	0.04	0.001	0.05	0.02	0.001	0.0	0.01	0.01	0.1	0.09	0.01		

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB10

Site: MB10		Physical										Major Cations & Anions						Metals			Nutrients								
Sample Date	Comments	Water Level Top of casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity us/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L
Objective		-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
9/06/2005					7.41																								
16/06/2005					8.75	36300	1.96					7330	205	1130	292	12828	2490		0.09		1.61								
19/07/2005					7.09	38200	0.71					7440	233	1150	290	350	1740	302	0.34		1.96								
5/08/2005					7.71	33000	2.13																						
10/11/2005					7.43	36400	3.48					6860	139	169	213	13250	1600	852	0.12		0.88								
12/01/2006					7.34	43800	0.71					7460	161	1070	213	13086		806	0.15		0.81								
25/01/2006					7.43	74900																							
7/04/2006					7.51	28600	2.69																						
3/05/2006					7.25	31900	2.16										1890												
10/05/2006					7.64	36900	3.86	-187																					
19/05/2006					7.07	36300	1.40																						
26/05/2006					7.31	33600	2.69																						
1/06/2006					7.65	33800	1.12																						
8/06/2006					7.71	35100	3.15																						
15/06/2006					7.33	30000	2.01																						
23/06/2006								-129																					
29/06/2006					7.44	34400	2.28																						
6/07/2006					7.55	32000		-100																					
13/07/2006																		247											
14/07/2006					7.53	30800	1.81																						
30/01/2007					7.22	32300	0.57	-48																					
8/02/2007					7.46	28600	2.78	-80				758	136	107		1345	176		0.02		0.19								
29/08/2007					7.71	45200	4.11	13.5				7500	210	1010	251	14750	1780	570	0.01		0.02								
26/10/2007					7.28	32200	0.38					1170	162	444	245	13500	1200	766	0.01		0.01								
14/11/2007					7.58	3640	2.58					6807	198	1057	262	12800	1789		0.01		0.01								
2/09/2008					7.3	41300																							
4/09/2017		1.37	0.25	19.9	8.11	1605	3.9	107		13	5	109	33	18	26	195	78	651	0.15	0.002	0.57	2.71	2.56	152.00	3.2	0.18	149	136	3.38
5/10/2017		1.46	0.16	23.7	8.07	1988	0.89	-159	5	5.97	5	94	30	17	24	194	77	684	0.03	0.002	0.1	3.32	3.22	162.00	4.39	1.2	157	158	5.59
30/10/2017	Commencement of extraction																												
28/11/2017		2	-0.38	22.8	8.14	1866	0.33	-187	5	1.1	5	104	30	17	26	199	76	757	0.01	0.002	0.18	3.35	2.99	186.00	1.9	0.36	184	150	2.26
13/12/2017		1.79	-0.17	23.7	8.13	2210	0.23	-214		30		113	35	19	28	204	71	650	0.02	0.001	0.09	3.11	3.41	145.00	0.01	0.01	0.5	0.23	0.01
11/01/2018		2.23	-0.61	25.2	8.1	2065	0.26	-205		7.3	5	115	30	18	29	211	77	619	0.01	0.002	0.06	3.17	3.49	161.00	0.03	0.02	161	168	0.05
24/01/2018		2.24	-0.62	24	8.11	2118	0.44	-111.8		6		103	33	18	25	230	75	614	0.03	0.001	0.06	3.23	3.86	155.00	1.12	0.17	154	174	1.29
6/02/2018		2.07	-0.45	24.6	7.79	10724	0.86	-224		5.8	5	4470	166	675	152	7150	826	837	0.01	0.001	0.09	1.75	1.76	64.00	1.09	0.26	62.7	64.5	1.35
8/02/2018	Last day of first extraction campaign.																												
8/03/2018		1.25	0.37	23.5	7.32	35568	0.08	-210		3.2		6800	224	1020	219	12000	1770	1090	0.05	0.005	0.06	1.05	1	33.40	0.01	0.04	33.4	22.8	0.04
13/04/2018		1.67	-0.05	24.8	7.12	36887	1.84	-72		3.2		6590	236	1060	217	11800	1680	1140	0.05	0.005	0.23	1.24	1.26	36.10	0.01	0.01	36.1	31.2	0.01
31/05/2018		1.53	0.09	21	7.46	30959	0.89	-187		19.8	5	6140	169	927	203	12200	1770	1170	0.05	0.005	0.05	1.04	1.13	25.80	0.01	0.01	25.8	30	0.01
24/10/2018		1.31	0.31	20.6	7.71	37680	1.58	-119		2.7	5	6770	218	998	210	12300	1870		0.05	0.005	0.27	1.21	1.02	31.5	0.01	0.01	31.5	27.4	0.01
3/12/2018		1.71	-0.09	23.1	7.59	37120	1.49	-118.9	38	3.2		6400	229	1000	207	11900	1780	1130	0.05	0.005	0.13	0.98	0.93	30.9	0.01	0.04	30.9	28	0.04
17/12/2018		1.71	-0.09	21.5	7.09	33706	1.91	-135	8	4.1		6540	207	1070	225	10500	1670	1120	0.05	0.005	0.13	0.98	1.1	3.47	0.04	0.01	34.7	27	0.03
15/01/2019		1.84	-0.22	23.6	7.21	31347	0.09	-260	5	0.1	5	6040	219	986	205	11700	1680	1120	0.05	0.005	0.21	1.07	0.99	29.5	0.01	0.02	29.5	30.1	0.02
6/02/2019		1.91	-0.29	22.2	7.11	31974	4.7	-205	5	0.2		6840	232	1100	234	11800	1890	1120	0.05	0.005	0.08	1.14	0.987	29.3	0.01	0.01	29.3	27.1	0.01
21/02/2019		2.06	-0.44	23.8	7.1	34927	0	-270.6	5	1.3		6490	214	1020	222	12000	1910	1100	0.05	0.005	0.11	1.06	1.06	30.7	0.04	0.02	30.6	27.6	0.06
6/03/2019		1.98	-0.36	26.3	7.28	37096	5.4	-273	5	5.1		6090	204	952	198	12200	1890	1160	0.05	0.005	0.08	0.97	0.945	29.8	0.14	0.01	29.8	26.4	0.03
20/03/2019		1.35	0.27	24.6	7.43	43460	0.65	-38.2	6	28.01		7120	272	1150	232	11800	1800	1140	0.1	0.005	0.08	1.01	1.04	28.8	0.01	0.05	28.8	26.6	0.05
4/04/2019		1.24	0.38	24.09	7.45	39080	0.52	-40.9	10	24.89	5	7610	244	1140	254	11500	1710	1090	0.05	0.005	0.1	1.02	1.03	2.94	0.01	0.01	29.4	25.4	0.01
1/05/2019		1.46	0.16	23.2	7.25	33600	2.34	-116	5	1.5		6850	227	1100	224	11900	1630	1100	0.05	0.005	0.07	0.96	1.04	29.2	0.43	0.01	28.8	25.1	0.44
5/06/2019		1.55	0.07	21	7.5	32000	0.84	-10	8	-11.1		7360	243	1170	249	11800	1760	1060	0.01	0.001	0.05	1.18	0.975	31.3	0.53	0.03	30.7	26.8	0.56
3/07/2019		1.29	0.33	20.72	7.71	49170	0.2	44.9	5	0.5	5	7260	248	1130	241	12000	1680	1160	0.05	0.005	0.05	1	1.05	30.6	0.01	0.02	30.6	28.4	0.03
31/07/2019																													

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB10**

Pre-Extraction	Average	1.42	0.205	21.8	7.53	32513	2.15	-72.8	5	9.5	5	4553	151	617	202	8230	1282	610	0.09	0.002	0.62	3.02	2.890	157.0	3.80	0.69	153.0	147.00	4.49
	Maximum	1.46	0.250	23.7	8.75	74900	4.11	107.0	5	13.0	5	7500	233	1150	292	14750	2490	852	0.34	0.002	1.96	3.32	3.220	162.0	4.39	1.20	157.0	158.00	5.59
	Minimum	1.37	0.160	19.9	7.07	1605	0.38	-187.0	5	6.0	5	94	30	17	24	194	77	247	0.01	0.002	0.01	2.71	2.560	152.0	3.20	0.18	149.0	136.00	3.38
	80th Percentile	ID	ID	ID	7.71	37940	3.28	32.2	ID	ID	ID	7456	209	1118	290	13450	1870	815	0.15	ID	1.46	ID	ID	ID	ID	ID	ID	ID	ID
20th Percentile	ID	ID	ID	7.28	30640	0.79	-163.8	ID	ID	ID	1088	138	157	213	1146	995	269	0.01	ID	0.01	ID	ID	ID	ID	ID	ID	ID	ID	
Reporting Period (2021/2022)	Average	2.91	-1.288	21.9	6.87	1107	2.52	59.0	20	84.4	5	47	188	19	7	78	163	374	0.01	0.004	3.20	0.04	0.003	1.3	0.02	0.45	1.7	0.42	0.46
	Maximum	4.77	-0.540	24.4	7.50	1483	3.74	149.0	43	268.0	5	81	293	25	8	142	436	420	0.02	0.011	15.50	0.06	0.008	3.0	0.04	0.79	2.2	0.88	0.79
	Minimum	2.16	-3.150	19.5	6.50	885	1.97	-89.3	5	18.7	5	27	148	16	6	39	64	342	0.01	0.001	0.05	0.01	0.001	0.3	0.01	0.01	1.3	0.13	0.01
All Results	Average	1.89	-0.274	22.8	7.47	28124	1.76	-83.1	10	18.4	5	4625	182	701	168	8162	1244	845	0.05	0.004	0.64	1.35	1.297	50.9	0.45	0.16	47.8	43.55	0.60
	Maximum	4.77	0.380	26.3	8.75	74900	5.40	149.0	43	268.0	5	7610	293	1170	292	14750	2490	1170	0.34	0.011	15.50	3.35	3.860	186.0	4.39	1.20	184.0	174.00	5.59
	80th Percentile	2.19	0.196	24.5	7.71	37644	2.73	47.0	12	24.0	5	7104	235	1100	241	12280	1798	1124	0.05	0.005	0.27	2.71	2.080	104.9	0.75	0.29	68.8	44.52	0.99
	Median (50th Percentile)	1.79	-0.165	23.2	7.45	33600	1.81	-94.7	5	4.6	5	6515	209	999	213	11800	1675	955	0.05	0.005	0.09	1.03	1.010	30.2	0.02	0.02	30.2	27.20	0.05
	20th Percentile	1.42	-0.568	20.9	7.20	2136	0.48	-205.0	5	0.9	5	105	141	18	26	200	77	510	0.01	0.002	0.05	0.90	0.900	3.3	0.01	0.01	16.4	13.79	0.01
Minimum	1.24	-3.150	19.5	6.50	73	0.00	-273.0	5	-11.1	5	27	30	16	6	39	64	247	0.01	0.001	0.01	0.01	0.001	0.3	0.01	0.01	0.5	0.13	0.01	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB11

Site: MB11		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objective		-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01		
Pre-Extraction	16/06/2005				6.81	1625	0.65					220	211	72	19	300	484		3.13		11									
	19/07/2005				7.42	1553	1.00					127	289	65	11	311	456	302	0.64		3.57									
	5/08/2005				7.54	1492	1.13																							
	10/11/2005				7.37	1505	0.54					51	191	50	11	90	520	235	0.15		1.08									
	12/01/2006				7.25	1743	0.40					149	215	67	16	74		432	0.15		3.14									
	3/05/2006																360													
	8/02/2007				7.32	1312	2.11	-144																						
	2/09/2008				7.6	1552																								
	4/09/2017	Purged for 5 mins to clear debris - sulphide (black) particles & ants removed. Strong odour	1.39	0.2	19.1	7.14	1056	0.37	-74		43.1	5	39	180	49	10	47	328	351	0.39	0.001	5.42	0.64	0.01	4.60	0.01	0.01	4.6	1.48	0.01
5/10/2017	Few black particles (sulphides)	1.29	0.3	20.8	7.08	1174	1.99	-104	5	11.3	5	34	168	45	9	54	346	345	0.01	0.001	0.87	0.42	0.27	2.80	0.01	0.01	2.8	1.8	0.01	
30/10/2017	Commencement of extraction																													
2017/2018	28/11/2017	1.21	0.38	24.5	7.56	1130	0.98	-36.4	5	0.1	5	37	173	48	10	48	335	352	0.01	0.001	0.09	0.24	0.16	2.20	0.33	0.39	1.5	0.54	0.72	
	13/12/2017	1.25	0.34	24.5	7.37	1365	0.18	-134		0.7		41	181	55	11	50	347	317	0.01	0.001	0.08	0.29	0.19	1.80	0.06	0.32	1.4	1.15	0.38	
	11/01/2018	1.48	0.11	27.1	7.34	1234	1.16	-139		9.4	5	38	192	51	11	46	324	326	0.01	0.001	0.06	0.31	0.28	2.10	0.02	0.02	2.1	1.66	0.04	
	24/01/2018	1.56	0.03	24.6	6.99	1222	0.37	-30		6.6		20	33	8	2	17	21	98	0.01	0.001	3.58	0.1	0.01	0.20	0.01	0.02	0.2	0.04	0.02	
	6/02/2018	1.37	0.22	25.5	7.29	1334	0.73	-88		3.7	5	39	172	47	10	49	334	341	0.01	0.001	0.38	0.24	0.22	1.40	0.04	0.11	1.3	0.94	0.15	
	8/02/2018	Last day of first extraction campaign.																												
	8/03/2018	0.77	0.82	23.9	6.89	1115	0.28	-42		7.8		35	170	42	10	55	338	324	0.02	0.001	0.16	0.24	0.16	1.80	0.03	0.56	1.2	0.47	0.59	
	13/04/2018	1.24	0.35	24	7.45	1531	3.1	-91		5.4		85	176	52	11	46	337	320	0.01	0.001	0.26	0.2	0.12	1.30	0.03	0.3	1	0.53	0.33	
	31/05/2018	1.13	0.46	21.6	7.32	1083	2.02	41		8.8	5	33	160	41	9	43	326	336	0.01	0.001	1.25	0.23	0.03	1.50	0.01	0.07	1.4	0.66	0.08	
	24/10/2018	1.03	0.56	20.7	7.29	1345	0.14	-238	11	6.7	5	33	166	53	10	52	387	333	0.05	0.005	0.21	0.51	0.34	2.4	0.05	0.2	2.2	1.26	0.25	
2018/2019	3/12/2018	1.48	0.11	22	7.51	1625	2.74	-285	20	9.1		39	201	45	10	83	222	466	0.02	0.001	0.45	0.9	1	6.8	0.01	0.03	6.8	5.9	0.03	
	17/12/2018	1.27	0.32	21.6	7.75	1303	0.64	-295	32	13.4		41	161	42	11	115	174	500	0.02	0.001	0.47	1.37	0.89	11.8	0.01	0.08	11.7	9.71	0.08	
	15/01/2019	1.56	0.03	24.2	7.24	1388	0.26	-334.6	6	3.7	5	38	177	45	10	81	203	460	0.01	0.001	0.08	0.75	0.63	5.2	0.01	0.01	5.2	5.22	0.01	
	6/02/2019	1.63	-0.04	24.8	7.21	1183	1.1	-309	35	2.7		36	165	42	9	54	280	364	0.01	0.001	0.72	0.3	0.261	2.6	0.01	0.01	2.6	1.15	0.01	
	21/02/2019	1.72	-0.13	23.4	7.18	1242	0.27	297.1	5	25.5		50	43	45	10	43	286	331	0.01	0.001	0.19	0.36	0.05	1.8	0.01	0.03	1.8	1.18	0.03	
	6/03/2019	1.65	-0.06	26.2	7.38	1272	7.07	-243	5	0.6		42	164	43	11	44	277	350	0.05	0.001	0.39	0.32	0.355	1.4	0.1	0.01	1.4	0.96	0.01	
	20/03/2019	0.89	0.7	25.5	7.36	1744	0.48	-34.8	8	0.88		44	180	54	12	46	303	343	0.01	0.001	0.73	0.22	0.098	1.4	0.01	0.01	1.4	0.6	0.01	
	4/04/2019	0.74	0.85	25.5	7.32	1498	0.34	-33.5	93	0.75	5	50	192	50	12	52	282	367	0.01	0.001	0.08	0.61	0.464	3.6	0.01	0.01	3.6	2.75	0.01	
	1/05/2019	0.96	0.63	22.9	7.02	1264	0.1	-354	18	21.2		40	195	50	11	88	172	496	0.01	0.001	0.34	0.71	0.342	5.6	0.01	0.03	5.6	4.42	0.03	
	5/06/2019	1.2	0.39	21.2	7.6	1212	2	-288	9	-5.5		42	193	52	11	50	312	360	0.02	0.001	0.11	0.34	0.267	2.4	0.01	0.01	2.4	1.84	0.01	
2019/2020	3/07/2019	0.9	0.69	19.83	7.58	1935	0.2	-145.1	5	25.1	5	45	198	54	11	50	319	348	0.01	0.001	0.26	0.19	1.75	1.2	0.01	0.01	1.2	0.78	0.01	
	31/07/2019	1.22	0.37	19.4	7.48	1901	2.92	-138.3	5	34.8		36	189	48	10	44	302	369	0.01	0.001	0.13	0.24	0.229	1.6	0.01	0.01	1.6	1.27	0.01	
	4/09/2019	1.34	0.25	20.4	7.3	1398	0.6	-100.9	5	40.6		32	167	42	9	42	310	340	0.01	0.001	0.23	0.16	0.1	1.6	0.01	0.01	1.6	1.67	0.01	
	2/10/2019	1.52	0.07	21.5	7.4	1349	1	-179.9	5	7.2	5	36	182	45	9	52	236	321	0.01	0.001	0.08	0.21	0.222	1.6	0.01	0.01	1.6	1.04	0.01	
	6/11/2019	1.64	-0.05	21	7.5	1199	2.6	-188.2	5	-3.4		39	164	43	10	49	284	357	0.01	0.001	0.1	0.29	0.266	1.8	0.01	0.01	1.8	1.47	0.01	
	15/01/2020	1.8	-0.21	24.8	12.9*	1280	1.6	-208	12	3.9		35	177	44	11	52	205	336				0.62	0.52	2.4	0.01	0.01	2.4	2.12	0.01	
	28/04/2020	Land-based extraction commenced 16/04/20.	1.24	0.35	24.7	5.3	157.8	0.94	-67.1	26	452.5	5	17	2	1	4	33	11	3	0.27	0.063	4.66	0.12	0.022	1.6	0.01	0.01	1.6	0.24	0.01
2020/2021	6/07/2020	1.12	0.47	19.9	6.4	1240	0.9	-130	65	29	5	32	170	45	10	40	259	360	0.01	0.001	1.01	0.37	0.259	2.9	0.01	0.03	2.9	1.58	0.03	
	13/08/2020	Clear	0.96	0.63	20.1	7.2	1121	1.9	-123	140	82.7	5	34	168	47	10	44	286	350	0.01	0.001	0.68	0.53	0.256	4.2	0.01	0.01	4.2	1.5	0.01
	16/09/2020		1.08	0.51	19.4	7.1	1186	1.66	-170.7	14	178.03	5	34	169	45	13	46	263	372	0.02	0.001	0.07	0.79	0.605	0.01	0.01	0.01	3.4	2.75	0.01
	14/10/2020		1.43	0.16	20.5	7.14	1130	0.22	-297.8	7	19.5	5	34	181	46	12	52	254	373	0.01	0.001	0.08	0.66	0.653	0.01	0.01	0.01	3.6	3.26	0.01
	11/11/2020	Ants & Eggs, Very Dirty, Strong odour	1.39	0.2	20.5	7.17	1146	1.72	-108.4	11	7		31	184	43	10	42	279	320	0.01	0.001	1.41	0.22	0.2	0.01	0.01	0.01	1.2	0.83	0.01
	24/02/2021	Clear, Strong odour, ants	0.71	0.88	24.6	7.12	1208	0.68	-233.6	23	8.1		35	169	44	11	43	26	337	0.02	0.001	0.09	0.65	0.569	3.1	0.01	0.01	3.1	2.77	0.01
	10/06/2021	Oily film, very strong odour, ants	1.1	0.49	20.4	7.24	1082	1.42	-268.5	65	0.98		27	151	35	9	40	194	381	0.01	0.001	0.28	0.4	0.373	3.3	0.01	0.01			

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB12**

Site: MB12		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mv	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
		-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
Pre-Extraction	16/06/2005				6.9	1588	0.68					66	433	54	13	147	706		0.74		2.98									
	19/07/2005				6.8	1587	0.54					43	322	59	12	87	528	223	0.12		1.61									
	5/08/2005				7.5	1619	1.02																							
	10/11/2005				7.150	1531.000	0.110					47.00	219.000	54.000	11.000	62.000	643.000	238.000	0.18		1.310									
	12/01/2006				7.110	1818.000	0.110					39.00	261.000	58.000	12.000	54.000		230.000	0.15		1.450									
	3/05/2006																410													
	8/02/2007				7.2	1433	1.55	-98.0																						
	2/09/2008				7.4	1962																								
	4/09/2017	Purged for 5 mins to clear debris	1.19	0.18	20.7	6.74	1795	0.09	-54		7.1	5	55	375	52	12	122	646	329	0.01	0.001	20.4	0.11	0.02	0.60	0.01	0.01	0.6	0.33	0.01
	5/10/2017		1.06	0.31	21.9	6.91	2080	1.65	-72.9	15	20.1	5	45	362	46	10	131	720	317	0.009	0.001	14.2	0.11	0.01	0.60	0.01	0.01	0.6	0.34	0.01
30/10/2017	Commencement of extraction																													
2017/2018	28/11/2017		0.99	0.38	24.1	7.16	1795	3.75	8	14	32.7	5	49	363	49	11	138	728	340	0.01	0.001	0.05	0.01	0.01	0.70	0.01	0.3	0.4	0.12	0.3
	11/01/2018		1.24	0.13	25.6	7.04	1836	1.43	-69		21.8	5	44	373	49	11	112	719	304	0.01	0.001	0.05	0.03	0.01	0.80	0.01	0.02	0.8	0.34	0.02
	24/01/2018		1.32	0.05																										
	6/02/2018		1.15	0.22	26.5	6.82	1984	0.74	-81		7.1	5	42	336	46	11	115	686	319	0.01	0.001	7.65	0.05	0.01	0.5	0.01	0.01	0.5	0.38	0.02
	8/02/2018	Last day of first extraction campaign.																												
2018/2019	31/05/2018		0.9	0.47	20.3	6.96	1593	2	45		47.9	5	38	324	40	10	111	658	324	0.01	0.001	11.7	0.03	0.01	0.40	0.01	0.05	0.4	0.36	0.05
	24/10/2018		0.79	0.58	19.9	6.98	1580	1.83	-69	5	9.9	5	29	324	43	10	122	771	290	0.05	0.005	0.05	0.03	0.01	0.8	0.02	0.44	0.3	0.1	0.46
	15/01/2019		1.33	0.04	24.4	6.86	1810	0.63	-124.1	32	32.4	5	49	342	42	10	115	653	314	0.01	0.001	13.6	0.01	0.01	0.5	0.01	0.02	0.5	0.38	0.02
	4/04/2019		0.52	0.85	25.03	7.04	2146	2.17	-17.5	43	1.09	5	55	371	43	11	91	664	313	0.01	0.001	0.06	0.02	0.007	0.6	0.01	0.02	0.6	0.38	0.02
2019 / 2020	3/07/2019		0.69	0.68	20.49	7.26	2667	2.77	73.5	29	33.6	5	57	354	41	11	84	596	316	0.01	0.001	0.61	0.02	0.001	0.7	0.01	0.18	0.5	0.25	0.18
	2/10/2019		1.3	0.07	20.7	7.1	2055	3.1	1	5	74.4	5	67	350	41	11	89	666	278	0.01	0.001	0.05	0.01	0.001	0.5	0.01	0.36	0.1	0.01	0.36
	15/01/2020	pH meter calibration issue - spurious data.	1.58	-0.21	22.4	11.2*	1885	1.7	-80	5	7.4		76	334	39	12	72	673	268			0.01	0.01	0.01	0.2	0.01	0.04	0.2	0.03	0.04
	28/04/2020	Land-based extraction commenced 16/04/20.	0.82	0.55	23.3	7.2	1757	6.78	-75.2	28	19.9	5	79	259	35	11	72	675	288	0.01	0.001	4.98	0.01	0.003	0.8	0.01	0.08	0.7	0.37	0.08
2020/2021	6/07/2020		0.9	0.47	20.2	6.4	1755	5.6	28	155	24	5	82	331	36	11	59	790	309	0.01	0.001	12.8	0.04	0.026	0.7	0.01	0.09	0.6	0.31	0.09
	13/08/2020	Clear	0.73	0.64	21.1	6.7	1814	3.8	77	12	138	5	94	302	38	12	64	759	310	0.01	0.001	0.05	0.05	0.001	0.9	0.01	0.06	0.8	0.28	0.06
	16/09/2020		0.87	0.5	19.7	6.68	1866	1.62	172	5	197.64	5	98	308	39	12	64	794	306	0.01	0.001	0.05	0.05	0.004	0.24	0.01	0.24	0.2	0.02	0.24
	14/10/2020		1.21	0.16	20.5	6.74	1766	0.52	-177.9	26	71.8	5	90	317	37	11	64	699	302	0.01	0.001	8.55	0.14	0.001	0.01	0.01	0.01	0.6	0.36	0.01
	11/11/2020	Ants & Eggs	1.16	0.21	20.7	7.21	1995	1.66	-117.1	42	10.4		82	309	36	10	81	756	378	0.01	0.001	17.7	0.13	0.001	0.01	0.01	0.01	0.6	0.31	0.01
	24/02/2021	Clear, ants	0.52	0.85	23.7	7.05	1917	1.33	-145.2	32	25.2		34	314	40	11	68	790	287	0.01	0.001	15.6	0.02	0.002	0.6	0.01	0.04	0.6	0.38	0.04
10/06/2021		0.89	0.48	20.3	7.29	1974	5.83	2.8	23	5.49		88	318	42	12	86	814	285	0.01	0.001	3.86	0.01	0.001	0.5	0.01	0.43	0.1	0.05	0.43	
2021/2022	20/10/2021		0.89	0.48	19.4	7.21	1213	2.25	-23.3		4.1		32	165	44	9	41	255	353	0.01	0.001	0.8								
	25/01/2022		0.88	0.49	24.42	7.63	1094	3.7	-70		67		31	190	42	10	35	256	357	0.01	0.001	0.19	0.32		1.5	0.01	0.29	1.2	0.67	0.3
	22/02/2022		0.72	0.65	24.27	7.19	1858	1.68	-38.2		6		79	317	46	12	248	650	246	0.01	0.001	6.69								
	27/04/2022		0.56	0.81	21.6	7.41	1712	1.71	-66.3		13		87	265	40	9	318	430	193	0.01	0.007	0.05	0.06		0.9	0.01	0.4	0.5	0.03	0.4
	23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																													
Pre-Extraction	Average	1.13	0.245	21.3	7.08	1713	0.72	-75.0	15	13.6	5	49	329	54	12	101	609	267	0.20	0.001	6.99	0.11	0.015	0.6	0.01	0.01	0.6	0.34	0.01	
	Maximum	1.19	0.310	21.9	7.46	2080	1.65	-54.0	15	20.1	5	66	433	59	13	147	720	329	0.74	0.001	20.40	0.11	0.020	0.6	0.01	0.01	0.6	0.34	0.01	
	Minimum	1.06	0.180	20.7	6.74	1433	0.09	-98.0	15	7.1	5	39	219	46	10	54	410	223	0.01	0.001	1.31	0.11	0.010	0.6	0.01	0.01	0.6	0.33	0.01	
	80th Percentile	ID	ID	ID	7.40	1962	1.57	ID	ID	ID	ID	62	410	59	13	141	714	327	0.52	ID	17.92	ID	ID	ID	ID	ID	ID	ID	ID	ID
	20th Percentile	ID	ID	ID	6.84	1531	0.11	ID	ID	ID	ID	41	236	48	10	57	457	224	0.01	ID	1.37	ID	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average	0.76	0.608	22.4	7.36	1469	2.34	-49.5	NLM	22.5	NLM	57	234	43	10	161	398	287	0.01	0.003	1.93	0.19	NLM	1.2	0.01	0.35	0.9	0.35	0.35	
	Maximum	0.89	0.810	24.4	7.63	1858	3.70	-23.3	NLM	67.0	NLM	87	317	46	12	318	650	357	0.01	0.007	6.69	0.32	NLM	1.5	0.01	0.40	1.2	0.67	0.40	
	Minimum	0.56	0.480	19.4	7.19	1094	1.68	-70.0	NLM	4.1	NLM	31	165	40	9	35	255	193	0.01	0.001	0.05	0.06	NLM	0.9	0.01	0.29	0.5</			

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB13

Site: MB13		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity us/cm	Dissolved Oxygen mol/L	Redox mv	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objective		-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
Pre-Extraction	16/06/2005				6.87	32200	0.22					6940	1170	2040	215	15198	4000		0.75		19									
	19/07/2005				6.36	36800	0.24					6870	559	1050	217	247	2260	304	0.17		1.8									
	5/08/2005				7.18	33300	1.22																							
	10/11/2005				6.84	32300	0.24					6600	609	925	127	12600	2110	401	0.08			10								
	12/01/2006				6.77	35400	0.45					6040	2350	1370	240	11365		194	0.32			6.06								
	3/05/2006																													
	8/02/2007					7.1	21800	1.48	-250																					
	2/09/2008					7	38200																							
	4/09/2017	Purged for 5 mins to clear debris	1.46	0.25	20.7	6.63	2826	0.05	-34			5.9	5	6850	539	1090	200	12600	2240	534	0.05	0.005	0.05	0.56	0.02	0.80	0.01	0.3	0.5	0.14
5/10/2017		1.63	0.08	24	6.8	33318	2.97	-52.3	26	1.6	5	5700	533	888	157	12200	2160	496	0.009	0.001	13.7	0.27	0.01	2.90	0.01	0.02	2.9	2.59	0.02	
30/10/2017	Commencement of extraction																													
2017/2018	28/11/2017		1.53	0.18	24.5	6.79	30674	2.56	-58.2	33	24.2	5	6070	551	935	168	10900	2300	544	0.01	0.001	0.05	0.3	0.01	3.40	0.33	0.13	2.9	2.3	0.46
	11/01/2018		1.8	-0.09	24.4	6.83	30446	2.17	-81		39.6		7080	629	1060	189	11700	1540	466	0.05	0.005	0.05	0.22	0.01	4.50	0.35	0.33	3.8	2.36	0.68
	24/01/2018		1.88	-0.17																										
	6/02/2018		1.7	0.01	24.3	6.76	34036	2.42	-73		30.1	5	5970	541	908	163	12000	2170	495	0.01	0.001	10.2	0.16	0.01	2.7	0.18	0.09	2.4	2.41	0.27
	8/02/2018	Last day of first extraction campaign.																												
2018/2019	31/05/2018		1.6	0.11	22.1	6.87	29235	0.73	-41		3.8	5	5420	430	821	150	11400	1980	503	0.05	0.005	11.7	0.08	0.01	2.30	0.03	0.05	2.2	2.32	0.08
	24/10/2018		1.38	0.33	20.1	6.82	35760	1.33	-24	5	0.7	5	5860	530	892	155	11400	2270	468	0.05	0.005	0.05	0.06	0.01	1.4	0.01	0.01	1.4	1.03	0.01
	15/01/2019		1.9	-0.19	23.4	6.66	29980	0.38	-217.2	19	0.9	5	5200	503	845	147	11400	1990	547	0.05	0.005	2.79	0.59	0.01	4.6	0.01	0.01	4.6	4.49	0.01
2019/2020	4/04/2019	Very dark colour			25.42	7.33	37420	0.74	-34	22	23.7	5	6820	595	1020	186	10500	1860	582	0.05	0.005	0.34	1	0.848	4.8	0.01	0.01	4.8	3.63	0.01
	3/07/2019		1.24	0.47	20.72	7.12	46890	0.91	72	13	12.2	5	6530	609	1000	182	11100	2000	571	0.05	0.005	0.99	0.32	0.325	5.7	0.01	0.01	5.7	4.82	0.01
	2/10/2019		1.85	-0.14	20.4	6	35800	2.9	-68.9	6	24.3	5	6700	601	1070	183	11500	2050	488	0.05	0.005	2.91	0.08	0.076	4.6	0.01	0.01	4.6	3.47	0.01
	15/01/2020	pH meter calibration issue - spurious data.	2.12	-0.41	22.9	9*	32749	0.6	-267	7	5.4		6060	568	959	167	11000	1860	597				0.99	0.5	11.5	0.01	0.01	11.5	9.21	0.01
	28/04/2020	Land-based extraction commenced 16/04/20.	1.4	0.31	23.4	6.8	31094	1.14	-206.7	16	92.5	5	6520	592	1030	174	11500	2050	545	0.05	0.005	0.31	0.73	0.743	7.6	0.01	0.01	7.6	5.79	0.01
	6/07/2020		1.47	0.24	20.8	6.2	31499	0.9	-156	5	9.4	5	6080	578	954	169	10700	2220	557	0.01	0.001	0.14	1.2	0.827	6.1	0.01	0.02	6.1	5.12	0.02
2020/2021	13/08/2020	Clear	1.3	0.41	21.1	7.1	31437	0.9	-117	5	4.1	5	5830	519	944	158	11100	1880	581	0.05	0.005	1.6	0.52	0.492	5.1	0.01	0.01	5.1	4.7	0.01
	16/09/2020		1.41	0.3	19.1	6.5	33096	1.34	-70.3	11	112.75	5	6030	580	932	166	12100	2270	560	0.05	0.005	3.22	0.16	0.106	0.01	0.01	0.01	4.2	3.83	0.01
	14/10/2020		1.78	-0.07	20	6.75	31185	0.53	-195	18	5.3	5	6050	576	955	174	11200	2040	491	0.05	0.005	855	0.2	0.001	0.01	0.01	0.01	3.6	3.51	0.01
	11/11/2020	Ants & Eggs	1.73	-0.02	21	6.6	32924	1.04	-66.4	22	0.4		6220	588	1040	168	11600	2040	476	0.01	0.005	11	0.2	0.152	0.01	0.01	0.01	3.3	2.94	0.01
	24/02/2021	Clear, ants	1.08	0.63	25.4	6.47	32870	1.02	-57.6	14	48.4		6090	621	949	171	11600	2320	504	0.05	0.005	8.64	0.3	0.276	3.3	0.01	0.01	3.3	3.38	0.01
	10/06/2021	Ants	1.41	0.3	20.6	6.85	30919	4.45	-47.7	10	97.61		5970	557	905	174	11300	2110	490	0.01	0.001	5.75	0.27	0.001	2.9	0.01	0.01	2.9	2.4	0.01
2021/2022	20/10/2021	Ants	1.22	0.49	20.1	6.85	33440	1.1	-3.6		78		6770	617	1040	204	11000	1870	544	0.05	0.005	3.46								
	25/01/2022		1.2	0.51	23.66	6.81	32976	2.17	-23.1		92		6660	607	1020	180	11400	2060	540	0.05	0.005	4.9	0.41		4.2	0.03	0.38	3.8	3.23	0.41
	22/02/2022		1.28	0.43	23.5	7.04	36440	1.39	-29.7		94		5640	491	882	153	11100	1980	481	0.01	0.001	4.39								
	27/04/2022		1.13	0.58	21.7	6.87	30010	1.24	-34.6		101		5070	452	768	139	10400	1720	452	0.05	0.005	6.67	0.42		5.8	0.01	0.45	5.3	4.75	0.45
	23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																													

Pre-Extraction	Average	1.55	0.165	22.4	6.84	29572	0.86	-112.1	26	3.8	5	6500	960	1227	193	10702	2490	386	0.23	0.003	8.44	0.42	0.015	1.9	0.01	0.16	1.7	1.37	0.16
Maximum	1.63	0.250	24.0	7.18	38200	2.97	-34.0	26	5.9	5	6940	2350	2040	240	15198	4000	534	0.75	0.005	19.00	0.56	0.020	2.9	0.01	0.30	2.9	2.59	0.30	
Minimum	1.46	0.080	20.7	6.36	2826	0.05	-250.0	26	1.6	5	5700	533	888	127	247	2110	194	0.01	0.001	0.05	0.27	0.010	0.8	0.01	0.02	0.5	0.14	0.02	
80th Percentile	ID	ID	ID	7.10	36800	1.78	ID	ID	ID	ID	ID	6912	1878	1772	231	14159	3304	526	0.58	ID	16.88	ID	ID	ID	ID	ID	ID	ID	
20th Percentile	ID	ID	ID	6.63	21800	0.19	ID	ID	ID	ID	ID	5836	535	903	139	4694	2130	216	0.03	ID	0.75	ID	ID	ID	ID	ID	ID	ID	
Reporting Period (2021/2022)	Average	1.21	0.503	22.2	6.89	33217	1.48	-22.8	NLM	91.3	NLM	6035	542	928	169	10975	1908	504	0.04	0.004	4.86	0.42	NLM	5.0	0.02	0.42	4.6	3.99	0.43
Maximum	1.28	0.580	23.7	7.04	36440	2.17	-3.6	NLM	101.0	NLM	6770	617	1040	204	11400	2060	544	0.05	0.005	6.67	0.42	NLM	5.8	0.03	0.45	5.3	4.75	0.45	
Minimum	1.13	0.430	20.1	6.81	30010	1.10	-34.6	NLM	78.0	NLM	5070	452	768	139	10400	1720	452	0.01	0.001	3.46	0.41	NLM	4.2	0.01	0.38	3.8	3.23	0.41	
All Results	Average	1.52	0.189	22.2	6.79	32162	1.29	-85.5	15	37.8	5	6201	646	1010	174	11147	2126	497	0.08	0.004	36.47	0.41	0.222	3.8	0.05	0.09	4.2	3.56	0.13
	Maximum	2.12	0.630	25.4	7.33	46890	4.45	72.0	33	112.8	5	7080	2350	2040	240	15198	4000	597	0.75	0.005	855.00	1.20	0.848	11.5	0.35	0.45	11.5	9.21	0.68
	80th Percentile	1.80	0.470	24.3	7.03	35784	2.17	-30.6	22	92.5	5	6780	611	1052	191	12020	2262	558	0.05	0.005	10.52	0.65	0.498	5.7	0.03	0.20	5.5	4.78	0.34
	Median (50th Percentile)	1.47	0.245	21.9	6.82	32870	1.07	-58.2	14	24.0	5	6075	577	955	170	11400	2055	503	0.05	0.005	3.46	0.30	0.048	3.8	0.01	0.01	3.8</		

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB14

Site: MB14		Physical										Major Cations & Anions							Metals			Nutrients								
Sample Date	Comments	Water Level	Water Level	Temp	pH	Electrical Conductivity	Dissolved Oxygen	Redox	Total Suspended Solids	Turbidity	Oil & Grease	Sodium	Calcium	Magnesium	Potassium	Chloride	Sulfate	Bicarbonate	Aluminium	Arsenic	Iron (filterable)	Total Phosphorus	Reactive Phosphorus	Total Nitrogen	Nitrite	Nitrate	TKN	Ammonia	NOx	
		Top of Casing	m AHD	°C		uS/cm	mol/L	mV	mg/L	NTU	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Objective	-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
	Commencement of extraction																													
2017/2018	30/10/2017			21.1	7.7	572	0.3	-145	195		5	66	48	21	2	32	82	245	0.01	0.001	0.05	0.28	0.1	0.60	0.01	0.01	0.6	0.03	0.01	
	28/11/2017																													
	13/12/2017		1.7	0.475	23.5	6.37	795	0.85	-42			50	77	26	3	33	94	284	0.01	0.001	0.05	0.3	0.01	0.40	0.01	0.01	0.4	0.15	0.01	
	11/01/2018		2.08	0.095	25.6	7.55	505	0.51	-118		5	27	61	14	5	37	39	161	0.01	0.001	0.05	0.12	0.01	0.20	0.01	0.01	0.2	0.07	0.01	
	24/01/2018		2.33	-0.155	28.3	7.5	545	0.39	-109.2			20	33	8	2	17	21	98	0.01	0.001	3.58	0.1	0.01	0.2	0.01	0.02	0.2	0.04	0.02	
	7/02/2018		2.57	-0.395	22.4	6.99	751	5.91	-125.6			27	59	29	2	38	81	161	0.05	0.005	22.9	0.43	0.01	0.4	0.01	0.01	0.4	0.06	0.01	
	8/02/2018	Last day of first extraction campaign.																												
	8/03/2018		1.82	0.355	22.6	7.61	2296	2.05	61			182	154	39	8	491	181	218	0.01	0.001	5.03	0.15	0.01	0.50	0.01	0.02	0.5	0.11	0.02	
13/04/2018		1.78	0.395	23.7	6.78	1326	3.96	-95			122	94	24	7	277	92	197	0.02	0.001	3.96	0.17	0.01	0.40	0.01	0.01	0.4	0.06	0.01		
31/05/2018		1.75	0.425	21.6	6.98	954	0.61	-6			123	86	23	7	296	84	190	0.01	0.001	1.45	0.08	0.01	0.30	0.01	0.01	0.3	0.06	0.01		
2018/2019	3/12/2018		1.92	0.255	21.5	7.76	928	0.81	-121.9	34	17	112	61	23	7	156	49	191	0.01	0.001	0.94	0.1	0.01	0.3	0.01	0.01	0.3	0.06	0.01	
	17/12/2018		1.92	0.255	21.7	6.94	840	3.18	-100	42	26.8	85	60	18	6	151	54	185	0.01	0.001	0.63	0.27	0.01	1.1	0.01	0.15	0.9	0.1	0.16	
	15/01/2019		2.12	0.055	22.1	7.56	797	0.7	-181.4	45	34	99	65	20	7	155	43	193	0.01	0.001	0.63	0.13	0.01	0.4	0.01	0.01	0.4	0.12	0.01	
	6/02/2019		2.27	-0.095	22.6	7.26	805	0.32	-161.6	30	13.7	98	60	18	6	143	52	196	0.01	0.001	1.06	0.1	0.022	0.3	0.01	0.01	0.3	0.1	0.01	
	21/02/2019		2.37	-0.195	21.9	7.73	838	0.6	210.7	6	217.4	100	143	20	7	143	45	185	0.01	0.001	1.23	0.1	0.01	0.4	0.01	0.01	0.4	0.1	0.01	
	6/03/2019		2.36	-0.185	22.9	7.54	851	10.3	-206	14	3.3	83	60	19	6	149	47	194	0.01	0.001	1.29	0.09	0.021	0.2	0.1	0.01	0.2	0.07	0.01	
	21/03/2019		7.54	-5.365	24.2	7.54	1102	1.94	-105	26	0.55	85	56	20	5	136	42	196	0.01	0.001	5.22	0.16	0.004	0.4	0.01	0.01	0.4	0.06	0.01	
	3/04/2019		1.67	0.505	23.8	6.78	909	1.26	-67	25	8.7	80	63	22	5	102	43	205	0.01	0.001	6.06	0.14	0.006	0.3	0.01	0.01	0.3	0.08	0.01	
	30/04/2019		1.7	0.475	22.7	7.05	593	-0.3	-244	7	3.1	68	44	14	5	90	33	172	0.01	0.001	0.99	0.09	0.033	0.2	0.01	0.01	0.2	0.06	0.01	
	5/06/2019		1.73	0.445	22.1	7.6	675	1.15	-9.5	9	19.2	98	51	14	6	110	28	186	0.01	0.001	0.71	0.1	0.054	0.3	0.01	0.01	0.3	0.03	0.01	
2019/2020	3/07/2019	Site inaccessible (too wet)																												
	31/07/2019		1.71	0.465	21.1	8.17	1172	0.77	33.2	5	31.3	76	44	12	5	83	29	202	0.01	0.001	0.21	0.17	0.042	0.2	0.01	0.01	0.2	0.03	0.01	
	4/09/2019		1.88	0.295	20.9	7.9	683	0.4	79.1	5	46	38	52	14	5	49	29	168	0.01	0.001	0.05	0.2	0.03	0.1	0.01	0.01	0.1	0.02	0.01	
	2/10/2019		2.09	0.085	22.1	7.9	583	2.3	-131.9	14	10.8	42	53	15	5	56	29	155	0.01	0.001	0.99	0.36	0.054	0.3	0.01	0.01	0.3	0.01	0.01	
	6/11/2019		2.28	-0.105	21.9	7.7	487	1.4	-119.3	18	14.2	30	46	13	5	42	33	169	0.01	0.001	0.73	0.2	0.029	0.3	0.01	0.01	0.3	0.04	0.01	
	15/01/2020	Knocked over by cattle. pH meter calibration issue - spurious data.	2.55	-0.375	22.2	10.6*	566	1.7	-39	13	18.5	49	48	12	5	56	25	154				0.11	0.02	0.2	0.01	0.01	0.2	0.04	0.01	
28/04/2020	16/04/20. Land-based extraction commenced	1.59	0.585	23.4	7	562	0.84	-117.4	22	127.2	5	69	53	17	6	84	30	190	0.01	0.001	0.74	0.12	0.033	0.3	0.01	0.01	0.3	0.05	0.01	
2020/2021	7/07/2020		1.66	0.515	21.3	7.17	319	2.57	-59	19	10.3	72	53	17	6	83	31	207	0.01	0.001	0.78	0.12	0.47	0.4	0.01	0.01	0.4	0.06	0.01	
	12/08/2020	Clear	1.52	0.655	20.9	7	588	1.2	47	15	99	52	52	16	5	60	34	196	0.01	0.001	0.2	0.12	0.008	0.2	0.01	0.01	0.2	0.05	0.01	
	16/09/2020		1.67	0.505	21.3	7.58	598	1.04	-18.8	8	203.55	45	54	16	5	58	43	192	0.01	0.001	0.93	0.11	0.067	0.01	0.01	0.01	0.2	0.04	0.01	
	14/10/2020		0.191	1.984	21.5	7.64	502	0.97	-107.9	5	18.8	34	58	16	5	48	36	176	0.01	0.001	0.74	0.11	0.024	0.01	0.01	0.01	0.1	0.05	0.01	
	11/11/2020		1.93	0.245	21.4	7.72	533	0.69	-156.1	12	21.6	27	62	22	6	46	39	168	0.01	0.001	1.03	0.12	0.052	0.01	0.01	0.01	0.1	0.03	0.01	
	24/02/2021	Clear, no cap	1.31	0.865	23.5	7.02	471	2.08	-115.5	5	31.1	50	56	16	5	50	42	175	0.01	0.006	6.6	0.3	0.008	3.2	0.01	0.01	3.2	3.29	0.01	
	10/06/2021	Ants	1.57	0.605	20.7	7.51	590	1.68	59.2	15	44.16	48	60	16	5	71	40	186	0.01	0.001	0.07	0.26	0.007	0.1	0.01	0.02	0.1	0.01	0.02	
2021/2022	20/10/2021		1.58	0.595	20.5	7.34	632	0.71	-31.1		32	47	57	14	5	61	30	170	0.01	0.001	0.24									
	25/01/2022		1.46	0.715	23.4	6.50	137	2.7	29		45	20	22	6	2	23	24	71	0.03	0.015	5.52	0.23		1.1	0.05	0.05	1.1	0.23	0.04	
	22/02/2022		1.49	0.685	23.34	6.55	219	1.54	-1.1		43	24	28	19	5	29	20	87	0.04	0.022	10.5									
	23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																													

Reporting Period	Average	Maximum	Minimum	Average	Maximum	80th Percentile	Median (50th Percentile)	20th Percentile	Minimum
2021/2022	1.51	1.58	1.46	22.4	23.4	20.5	6.80	7.34	6.50
All Results	2.00	7.54	2.29	22.5	28.3	23.5	7.33	7.70	6.97
	1.68	1.984	0.597	22.5	28.3	23.5	7.33	7.70	6.97
	1.78	1.984	1.78	22.1	28.3	23.5	7.51	7.51	7.51
	1.58	1.984	1.58	21.3	28.3	23.5	6.97	6.97	6.97
	0.19	1.984	0.19	20.5	28.3	23.5	6.37	6.37	6.37
	1.68	1.984	1.68	22.5	28.3	23.5	7.33	7.33	7.33
	1.78	1.984	1.78	22.					

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site MB15**

Site: MB15		Physical											Major Cations & Anions							Metals			Nutrients							
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	
Objective		-	0.375	20.6	6.5-8.5	<3000	-	-87	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
4/09/2017		1.06	0.375	20.6	7.45	555	0.01	-87	-	-	5	86	40	14	8	74	37	208	0.52	0.001	1.35	0.22	0.21	0.30	0.01	0.01	0.3	0.12	0.01	
5/10/2017		1.27	0.165	21.6	7.63	625	0.65	-152.6	14	10.9	5	116	25	10	6	83	48	217	0.03	0.002	0.13	0.33	0.22	0.60	0.01	0.01	0.6	0.26	0.01	
30/10/2017	Commencement of extraction																													
28/11/2017		1.84	-0.405	25.1	7.51	916	1.4	-31.3	8	18.7	5	132	30	14	11	99	91	217	0.01	0.001	0.05	0.28	0.19	0.80	0.03	0.02	0.7	0.51	0.05	
13/12/2017		1.47	-0.035	24.6	7.87	670	0.52	-107		48		68	41	15	8	60	47	176	0.01	0.001	0.05	0.15	0.16	0.20	0.01	0.01	0.2	0.19	0.01	
11/01/2018		1.87	-0.435	24.8	7.88	614	0.48	-183		6.9	5	106	28	12	11	66	53	189	0.01	0.001	0.05	0.27	0.18	0.80	0.02	0.01	0.8	0.48	0.02	
24/01/2018		2.43	-0.995	22.6	7.45	948	0.38	-67.7		23.9		144	32	15	14	119	138	181	0.01	0.001	0.81	0.27	0.14	1.40	0.01	0.01	1.4	0.66	0.01	
7/02/2018		2.39	-0.955	23.4	7.52	835	6.45	-55.3		8.4	5	107	40	18	13	88	83	199	0.01	0.001	0.36	0.26	0.14	0.40	0.01	0.01	0.4	0.39	0.01	
8/02/2018	Last day of first extraction campaign.																													
8/03/2018		0.79	0.645	24.5	7.67	850	0.52	-72		2.4		95	41	15	11	98	79	198	0.01	0.001	0.32	0.18	0.12	0.80	0.01	0.02	0.8	0.48	0.02	
13/04/2018		0.97	0.465	24.9	7.44	767	2.29	87		2.4		78	51	16	10	82	71	186	0.01	0.001	0.07	0.21	0.15	0.40	0.03	0.19	0.2	0.04	0.22	
31/05/2018		1.02	0.415	21.1	7.96	627	0.54	-85		32.9	5	76	42	13	9	79	62	194	0.01	0.001	0.05	0.12	0.11	0.20	0.01	0.03	0.2	0.17	0.03	
24/10/2018		0.86	0.575	19.9	7.32	735	0.03	-175	24	13.4	5	71	48	17	9	92	67	190	0.05	0.005	0.24	0.2	0.11	0.5	0.01	0.01	0.5	0.31	0.01	
3/12/2018		1.21	0.225	22.2	3.18	990	2.4	169	16	3.6		61	59	17	8	90	41	206	0.01	0.001	0.19	0.13	0.08	0.3	0.01	0.01	0.3	0.21	0.01	
17/12/2018		1.22	0.215	21.1	8.38	699	0.57	-157	6	1.8		60	56	16	8	89	41	206	0.01	0.001	0.28	0.17	0.11	0.3	0.01	0.01	0.3	0.22	0.01	
15/01/2019		1.44	-0.005	24.7	7.64	683	0.32	-200	5	8	5	64	52	17	9	87	41	203	0.01	0.001	0.24	0.18	0.12	0.4	0.01	0.01	0.4	0.29	0.01	
6/02/2019	Cap Missing	1.62	-0.185	23	7.49	674	0.65	-152.5	12	0		84	48	17	10	84	56	201	0.01	0.001	0.34	0.17	0.105	0.4	0.01	0.02	0.4	0.32	0.03	
21/02/2019		1.73	-0.295	22.7	7.6	703	0.53	203.7	5	1.4		78	83	16	10	83	53	190	0.01	0.001	0.27	0.17	0.14	0.4	0.01	0.01	0.4	0.28	0.01	
6/03/2019		1.68	-0.245	25	7.78	731	0.79	-197	12	1.1		75	45	17	9	87	53	198	0.01	0.001	0.33	0.18	0.136	0.4	0.1	0.01	0.4	0.24	0.01	
20/03/2019		1.03	0.405	24.84	7.29	978	1.06	-25.4	6	0.48		97	42	17	12	93	68	203	0.01	0.001	0.42	0.2	0.113	0.5	0.01	0.01	0.5	0.46	0.01	
4/04/2019		0.88	0.555	23.81	7.26	824	0.45	-30	19	0.4	5	124	46	17	13	98	91	202	0.01	0.001	0.58	0.23	0.134	0.4	0.01	0.01	0.4	0.28	0.01	
30/04/2019		0.99	0.445	22.6	7.15	740	0.64	-135	11	4		80	42	15	10	86	58	196	0.01	0.001	0.1	0.23	0.165	0.7	0.01	0.34	0.4	0.2	0.34	
5/06/2019		1.06	0.375	21.9	7.1	670	0.53	-148	20	-7.1		84	52	16	10	84	53	196	0.01	0.001	0.21	0.2	0.149	0.5	0.01	0.01	0.5	0.31	0.01	
3/07/2019		0.65	0.785	21.65	7.7	1170	0.2	32.2	8	20	5	87	50	17	11	86	45	213	0.01	0.001	0.28	0.19	0.169	0.8	0.01	0.01	0.8	0.63	0.01	
31/07/2019		0.99	0.445	20.1	8.13	1135	3.13	-136	5	22		71	60	17	9	85	35	228	0.02	0.001	0.11	0.2	0.188	0.7	0.01	0.01	0.7	0.65	0.01	
4/09/2019		1.14	0.295	21.7	7.8	865	0.7	-147.8	5	7.2		66	60	18	9	98	30	216	0.01	0.001	0.11	0.16	0.146	0.6	0.01	0.01	0.6	0.25	0.01	
2/10/2019		1.34	0.095	22.6	7.8	868	0.9	-180.4	5	0	5	70	69	20	9	121	29	203	0.01	0.001	0.06	0.18	0.154	1.6	0.01	0.01	1.6	0.35	0.01	
6/11/2019		1.58	-0.145	22.6	7.5	704	2	-90.7	20	-3.1		70	46	17	10	84	26	222	0.01	0.001	0.16	0.19	0.123	0.4	0.01	0.01	0.4	0.32	0.01	
15/01/2020	pH meter calibration issue - spurious data.	1.87	-0.435	24.1	8.5*	755	0.7	-149	5	0.9		77	49	17	11	86	4	178				0.21	0.22	4.8	0.01	0.01	4.8	0.28	0.01	
28/04/2020	Land-based extraction commenced																													
7/07/2020	Clear, Ants	0.84	0.595	21.1	6.6	683	0.9	-142	8	4.1	5	74	55	16	9	90	39	194	0.01	0.001	0.13	0.17	0.173	0.6	0.01	0.01	0.6	0.19	0.01	
12/08/2020	Clear	0.7	0.735	20.5	7.5	685	1.2	-162	5	6.8	5	71	55	16	9	96	37	200	0.01	0.001	0.11	0.31	0.17	0.3	0.02	0.01	0.3	0.18	0.02	
16/09/2020		0.79	0.645	20.8	7.54	727	1.8	-149.2	8	69.94	5	72	57	16	9	97	52	201	0.01	0.001	0.09	0.16	0.129	0.01	0.01	0.01	0.5	0.16	0.01	
14/10/2020		1.07	0.365	20	7.45	665	1.49	-180.6	6	4.4	5	68	64	15	8	98	40	196	0.01	0.001	0.06	0.13	0.126	0.02	0.01	0.02	0.6	0.15	0.02	
11/11/2020	Ants & Eggs, Odour	1.07	0.365	21.2	7.45	705	1.86	-142.9	5	3.9		63	60	18	9	97	40	188	0.01	0.001	0.12	0.2	0.162	0.01	0.01	0.01	1	0.21	0.01	
10/06/2021		0.74	0.695	19.4	7.64	587	1.34	-150.3	5	1.87		44	67	15	8	69	24	210	0.01	0.001	0.05	0.19	0.077	1.8	0.01	0.02	1.8	0.22	0.02	
20/10/2021	Ants	0.68	0.755	20.7	7.57	684	0.85	-45.8		3.7		47	68	16	8	76	14	224	0.01	0.001	0.05	0.37		1.3	0.02	0.3	1	0.37	0.32	
25/01/2022		0.6	0.835	23.4	7.58	634	4.16	-65.3		15		49	74	16	10	75	22	221	0.01	0.001	0.05									
22/02/2022	Ants	0.65	0.785	22.7	7.91	598	2.49	-78.1		17		58	64	23	10	102	33	193	0.01	0.001	0.06									
27/04/2022		0.55	0.885	21.39	7.62	676	2.12	-77.9		32		99	32	11	7	100	31	176	0.02	0.001	0.05	0.28		0.9	0.01	0.46	0.4	0.02	0.46	
23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																													
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																													

Category	Parameter	Value	Objective	Unit
Pre-Extraction	Average	1.17	0.270	21.1
	Maximum	1.27	0.375	21.6
	Minimum	1.06	0.16	

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site CSP3

Site: CSP3		Physical										Major Cations & Anions							Metals			Nutrients							
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L
Objective		-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01
21/07/1991					7.8																								
20/11/1991					7.2	330																							
12/12/1991					6.9	418																							
14/01/1992					7.5	901																							
13/02/1992					6.5	300																							
22/05/2002												20	54	6		39	19												
2/07/2002												11	51	5	13	7													
18/07/2002												10	50	5	14	8			0.26										
19/07/2002												12	65	7	14	44			0.2										
28/08/2002												9	57	5	8	13													
2/02/2005					7.33		0.17					22	95	8.9	28	26	7	201	0.04										
8/03/2005					7.22	546	0.34					27	99	10	5	67	11	183	0.14										
10/03/2005								-139																					
10/05/2005					7.12	578												161											
9/06/2005																													
19/07/2005					6.78	626	0.10					20	106	9	5	52	15	176	0.22										
10/11/2005					7.19	647	0.17					16	88	7.6	5	40	9	234	0.06										
12/01/2006					7.07	763	0.19					19	100	8.2	5	51		189	0.09										
7/04/2006					7.22	596	0.09																						
3/05/2006					7.07	562	0.15										7.7												
10/05/2006					7.13	591	0.20	-154				18	82	6.3	5	47	4.5	215	0.01										
19/05/2006					6.34	560	0.44																						
26/05/2006					6.51	570	2.61																						
1/06/2006					7.19	556	0.49																						
8/06/2006					7.16	582	0.30																						
15/06/2006					7.21	589	0.24																						
23/06/2006								-154																					
29/06/2006					6.84	565	0.16																						
6/07/2006					6.57	517	0.30	-125																					
14/07/2006					7.11	571	0.27																						
8/02/2007					6.9	530	0.28	-125				19	91	7	5	1953*	7.6		0.01										
29/08/2007					7.21	693	0.19					23	94	6.3	5	90	9.5	135	0.01										
8/10/2007						693																							
26/10/2007					7.1	546	0.14					19	96	8.4	5	61	6	188	0.02										
14/11/2007					7.23	622	0.17					27	126		5	90		174	0.01										
2/09/2008					7.7	622																							
9/10/2008					7.16	608	1.86																						
4/09/2017	Purged for 5 mins to clear debris	1.26	0.10	21.30	8.09	1007.00	0.04	27.70		7.40	5.00	83.00	148	19	16.00	123.00	182.00	271.00	0.05	0.00	0.59	0.24	0.10	2.00	0.01	0.01	2.00	0.60	0.01
5/10/2017		1.49	-0.13	20.5	7.53	933	0.41	-160.1	5	1.7	5	69	115	14	14	116	157	229	0.01	0.001	0.76	0.28	0.06	0.6	0.01	3.1	0.6	0.28	0.01
30/10/2017	Commencement of extraction																												
28/11/2017		2.53	-1.17	22.9	7.53	931	0.52	-153	5	1.9	5	77	113	13	14	108	149	247	0.01	0.001	0.05	0.25	0.16	0.8			0.8	0.42	0.01
11/01/2018		2.48	-1.12	24.3	7.41	1032	0.3	-255		9.6	5	78	123	14	19	108	109	272	0.01	0.001	0.05	0.96	0.78	4.7			4.7	3.28	0.01
6/02/2018		2.32	-0.96	23.5	7.46	1097	7.17	-229.8		2.7	5	72	115	13	16	115	114	268	0.01	0.001	0.05	0.82	0.81	3.8			3.8	3.1	0.01
8/02/2018	Last day of first extraction campaign.																												
8/03/2018		1.14	0.22																										
31/05/2018		1.17	0.19	21.5	7.5	1106	0.59	-259		15.4	5	23	160	22	14	40	133	458	0.01	0.001	0.05	0.64	0.59	4.2	0.01	0.01	4.2	4.42	0.01
24/10/2018		1.00	0.36	21.30	7.24	1146	0.08	-133.00	5.00	0.90	5.00	5.00	163	25	14.00	31.00	235.00	342.00	0.05	0.01	0.74	0.38	0.10	1.60	0.01	0.01	1.60	1.24	0.01
3/13/2018		1.32	0.04																										
15/01/2019		1.46	-0.1	23.4		1028	0.15	-290	5	0.3	5	24	187	26	15	32	222	359	0.01	0.001	0.21	0.44	0.39	3.1	0.01	0.02	3.1	2.68	0.02
6/03/2019		1.71	-0.35																										
4/04/2019		1.14	0.22	24.18	7.31	1347	0.58	-32.9	5	0.67	5	24	211	27	15	33	220	378	0.01	0.001	0.09	0.43	0.389	3.1	0.01	0.01	3.1	2.51	0.01
3/07/2019		0.99	0.37	22.46	7.6	1643	0.16	-177	6	3.1	5	23	202	26	15	27	196	360	0.01	0.001	0.05	0.46	0.402	3	0.01	0.01	3	2.71	0.01
31/07/2019		1.14	0.22																										
2/10/2019		1.43	-0.07	22.6	7.6	1241	1	69.2	5	0	5	22	206	27	14	32	258	297	0.01	0.001	0.05	0.2	0.125	0.8	0.02	0.35	0.4	0.01	0.37
6/11/2019		1.61	-0.25	21.2	7.5	1080	1.7	-102.7		-3.3																			
15/01/2020	pH meter calibration issue - spurious data.	1.75	-0.39	22.5	9.8*	741	1.1	-95.8	5	1.1		24	204	26	16	29	268	267				0.25	0.17	0.9	0.01	0.01	0.9	0.35	0.01
28/04/2020	Land-based extraction commenced 16/04/20.	0.89	0.47	22.8	6.8	599	0.12	-140	5	16.6	5	23	171	24	14	35	241	311	0.01	0.001	0.05	0.38	0.316	1.9	0.01	0.01	1.9	0.92	0.01
7/07/2020	Clear, Grass Seeds	0.95	0.41	20.9	6.5	1075	1.5	118	5	0	5	22	183	24	13	27	294	313	0.01	0.001	0.08	0.12	0.109	0.5	0.01	0.02	0.02	0.07	0.02
12/08/2020	Clear	0.83	0.53	20.9	7.3	1044	1.21	68	20	1.5	5	23	184	25	14	30	246	344	0.01	0.001	0.07	0.11	0.066	0.4	0.01	0.01	0.4	0.04	0.01
16/09/2020		0.96	0.4	19.6	7.31	1068	2.18	-182.7	5	27.78	5	22	188	24	14	27	236	360	0.01	0.001	0.05	0.27	0.164	0.03	0.01	0.03	0.5	0.25	0.03
14/10/2020		1.21	0.15	19.7	6.62	1001	2.59	-193.2	5	11.1	5	22	196	24	14	28	226	349	0.01	0.001	0.08	0.21	0.112	0.01	0.01	0.01	0.9	0.47	0.01
11/11/2020	Ants & Eggs	1.2	0.16	20.5	6.95	1055	1.45	144.7		1		5	200	24	14	26	225	243	0.01	0.001	0.07	0.21	0.138	0.01	0.01	0.01	1	0.53	0.01
10/06/2021	Ants	0.84	0.52	19.2	7.26	964	1.8	-191.2	7	1.53		21	183	22	14	23	108	485	0.01	0.001	0.05	0.73	0.						

**617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site CSP3**

Pre-Extraction	Average	1.38	-0.015	20.9	7.13	608	0.40	-118.5	5	4.6	5	25	89	8	9	53	32	196	0.08	0.001	4.12	0.26	0.080	1.3	0.01	1.56	1.3	0.44	0.01
	Maximum	1.49	0.100	21.3	8.09	1007	2.61	27.7	5	7.4	5	83	148	19	28	123	182	271	0.26	0.001	9.82	0.28	0.100	2.0	0.01	3.10	2.0	0.60	0.01
	Minimum	1.26	-0.130	20.5	6.34	300	0.04	-160.1	5	1.7	5	9	50	5	5	8	5	135	0.01	0.001	0.59	0.24	0.060	0.6	0.01	0.01	0.6	0.28	0.01
	80th Percentile	ID	ID	ID	7.31	693	0.42	-63.9	ID	ID	ID	27	110	10	15	90	34	231	0.20	ID	7.02	ID	ID	ID	ID	ID	ID	ID	ID
	20th Percentile	ID	ID	ID	6.85	546	0.15	-156.4	ID	ID	ID	12	56	5	5	14	7	169	0.01	ID	1.04	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average	0.74	0.62	22.4	7.35	965	1.77	-49.1	NLM	54.8	NLM	25	175	24	15	29	63	490	0.01	0.003	0.07	0.46	NLM	2.5	0.01	0.02	3.4	2.81	0.02
	Maximum	0.82	0.70	23.7	7.47	1021	3.63	-32.4	NLM	80.0	NLM	34	198	25	16	49	123	555	0.01	0.010	0.12	0.68	NLM	5.0	0.01	0.02	5.0	5.44	0.02
	Minimum	0.66	0.54	20.3	7.22	870	0.62	-69.7	NLM	6.2	NLM	20	156	23	14	22	9	410	0.01	0.001	0.05	0.24	NLM	0.0	0.01	0.01	1.7	0.18	0.01
All Results	Average	1.28	0.082	21.9	7.18	798	0.90	-105.6	6	13.3	5	27	137	17	12	46	115	302	0.04	0.002	1.89	0.40	0.290	1.9	0.01	0.20	2.1	1.55	0.03
	Maximum	2.53	0.700	24.3	8.09	1643	7.17	144.7	20	80.0	5	83	211	27	28	123	294	555	0.26	0.010	9.82	0.96	0.810	5.0	0.02	3.10	5.0	5.44	0.37
	80th Percentile	1.63	0.522	23.4	7.47	1051	1.51	-32.4	6	16.6	5	27	190	25	15	76	230	384	0.05	0.001	3.19	0.66	0.525	3.9	0.01	0.02	3.9	3.07	0.02
	Median (50th Percentile)	1.16	0.205	22.0	7.22	693	0.34	-133.0	5	2.3	5	22	137	19	14	32	109	272	0.01	0.001	0.17	0.28	0.164	1.6	0.01	0.01	1.7	0.60	0.01
	20th Percentile	0.84	-0.270	20.5	6.90	563	0.16	-191.2	5	0.7	5	18	90	7	5	23	9	189	0.01	0.001	0.05	0.21	0.100	0.2	0.01	0.01	0.5	0.21	0.01
	Minimum	0.66	-1.170	19.2	6.34	300	0.04	-290.0	5	-3.3	5	5	50	5	5	8	5	135	0.01	0.001	0.05	0.11	0.060	0.0	0.01	0.01	0.0	0.01	0.01

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site GW062045

Site: GW062045		Physical										Major Cations & Anions						Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L
<i>Objective</i>		-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	
2017/2018	18/09/2017			21.60	5.40	117.00	1.34	150.00			15.00	2.00	5.00	1.00	23.00	5.00	10.00	0.01	0.00	0.05	0.03	0.01	5.40	0.01	5.02	0.40	0.01	5.02	
	9/10/2017			23.5	5.52	140	1.27	142			16	3	4	1	22	4	6	0.21	0.001	0.05	0.02	0.01	5.9	0.01	5.41	0.5	0.06	5.41	
	30/10/2017																												
	28/11/2017			22.9	5.94	130	5.11	142	5	0	15	2	4	1	23	4	11	0.01	0.001	0.05	0.02	0.01	5.4	0.01	5.39	1	0.18	5.39	
	11/01/2018			23.1	6.06	194	5.66	115			17	2	5	1	20	4	8	0.01	0.001	0.05	0.05	0.01	5.5	0.01	5.48	0.5	0.01	5.48	
	8/02/2018																												
	9/02/2018			22.9	7.23	182.2	5.28	-21.3		2.3	16	2	5	1	21	4	6	0.01	0.001	0.05	0.03	0.01	6	0.01	5.6	0.4	0.01	5.6	
	31/05/2018			23	6.1	189	4.31	109		1.9	13	2	4	1	18	5	9	0.02	0.001	0.08	0.01	0.01	0.9	0.01	0.87	0.5	0.01	0.87	
2018 / 2019	24/10/2018			22.5	6.72	159	8.43	178	5	11.5	5	1	2	4	1	22	5	34	0.05	0.005	0.05	0.02	0.01	4.5	0.01	3.67	0.8	0.05	3.67
	15/01/2019			22.7	5.54	130	4.24	98.7	5	2.8	10	5	2	2	24	3	9	0.56	0.015	4.4	0.27	0.21	0.7	0.01	0.95	0.7	0.19	0.95	
2019 / 2020	3/07/2019			22.47	5.5	328	3.51	104.5	6	0.5	16	2	4	1	19	4	7	0.01	0.001	0.05	0.01	0.008	5.7	0.01	5.2	0.5	0.02	5.2	
	2/10/2019			23.3	7.8	228	6.8	136.3	5	0	19	3	5	1	24	4	7	0.01	0.001	0.05	0.05	0.003	5.2	0.01	5.25	0.5	0.01	5.25	
	28/04/2020			22.9	5.2	125	8.19	161.5	6	12.5	13	2	4	1	21	5	6	0.02	0.001	0.05	0.01	0.316	4.2	0.01	3.56	0.6	0.02	3.56	
2020/2021	6/07/2020			17.6	6.4	313	8	142	5	1.1	10	2	4	1	17	6	8	0.01	0.001	0.05	0.01	0.008	5	0.01	4.54	0.5	0.04	4.54	
	13/08/2020		Clear	21.3	5.7	88.8	7.6	18	5	27.1	15	2	4	1	18	6	6	0.01	0.001	0.05	0.01	0.005	4.58	0.01	4.37	0.4	0.01	4.37	
	16/09/2020			21.3	5.04	161.8	5.94	251.8	5	43.7	15	2	4	1	19	5	5	0.02	0.001	0.05	0.01	0.008	5.12	0.01	5.12	0.2	0.01	5.12	
	14/10/2020			20	6.21	140.6	7.95	-165.9	5	28.7	15	3	5	1	21	5	4	0.01	0.001	0.06	0.01	0.005	4.72	0.01	4.72	0.7	0.01	4.72	
	11/11/2020			22.7	6.18	154.1	6.43	159.1		5.4	5	3	4	1	20	5	12	0.01	0.001	0.05	0.03	0.004	4.01	0.07	3.94	0.5	0.01	4.01	
	24/02/2021		Clear	25.5	6.19	109	7.03	0.7	<5	44	19	3	4	1	19	5	4	0.02	0.001	0.05	0.06	0.004	4.3	0.01	3.82	0.5	0.01	3.82	
	10/06/2021			19.6	5.23	118.7	8.41	-54.3	5	2.63	14	2	4	1	18	5	10	0.01	0.001	0.05	0.04	0.012	4.2	0.01	3.75	0.4	0.01	3.75	
2021/2022	20/10/2021			21.32	6.63	85	5.74	14.7		2.1	10	4	1	2	12	4	14	0.36	0.01	3.39									
	25/01/2022			24.84	5.81	11	5.29	35.4		5.3	14	2	4	1	20	5	9	0.02	0.001	0.05	0.01		4.4	0.01	3.96	4.4	0.01	3.96	
	22/02/2022			24.94	6.12	10	6.79	33.8		7.2	10	4	1	2	9	6	22	0.35	0.011	3.81									
	27/04/2022			20.6	5.17	83	6.34	63.1		13.3	16	2	4	1	22	5	5	0.02	0.001	0.05	0.04		3.27	0.01	3.27	0.6	0.07	3.27	
	23/05/2022			Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																									
	22/06/2022			Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																									
Pre-Extraction	Average			22.6	5.46	129	1.31	146.0		2.1	5	16	3	5	1	23	5	8	0.11	0.001	0.05	0.03	0.010	5.7	0.01	5.22	0.5	0.04	5.22
	Maximum			23.5	5.52	140	1.34	150.0	0	2.4	5	16	3	5	1	23	5	10	0.21	0.001	0.05	0.03	0.010	5.9	0.01	5.41	0.5	0.06	5.41
	Minimum			21.6	5.40	117	1.27	142.0	0	1.8	5	15	2	4	1	22	4	6	0.01	0.001	0.05	0.02	0.010	5.4	0.01	5.02	0.4	0.01	5.02
	80th Percentile			ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
20th Percentile			ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average			22.9	5.93	47	6.04	36.8	NLM	7.0	NLM	13	3	3	2	16	5	13	0.19	0.006	1.83	0.03	NLM	3.8	0.01	3.62	2.5	0.04	3.62
	Maximum			24.9	6.63	85	6.79	63.1	NLM	13.3	NLM	16	4	4	2	22	6	22	0.36	0.011	3.81	0.04	NLM	4.4	0.01	3.96	4.4	0.07	3.96
	Minimum			20.6	5.17	10	5.29	14.7	NLM	2.1	NLM	10	2	1	1	9	4	5	0.02	0.001	0.05	0.01	NLM	3.3	0.01	3.27	0.6	0.01	3.27
All Results	Average			22.3	5.99	145	5.89	82.5	5	9.9	5.00	13	3	4	1	20	5	10	0.08	0.003	0.57	0.04	0.036	4.5	0.01	4.19	0.7	0.04	4.15
	Maximum			25.5	7.80	328	8.43	251.8	6	44.0	5.00	19	5	5	2	24	6	34	0.56	0.015	4.40	0.27	0.316	6.0	0.07	5.60	4.4	0.19	5.60
	80th Percentile			23.4	6.49	191	7.97	153.6	6	18.8	5	16	3	5	1	22	5	11	0.11	0.003	0.07	0.05	0.010	5.5	0.01	5.36	0.7	0.06	5.36
	Median (50th Percentile)			22.7	6.00	135	6.14	106.8	5	2.7	5	15	2	4	1	20	5	8	0.02	0.001	0.05	0.02	0.010	4.7	0.01	4.46	0.5	0.01	4.46
	20th Percentile			21.0	5.33	87	4.28	9.1	5	1.5	5	10	2	4	1	18	4	6	0.01	0.001	0.05	0.01	0.005	4.0	0.01	3.58	0.4	0.01	3.58
Minimum			17.6	5.04	10	1.27	-165.9	5	0.0	5.00	1	2	1	1	9	3	4	0.01	0.001	0.05	0.01	0.003	0.7	0.01	0.87	0.2	0.01	0.87	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site GW300856

Site: GW300856		Physical										Major Cations & Anions						Metals			Nutrients								
Sample Date	Comments	Water Level Top of Casing	Water Level m AHD	Temp °C	pH	Electrical Conductivity uS/cm	Dissolved Oxygen mol/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L
Objective		-	-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01
18/09/2017	Pump over bore (no elevation data)			20.70	5.64	89.00	4.36	41.00		16.00	5.00	8.00	4.00	2.00	2.00	17.00	6.00	7.00	0.72	0.02	5.36	0.31	0.32	0.80	0.01	0.01	0.80	0.16	0.01
9/10/2017	Pump over bore (no elevation data)			22.9	6.48	100	2.31	31		17.3	5	8	4	2	2	17	4	10	3.27	0.019	6.19	0.41	0.25	1.1	0.01	0.01	1.1	0.2	0.01
30/10/2017	Commencement of extraction																												
28/11/2017	Pump over bore (no elevation data)			25.2	7.12	174	4	-3.2	7	19.7	5	9	4	2	1	20	5	8	0.32	0.01	3.1	0.32	0.24	0.7	0.01	0.01	0.7	0.28	0.01
11/01/2018	Pump over bore (no elevation data)			23.9	6.24	116	4.78	-21		13.5	5	10	5	2	1	23	4	4	0.31	0.012	3.16	0.29	0.16	0.7	0.01	0.01	0.7	0.09	0.01
8/02/2018	Last day of first extraction campaign.																												
9/02/2018	Pump over bore (no elevation data)			24.6	6.44	119.9	4.26	-25.9		25.5	5	10	3	2	1	20	5	7	0.54	0.019	4.88	0.36	0.23	0.4	0.01	0.02	0.4	0.12	0.02
31/05/2018	Pump over bore (no elevation data)			22.7	6.98	228	5.26	-41		20.5	5	8	4	2	1	18	5	8	0.52	0.012	3.99	0.24	0.2	0.6	0.01	0.01	0.6	0.11	0.01
24/10/2018				21.8	6.1	78	4.76	9.7	5	8.1	5	1	4	2	1	19	4	11	0.65	0.01	4.04	0.3	0.22	0.8	0.01	0.01	0.8	0.14	0.01
15/01/2019				25.1	6.85	190	3.8	-44	5	9.6	5	16	2	4	1	21	5	11	0.01	0.001	0.05	0.01	0.01	1.4	0.01	0.02	0.4	0.06	0.95
4/04/2019				25.91	6.75	281	4.06	3.3	5	0.13	5	10	4	2	2	18	6	7	0.58	0.017	4.64	0.35	0.036	1	0.01	0.01	1	0.21	0.01
3/07/2019				22.67	6.02	161	3.03	-31.3	7	23.1	5	10	5	2	2	21	7	7	0.48	0.01	5.49	0.25	0.009	0.8	0.01	0.01	0.8	0.18	0.01
2/10/2019				24	6.2	125	4.4	18.3	5	17.6	5	9	5	2	2	16	8	6	0.56	0.009	4.51	0.24	0.03	0.9	0.01	0.01	0.9	0.13	0.01
15/01/2020	pH meter calibration issue - spurious data.			24.6	13.9*	133	7	-99	5	11.7		9	4	2	2	14	7	3				0.3	0.17	0.8	0.01	0.01	0.8	0.18	0.01
28/04/2020	Land-based extraction commenced 16/04/20.			5.8	5.8	108.5	7.01	-54.4	5	56.7	5	8	4	2	2	20	7	5	0.32	0.019	3.55	0.29	0.019	1.1	0.01	0.01	1.1	0.18	0.01
6/07/2020				20.3	7	109	6.9	38	5	9.2	5	12	4	2	2	16	6	7	0.33	0.02	4.06	0.23	0.04	0.9	0.01	0.01	0.9	0.22	0.01
13/08/2020	Clear			22	5.2	1.7	7.5	188	5	2.3	5	9	4	2	2	14	7	4	0.33	0.018	4.15	0.21	0.029	0.8	0.01	0.01	0.8	0.18	0.01
16/09/2020				20.8	5.85	91.1	6.95	4.4	15	391.64	5	9	4	1	1	13	7	8	0.37	0.016	4.13	0.31	0.042	0.01	0.01	0.01	0.9	0.19	0.01
14/10/2020				21.6	7.89	87.7	6.99	-33.6	5	86.4	5	9	4	1	1	11	8	9	0.37	0.014	3.2	0.28	0.006	0.05	0.01	0.05	0.8	0.17	0.05
11/11/2020				22.4	7.2	84	7.59	-17.9		25.4		5	4	1	1	10	6	9	0.34	0.012	3.38	0.28	0.034	0.12	0.02	0.1	0.8	0.13	0.12
24/02/2021	Clear			22.4	6.8	124	7.86	140.8	<5	3.4		14	4	2	2	14	12	13	0.36	0.013	2.93	0.23	0.034	1	0.01	0.01	1	0.14	0.01
10/06/2021				21.9	6.37	92.3	7.34	253.2	<5	26.95		9	4	2	2	11	6	15	0.36	0.011	2.79	0.2	0.01	1.1	0.01	0.01	1.1	0.17	0.01
20/10/2021				21.2	5.63	80	5.47	82.9		13		16	2	5	1	23	6	10	0.01	0.001	0.05								
25/01/2022				23.14	5.18	66	4.52	73.8		17																			
22/02/2022				23.18	5.03	3	6.82	88.4		19		14	1	4	1	20	5	3	0.02	0.001	0.05								
27/04/2022	Pump removed due to flood damage																												
23/05/2022	Due to major flood event, high rainfall, and poor drainage the site was deemed inaccessible to undertake sampling during May 2022.																												
22/06/2022	Due to previous major flood events, ongoing rain and slow drainage, the site was deemed inaccessible to undertake sampling during June 2022.																												
Pre-Extraction	Average			21.8	6.06	95	3.34	36.0	ND	16.7	5	8	4	2	2	17	5	9	2.00	0.018	5.78	0.36	0.285	1.0	0.01	0.01	1.0	0.18	0.01
	Maximum			22.9	6.48	100	4.36	41.0	0	17.3	5	8	4	2	2	17	6	10	3.27	0.019	6.19	0.41	0.320	1.1	0.01	0.01	1.1	0.20	0.01
	Minimum			20.7	5.64	89	2.31	31.0	0	16.0	5	8	4	2	2	17	4	7	0.72	0.016	5.36	0.31	0.250	0.8	0.01	0.01	0.8	0.16	0.01
	80th Percentile			ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
20th Percentile			ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
Reporting Period (2021/2022)	Average			22.5	5.28	50	5.60	81.7	NLM	16.3	NLM	15	2	5	1	22	6	7	0.02	0.001	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	NLM
	Maximum			23.2	5.63	80	6.82	88.4	NLM	19.0	NLM	16	2	5	1	23	6	10	0.02	0.001	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	NLM
	Minimum			21.2	5.03	3	4.52	73.8	NLM	13.0	NLM	14	1	4	1	20	5	3	0.01	0.001	0.05	NLM	NLM	NLM	NLM	NLM	NLM	NLM	NLM
All Results	Average			22.1	6.31	115	5.52	26.2	6	36.2	5.00	10	4	2	2	17	6	8	0.51	0.012	3.51	0.27	0.104	0.8	0.01	0.02	0.8	0.16	0.07
	Maximum			25.9	7.89	281	7.86	253.2	15	391.6	5.00	16	5	5	2	23	12	15	3.27	0.020	6.19	0.41	0.320	1.4	0.02	0.10	1.1	0.28	0.95
	80th Percentile			24.6	6.99	164	7.08	84.0	7	25.8	5	13	4	2	2	20	7	10	0.57	0.019	4.78	0.32	0.228	1.1	0.01	0.02	1.0	0.20	0.02
	Median (50th Percentile)			22.7	6.31	109	5.26	4.4	5	17.3	5	9	4	2	2	18	6	8	0.36	0.012	3.99	0.29	0.038	0.8	0.01	0.01	0.8	0.17	0.01
	20th Percentile			21.1	5.64	80	4.05	-35.1	5	9.0	5	8	4	2	1	14	5	5	0.31	0.009	2.85	0.23	0.012	0.4	0.01	0.01	0.7	0.12	0.01
Minimum			5.8	5.03	2	2.31	-99.0	5	0.1	5.00	1	1	1	1	10	4	3	0.01	0.001	0.05	0.01	0.006	0.0	0.01	0.01	0.4	0.06	0.01	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored

617 - CUDGEN LAKES SAND QUARRY
Groundwater Monitoring Site GW300845

Site: GW300845		Physical									Major Cations & Anions							Metals			Nutrients / Bacteria / Algae											
Sample Date	Comments	Water Level Top of Casing	Temp °C	pH	Electrical Conductivity µS/cm	Dissolved Oxygen mg/L	Redox mV	Total Suspended Solids mg/L	Turbidity NTU	Oil & Grease mg/L	Sodium mg/L	Calcium mg/L	Magnesium mg/L	Potassium mg/L	Chloride mg/L	Sulfate mg/L	Bicarbonate mg/L	Aluminium mg/L	Arsenic mg/L	Iron (filterable) mg/L	Total Phosphorous mg/L	Reactive Phosphorous mg/L	Total Nitrogen mg/L	Nitrite mg/L	Nitrate mg/L	TKN mg/L	Ammonia mg/L	NOx mg/L	Faecal coliforms cells/ml	Enterococci cells/ml	Potentially Toxic Cyanobacteria cells/L	Chlorophyll a ug/L
Objective		-	-	6.5-8.5	<3000	-	-	-	-	10	<500	-	<100	<40	<1000	<800	<400	<0.5	<0.42	<20	0.01	<0.005	0.35	-	-	-	<20	0.01	<1000/100	<230/100	<50000	<10
2017/2018	18/09/2017	Pump over bore but able to measure GW level	1.65	21.30	6.12	116.00	1.71	18.00		92.00	5.00	14.00	2.00	2.00	31.00	4.00	14.00	0.85	0.02	8.47	0.18	0.04	1.40	0.01	0.02	1.40	0.21	0.02				
	9/10/2017	Site vacant and for sale. No power to pump	1.62																													
	30/10/2017	Commencement of extraction																														
	28/11/2017	Site vacant and for sale. No power to pump																														
	11/01/2018	Site vacant and for sale. No power to pump																														
	8/02/2018	Last day of first extraction campaign.																														
	9/02/2018	Site vacant and for sale. No power to pump																														

	Average	1.64	21.3	6.1	116	1.71	18.0		92.0	5	14	2	2	2	31	4	14	0.85	0.024	8.47	0.180	0.040	1.40	0.01	0.02	1.4	0.21	0.020	ND	ND	ND	ND	
																																	Maximum
Pre-Extraction	Minimum	1.62	21.3	6.1	116	1.71	18.0		92.0	5	14	2	2	2	31	4	14	0.85	0.024	8.47	0.180	0.040	1.40	0.01	0.02	1.4	0.21	0.020	ND	ND	ND	ND	
	80th Percentile	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
	20th Percentile	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
All Results	Average	1.64	21.300	6.1	116.0	2	18.00		92	5.0	14	2	2	2	31	4	14	1	0.02	8.47	0.18	0.040	1.400	0.01	0.02	1.4	0.2	0.02	ND	ND	ND	ND	
	Maximum	1.65	21.300	6.1	116.0	2	18.00	0.0	92	5.0	14	2	2	2	31	4	14	1	0.02	8.47	0.18	0.040	1.400	0.01	0.02	1.4	0.2	0.02	ND	ND	ND	ND	
	80th Percentile	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
	Median (50th Percentile)	1.64	21.300	6.1	116.0	2	18.00		92	5.0	14	2	2	2	31	4	14	1	0.02	8.47	0.18	0.040	1.400	0.01	0.02	1.4	0.2	0.02	ND	ND	ND	ND	
	20th Percentile	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID	ID
	Minimum	1.62	21.300	6.1	116.0	2	18.00	0.0	92	5.0	14	2	2	2	31	4	14	1	0.02	8.47	0.18	0.040	1.400	0.01	0.02	1.4	0.2	0.02	ND	ND	ND	ND	

Red and bold values exceed the objective value for that analyte. IS - Insufficient data for statistical analysis. NS = No Sample Required. ND = No Data. NLM = No Longer Monitored